

SAFETY DATA SHEETS

This SDS packet was issued with item:

078936549

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078384336 078384385 078428898 078458168 078462456 078462480 078462498 078462506 078462514

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078384328

Material Safety Data Sheet

CORTA-FLX Solution

MSDS No. 511

Date of Preparation: 11/24/03

Revision: 02

Section 1 - Chemical Product and Company Identification

Product: CORTA-FLX Solution

Manufacturer: Corta-Flx, Inc., PO Box 3807, Aiken, SC 29801, 803-502-1050

HMIS

H 1

F 0

R 0

PPE[†]

[†]Sec. 8

☆☆☆☆☆ Emergency Overview ☆☆☆☆☆

Section 2 - Composition / Information on Ingredients

Ingredient Name					CAS Number		% wt or % vol
Ingredient	OSHA PEL		ACGIH TLV		NIOSH REL		NIOSH IDLH
	TWA	STEL	TWA	STEL	TWA	STEL	

NOTE: In accordance with OSHA's Hazard Communication Standard, only hazardous materials are listed above.

Section 3 - Physical and Chemical Properties

Physical State: Liquid

Appearance and Odor: Dark brown, cherry

Vapor Pressure: Unknown for mixture

Vapor Density (Air=1): Unknown for mixture

Specific Gravity (H₂O=1, at 4 °C): 1.01

Water Solubility: Complete

Boiling Point: 215° F

Freezing/Melting Point: Not Determined

% Volatile: Unknown for mixture

Evaporation Rate: Unknown for mixture

Section 4 - Fire-Fighting Measures

Flash Point: Not Determined

Flash Point Method: N/A

LEL: N/A

UEL: N/A

Extinguishing Media: Water, carbon dioxide, dry chemical or foam

Unusual Fire or Explosion Hazards: None

Hazardous Combustion Products: Unknown for mixture.

Fire-Fighting Instructions: Do not release runoff from fire control methods to sewers or waterways.

Section 5 - Stability and Reactivity

Stability: Product is stable at room temperature in closed containers under normal storage and handling conditions.

Polymerization: Hazardous polymerization cannot occur.

Chemical Incompatibilities: Unknown for mixture.

Hazardous Decomposition Products: Unknown for mixture.

Section 6 - Health Hazard Information**Potential Health Effects****Acute Effects**

Inhalation: Not determined

Eye: Not determined

Skin: Not determined

Ingestion: Not determined

Carcinogenicity: IARC, NTP, and OSHA do not list any ingredient in this product as a carcinogen.

Chronic Effects: May aggravate chronic dermal, eye, and/or pre-existing respiratory disorders.

Emergency and First Aid Procedures

Inhalation: Remove affected person to fresh air

Eye Contact: Flush eyes with clean running water for 15 minutes. See physician if irritation persists.

Skin Contact: Wash with soap & water. See physician if irritation persists.

Ingestion: Give plenty of water. Do not induce vomiting. Contact a physician.

After first aid, get appropriate medical treatment as necessary.

Section 7 - Spill, Leak, and Disposal Procedures

Spill /Leak Procedures: Treat as you would for any human oral product.

Small Spills: Take up on absorbent material & dispose in trash. Rinse area with water.

Large Spills

Containment: For large spills, dike far ahead of liquid spill for later disposal.

Regulatory Requirements: Follow applicable OSHA regulations (29 CFR 1910.120).

Disposal: Contact a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations.

EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)

RCRA Hazardous Waste Classification : Not classified

CERCLA Hazardous Substance (40 CFR 302.4) unlisted specific per RCRA, Sec. 3001; CWA, Sec. 311 (b)(4); CWA, Sec. 307(a), CAA, Sec. 112

SARA 311/312 Codes:

SARA Toxic Chemical (40 CFR 372.65): Not listed

SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed, Threshold Planning Quantity (TPQ)

OSHA Regulations:

Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed

Section 8 - Exposure Controls / Personal Protection**Engineering Controls:**

Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (Sec. 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

Comments: Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Section 9 - Special Precautions and Comments**Handling Precautions:**

Storage Requirements: Store in original, closed container.

Disclaimer: All statements, technical information and recommendations contained herein are based on available scientific tests or data which we believe to be reliable. The accuracy and completeness of such data are not warranted or guaranteed. We cannot anticipate all conditions under which this information and our products, or the products of other manufacturers in combination with our products, may be used. Manufacturer assumes no liability or responsibility for loss or damage resulting from the improper use or handling of our products, from incompatible product combinations, or from the failure to follow instructions, warnings, and advisories in the product's label and Material Safety Data Sheet.