SAFETY DATA SHEETS

This SDS packet was issued with item: 078392590

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078393301 078394152

MATERIAL SAFETY DATA SHEET

SECTION I – PRODUCT INFORMATION

PRODUCT NAME:	Veterinary Biologicals (See Synonyms Listed Below)
MSDS NUMBER:	21396
PRODUCT CODE:	Various
CHEMICAL FAMILY	Biological Vaccines with Formaldehyde
SYNONYMS:	Blacklegol S; Blacklegol 4; Blacklegol 7; Blacklegol 8; Encevac; Redwol; 20/20; AR-Tox;
	Clostridium Bac; E-Bac; EMC Vac; End-FLUence; Feeder Pig Bac 4; Feeder Pig Bac 5;
	Parasuis Bac H. Somnus; Mastaguard; Mystique; Pilimune; Pleuromune; Pleuromune S;
	Respogen; Rhinogen CT; Rhinogen CTE 5000; Rhinogen CTE w/PmA; Rhinogen P;
	Rhinogen PE; Rotamune; Salmonella Bac; Score; Sow Bac CE; Sow Bac E; Sow Bac E Toxoid;
	Strep Bac; 20/20 w/Havlogen; 20/20 Vision 7; TG-Emune; TG-Emune Rota; Vision CD;
	Vision CD-T; Vision 4; Vision 7; Vision 8; Vision 7 Somnus; Vision 7 Tetanus;
	Vision 8 Somnus
DOSAGE FORM:	Vaccines - Various
MANUFACTURER/SI	UPPLIER: Intervet, Inc. TELEPHONE: 1-800-268-4257

405 State Street P.O. Box 318 Millsboro, DE 19966 EMERGENCY #: 1-800-345-4735 (only to be used after hours between 4:30pm - 8:30am) **FAX:** 1-888-498-4444

SECTION II - INGREDIENT INFORMATION

Hazardous Ingredients	CAS#	EXPOSUR	Concentration (%)	
		OSHA	ACGIH	
Formaldehyde	50-00-0	0.75ppm (TWA)	0.30ppm (Ceiling)	>0.1 - <0.5%
		2.00ppm (STEL)		
Formaldehyde is used in the above-list				
Adjuvant		Not Established	Not Established	5 - 10%
Specific chemical identity is withheld				

SECTION III – PHYSICAL DATA

BOILING POINT: Not established VAPOR PRESSURE: Not established SOLUBILITY IN WATER: Soluble PHYSICAL STATE: Liquid APPEARANCE AND ODOUR: Clear or brown; not established MELTING/FREEZING POINT: Not established SPECIFIC GRAVITY: Not established pH: 6 - 8 MOLECULAR WEIGHT: Not applicable BULK DENSITY: Not applicable

SECTION IV - FIRE AND EXPLOSION DATA

FLASH POINT: Not Established EXTINGUISHER MEDIA: Water.

SECTION V – HEALTH HAZARD DATA

EMERGENCY OVERVIEW: Colour: Clear or brown; POTENTIAL HEALTH EFFECTS:

ROUTE OF ENTRY: Dermal, Injection, Inhalation, Ingestion

HUMAN EFFECTS AND SYMPTOMS OF OVEREXPOSURE:

ACUTE EFFECTS OF EXPOSURE: Exposure during the end-use of these products is expected to be minimal. End users should refer to the packaging label for proper handling procedures.

Form: Liquid;

EYE CONTACT: Sufficient exposure to formaldehyde, a preservative in these products, during manufacturing, spills, etc. may cause irritation. Eye irritation can include tearing, swelling, and reddening.

SKIN CONTACT: Sufficient exposure to formaldehyde, a preservative in these products, during manufacturing, spills, etc. may cause irritation.

RESPIRATORY TRACT: Sufficient exposure to formaldehyde, a preservative in these products, during manufacturing, spills, etc. may cause irritation. Respiratory tract irritation can include burning of the nose and throat, coughing, and in severe situations, pneumonitis, pulmonary edema, and even death.

OTHER (Specify): In addition, the adjuvant contained in these products may cause localized swelling if injected.

CHRONIC EFFECTS OF EXPOSURE: No human health effects are known from chronic exposure to the vaccines listed in Section I; however, prolonged or repeated exposure to formaldehyde, a preservative in these products, may result in respiratory impairment such as asthma or bronchitis. Formaldehyde has the potential to cause cancer in humans. Repeated and prolonged exposure increases the risk. In humans, formaldehyde exposure has been associated with cancers of the lung, nasopharynx, oropharynx, and nasal passages. CARCINOGENICITY:

- NTP: Formaldehyde has been classified as an NTP Anticipated Human Carcinogen "Substances or groups of substances that may reasonably be anticipated to be carcinogens."
- IARC: Formaldehyde has been classified as an IARC Probable Human Carcinogen (Group 2A) "The chemical or group of chemicals is probably carcinogenic for humans."
- OSHA: OSHA regulates formaldehyde as a carcinogen under 29 CFR 1910.1048 (the Formaldehyde Standard). The Standard should be consulted for specific details on the requirements for medical surveillance, personal protective equipment, recordkeeping, regulated areas, emergency procedures, housekeeping, employee exposure monitoring, training, and hazard communication.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing respiratory tract conditions may be aggravated by exposure to formaldehyde, a preservative in these products.

FIRST AID PROCEDURES:

In case of contact with eyes, flush with plenty of water for 15 minutes. Contact a physician.

In case of contact with skin, **IMMEDIATELY** wash exposed skin with antiseptic soap.

In case of inhalation, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Contact a physician.

In case of ingestion, contact a physician.

OTHER: If accidentally injected with any of the products listed in Section I, wash wound with Betadine.

SECTION VI - REACTIVITY DATA

STABILITY: Stable .

Unstable: INCOMPATIBILITY (Materials to Avoid): None known DECOMPOSITION PRODUCTS: None known. HAZARDOUS POLYMERIZATION:

Х

May occur: Will not occur: X CONDITIONS OF INSTABILITY: None known

Odour: Not established.

SECTION VII – SPILL OR LEAK PROCEDURE

STEPS TO BE TAKEN: Use absorbents on liquid spills.

DISPOSAL METHODS: Bury in an EPA-approved landfill or burn in an approved incinerator.

SECTION VIII - SPECIAL PROTECTION INFORMATION

REQUIRED WORK/HYGIENE PROCEDURES: Exposure during the end-use of these products is expected to be minimal. Endusers should refer to the packaging label for proper handling procedures. However, sufficient exposure to any of these products may occur during manufacturing, spills, etc., in which case the following personal protection is recommended.

RESPIRATORY PROTECTION: Use NIOSH-approved respirator whenever exposure limits of formaldehyde are exceeded. Consult respirator manufacturer to determine appropriate respirator for given application. If airborne formaldehyde concentration exceeds exposure limits, respiratory protection must be in compliance with the OSHA Formaldehyde Standard, 29 CFR 1910.1048.

VENTILATION: Maintain exposures below exposure limits through the use of general and local exhaust ventilation.

EYE PROTECTION: Wear splash protection when needed to prevent liquid contact.

PROTECTIVE GLOVES: Chemical resistant gloves.

SKIN PROTECTION: Avoid skin contact. Wear long sleeves and trousers to prevent dermal exposure.

OTHER PROTECTIVE MEASURES: Wash with soap and water after exposure to product. Launder clothes daily.

SECTION IX - STORAGE AND HANDLING PRECAUTIONS

STORAGE TEMPERATURE (MIN/MAX): 2-7°C (35-45°F). SHELF LIFE: See expiration date on product label. SPECIAL SENSITIVITY: Avoid high temperatures and freezing of liquid. HANDLING/STORAGE PRECAUTIONS: See product label. OTHER PRECAUTIONS:

SECTION X - TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

ORAL LD ₅₀ :	Not established.
DERMAL LD ₅₀ :	Not established.
INHALATION LC ₅₀ :	Not established.
EYE EFFECTS:	Not established.
SKIN EFFECTS:	Not established.
SENSITIZATION:	Not established.

SECTION XI - ECOLOGICAL INFORMATION

No ecological information available.

SECTION XII - TRANSPORTATION INFORMATION

TECHNICAL SHIPPING NAME: Not applicable FREIGHT CLASS PACKAGE: Drugs and Medicines PRODUCT LABEL: Not noted DOT (DOMESTIC SURFACE) HAZARD CLASS OR DIVISION: Non-Regulated IMO/IMDG CODE (OCEAN) HAZARD CLASS DIVISION NUMBER: Non-Regulated

SECTION XIII - REGULATORY INFORMATION

OSHA STATUS: This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA STATUS: This product is a food, food additive, drug, cosmetic or device as defined by Section 201 of the Federal Food, Drug and Cosmetic Act and therefore is exempt from TSCA regulation under Section 3 (2) (B) (vi).

CERCLA REPORTABLE QUANTITY: Not applicable.

SARA TITLE III:

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES: Formaldehyde

SECTION 311/312 HAZARD CATEGORIES: Immediate Health Hazard

SECTION 313 TOXIC CHEMICALS: Formaldehyde

RCRA STATUS: If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste (40 CFR 261.20-24).

SECTION XIV - ADDITIONAL INFORMATION								
NFPA 704M RATINGS	Health	Flammability		Reactivity		Other		
	1		0	0				
	0= Insignificant	1=Slight	2=Moderate	3=High	4=Extreme			
Bayer's method of hazard communication is comprised of Product Labels and Material Safety Data Sheets. NEPA ratings are								

Bayer's method of hazard communication is comprised of Product Labels and Material Safety Data Sheets. NFPA ratings are provided by Bayer as a customer service.

Disclaimer: This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Intervet Canada Ltd. The data on this sheet relates only to the specific material designated herein. Intervet Canada Ltd. assumes no legal responsibility for use or reliance upon these data.

FOR ANIMAL USE ONLY

The information contained herein is true and accurate to the best of the knowledge of Intervet Canada Ltd. However, all data, instructions and/or recommendations are made without guarantee.

SIGNED:_____

DATE ISSUED: January 2, 2008