SAFETY DATA SHEETS

This SDS packet was issued with item: 078948832

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078948822 078948824 078948829 078948831 078948833

Material Safety Data Sheet Gabapentin Tablet

100/300/400 Capsules

Pack Size: 100/500/1000 Tablets per bottle (for 600 mg) Revision No.: 00

Strength: 600/300 mg. 100/300/400

100/500/1000 and unit dose blister cartons of 100(10X10) unit dose Tablet/bottle(for 800mg)

EMERGENCY OVERVIEW

Gabapentin Tablets contain Gabapentin and excipients generally considered to be non- toxic and non-hazardous in small quantities and under conditions of normal occupational exposure.

Section 1. Identification of the substance

Identification of the product

Product name:Gabapentin TabletFormula:C_9H17NO2Chemical Name:1-(aminomethyl)cyclohexaneacetic acidTherapeutic CategoryAntiepileptic



Gabapentin

Manufacturer / supplier identification

Company:	Cadila Healthcare Ltd. Ahmedabad, India		
Contact for information:	Tel.:	+91 79 6868100 Fax: +91 79 3750319	
Emergency telephone No.	Tel.:	+91 79 6868100	

Section 2. Composition / information on ingredients

Component	Exposure Limit	CAS No.
Principle Component :		
Gabapentin	Not Found	60142-96-3
Inactive ingredients :		
Copovidone	Not Found	9003-39-8
Low substituted hydroxypropyl cellulose	Not Found	9004-64-2
Magnesium stearate	Not Found	577-04-0
Mannitol	Not Found	69-65-8
Poloxamer	Not Found	106392-12-5
Talc	Not Found	14807-96-6

Capsules 100/300/400 Pack Size: 100/500/1000 Tablets per bottle (for-600 mg) Revi

Strength: 600/500 mg.

100/500/1000 and unit dose blister cartons of 100(10X10) unit dose Tablet/bottle(for 800mg)

Revision No.: 00

Povidone	Not Found	9003-39-8
Section 3. Health Ha	zards Information	
Dose and Administration	Gabapentin tablets are given orally with or winformed that, should they break the scored of administer a half-tablet, they should take the un Half-tablets not used within several days of break discarded. If gabapentin tablets dose is reduced, discontinue medication, this should be done gradually over period may be needed at the discretion of the press	00 or 800 mg tablet in order nused half-tablet as the next do aking the scored tablet should d or substituted with an alternat a minimum of 1 week (a lon
Adverse Effects Capsules	Postherpetic Neuralgia: The most commonly observed adverse events ass tablets in adults, not seen at an equivalent is patients, were dizziness, somnolence, and periphe	frequency among placebo-trea
Capsu	Epilepsy: The most commonly observed adverse events ass vablets in combination with other antiepileptic d not seen at an equivalent frequency among somnolence, dizziness, ataxia, fatigue, and m observed adverse events reported with the use of with other antiepileptic drugs in pediatric patient an equal frequency among placebo-treated pat nausea and/or vomiting, somnolence, and hostility	trugs in patients >12 years of a g placebo-treated patients, w hystagmus. The most commo gabapentin tablets in combina- ts 3 to 12 years of age, not see ients, were viral infection, fe
	Adverse events following the abrupt discontinua reported. The most frequently reported events we and sweating.	ere anxiety, insomnia, nausea, p
Over Dose Effect	Acute oral overdoses of gabapentin tablets up to these cases, double vision, slurred speech, drow observed. All patients recovered with supportive	siness, lethargy and diarrhea w
Medical Conditions	Tell your healthcare provider about all the prescription and non-prescription medicines, vitar COPSUES Taking gabapentin tablets with certain other me affect how well they work. Do not start or stop your healthcare provider.	mins, and herbal supplements. edicines can cause side effects
	Know the medicines you take. Keep a list of the provider and pharmacist when you get a new med Capsules	

Contraindications Gabapentin tablets are contraindicated in patients who have demonstrated hypersensitivity to the drug or its ingredients.

Material Safety Data Sheet 100/300/400 **Gabapentin** Tablet Capsules Strength: 600/800 mg. Pack Size: 100/500/1000 Tablets per bottle (for 600-mg) Revision No.: 00 109/300/400 100/500/1000 and unit dose blister cartons of 100(10X10) unit dose Tablet/bottle(for 800mg) There are no adequate and well- controlled studies in pregnant women. This drug **Pregnancy Comments** should be used during pregnancy only if the potential benefit justifies the potential risk to the fetus. С **Pregnancy Category** Section 4. First aid measures General Inhalation Remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention. Contact with skin Immediately wash skin with soap and copious amounts of water for at least 15 minutes. If irritation persists, seek medical attention. Contact with eyes Immediately flush eyes with copious amounts of water for at least 15 minutes. Seek medical advice Ingestion If swallowed, wash out mouth with water, provided person is conscious. Seek medical advice Remove and wash/dispose of contaminated clothing promptly. Gabapentin can be removed by hemodialysis. Although hemodialysis has not been Overdose Treatment performed in the few overdose cases reported, it may be indicated by the patient's clinical

Section 5. Fire – fighting measures

Flash point	Not Found	Upper Flammable Limit:	Not Found
Auto-Ignition Temperature:	Not Found	Lower Flammable Limit:	Not Found
Extinguishing Media	Water Spray, dry chemical, carbon dioxide or foam as appropriate for surrounding fire and material.	Fire and Explosion Hazard	This material is assumed to be combustible. As with all dry powders it is advisable to ground mechanical equipment in contact with the dry material to dissipate the potential build up of static electricity.
Eine Einh time	As with all finas areas		

state or in patients with significant renal impairment.

Fire Fighting Procedure

As with all fires, evacuate personnel to a safe area. Fire fighter should use self- contained breathing equipment and protective clothing.

100/300/400

Pack Size: 100/500/1000 Tablets per bottle (for 600-mg) Revision No.: 00

Strength: 6007800 mg. Pa

100/500/1000 and unit dose blister cartons of 100(10X10) unit dose Tablet/bottle(for 800mg)

Section 6. Accide	ental Release Measures			
Spill Response	Wear approved respiratory protection, chemically compatible gloves and protective clothing. Wipe up spillage or collect spillage using high efficiency vacuum cleaner. Avoid breathing dust. Place spillage in appropriately labelled container for disposal. Wash spill site.			
Section 7. Hand	ing and Storage			
Storage	Store at 20° to 25° C ((68° to 77° F). Dispense in a	a tight container.	
Section 8. Expos	ure controls and personal	l protection		
Respiratory Protection		ation is not normally neces ate, use of suitable dust mas	ssary. If ventilation is inadequate of k would be appropriate.	
Skin Protection	Skin protection is not normally necessary, however it is good practice to avoid contact with chemical to use suitable gloves when handling.			
Eye protection	Eye protection is not normally necessary. If concerned wear protective goggles or glasses. Wash hands prior to touching eye and in particular handling contact lenses.			
Protective Clothing	Protective clothing is apron.	Protective clothing is not normally necessary, however it is good practice to use apron.		
n 9. Physical and	chemical properties			
Appearance	Gabapentin Tablets, 60 tablets debossed with 'Z COPSNUS Gabapentin Tablets, 9	E72' with bisect on one sid mg are white to off- ablete debossed with 'ZE7	e, oval-shaped, biconvex, film-coated le and plain with bisect on other side white, oval-shaped, bevelled-edge l' with bisect on one side and plain	
Solubility in water	Freely soluble	Odour	Odourless	
Boiling point	No Data Available	Melting Point	No Data Available	
Evaporation rate	No Data Available	Vapour density	No Data Available	
Reactivity in water	No Data Available	Evaporation rate	No Data Available	
Percentage Volatile by volume Vapour pressure	No Data Available No Data Available	Specific gravity	No Data Available	
Other information	Not Applicable			
Section 10. Stability				

Section 10. Stability and Reactivity

Material Safety Data Sheet Gabapentin Tablet

Capsules 100/300/400

 Strength: 609/690 mg.
 Pack Size: 100/500/1000
 Tablets per bottle (for 600 mg)
 Revision No.: 00

 100/500/1000
 100/500/1000
 and unit dose blister cartons of 100(10X10) unit dose Tablet/bottle(for 800mg)

Condition to avoid	Avoid exposure to extreme heat, light and moisture.	Stable	Stable under normal ambient and anticipated storage and handling conditions.	
Decomposition Products	No Data Available	Hazardous Reaction	No data available.	
Incompatibilities	No data available.			
Section 11. Toxi	cological information			
General	eneral Handling of formulated product is not expected to cause any toxicological affects. The data pertains to the ingredient in formulations, rather than this specie formulation.			
Target organ	Eye contact, Skin contact and inhalation is not great risk as this product is tablet.			
Other	Not Applicable			
Section 12. Ecol	ogical information			
No data	No data available on Ecotoxicity			
Section 13. Disp	osal Consideration			
Disposal	Dispose the waste in accordance	e with all applicable	e Federal, State and local laws.	
Section 14. Trai	nsport Information			
May be	May be shipped normally as a non hazardous material.			
Section 15. Regulatory Information				
Generic Medicine. Approved by USFDA & the ANDA Number is 40663				
	er information			
None				
Date of issue:	13/07/2012	Supersed	es edition of: New Edition	
The information contained herein is based on the state of our knowledge. It Characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.				