SAFETY DATA SHEETS

This SDS packet was issued with item:

078926862

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078050312 078784040



SAFETY DATA SHEET

Cetacaine® Spray Topical Anesthetic

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled): Cetacaine® Spray Topical Anesthetic

Synonyms: N/A CAS No: Mixture

<u>1.2 Product Use:</u> Topical liquid spray anesthetic

1.3 Company Name: Cetylite

Company Address: 9051 River Road
Company Address Cont: Pennsauiken, NJ 08110

Business Phone: (800) 257-7740 or (856) 665-6111

Website: www.cetylite.com
1.4 Emergency Telephone Number: (800) 257-7740

Date of Current Revision: May 6, 2016
Date of Last Revision: July 22, 2013

SECTION 2 - HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a light yellow colored liquid with a slight banana, ethereal odor.

Health Hazards: May cause serious eye damage. Prolonged contact with skin may cause irritation. Possible Allergen. Contact with eyes may cause irritation or other effects. May be harmful if swallowed.

eyes may cause irritation or other effects. May be narmful if swallowed.

Flammability Hazards: This product is a Non-Flammable liquid with a flash point of >200°F. Warning! Contents under pressure and may rupture when heated.

Reactivity Hazards: None.

Environmental Hazards: The environmental effects of this product have not been investigated, however release may cause long

term adverse environmental effects.

US DOT Symbols:



EU and GHS Symbols:

Signal Word: Warning!

2.1 CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 or the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:

Index Number:

EC# 264-151-6 Annex VI Index# 612-140-00-5

Remaining ingredients in this substance are not classified in the Annex VI of Directive 67/548/EEC

Substances not listed either individually or in group entries must be self-classified.

Components Contributing to Classification: Benzocaine, Tetracaine Hydrochloride, 50% Benalkonium

Chloride, Butamben, CFC-11, CFC-114, CFC-152A

2.2 Label Elements:

GHS Hazard Classifications: Acute Toxicity Category 4 (Oral, Dermal)

Eye Irritant Category 2B Skin Irritant Category 3

Acute Aquatic Toxicity Category 3 Skin Sensitizer Category 1

Liquid Gas

Hazard Statements: H302 Harmful if swallowed

P312 Harmful in contact with skin H317: May cause allergic skin reaction

H320: Causes eye irritation H402: Harmful to aquatic life

H280: Contains gas under pressure: may explode if heated

Cetacaine® Spray Topical Anesthetic

Prevention Statements: P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handing.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

Response Statements: P302+ P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel

unwell.

Storage Statements: P410+P403 Protect from sunlight. Store in a well-ventilated place.

Disposal Statements:

P501 Dispose of contents/container in accordance with local/regional/

national/international regulations.

2.3 Health Hazards or Risks From Exposure:

Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: May cause respiratory system irritation.

Skin Contact: May cause irritation to skin. May cause allergic reaction to the skin.

Eye Contact: Vapours and direct contact to the eyes may be irritating.

Ingestion: May be harmful if swallowed.

Chronic: None known Target Organs:

Acute: Skin, Eyes, Respiratory System, Digestive system

Chronic: None known

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS No.	EINECS No.	Hazard Classification
Non-Flammable Propellant Blend	55 – 60%	Mixture (See Below)		
CFC-11	50 – 60%	75-69-4	200-892-3	Acute Tox Cat 4 (Dermal)
CFC-114	25 – 35%	76-14-2	200-937-7	Liquid Gas
CFC-152A	10 – 20%	75-37-6	200-866-1	Flam. Gas 1, Liquid Gas
Topical Anesthetic Ingredients	40 – 45%	Mixture (See Below)		
Dipropylene Glycol	70 - 85%	25265-71-8	246-770-3	Not Classified
Benzocaine	10 - 20%	94-09-7	202-303-5	Skin Sensitizer Cat 1
Butamben	1 - 5%	94-25-7	202-317-1	Skin Irritant Cat 2, Eye Irritant Cat 2, STOT SE 3, Skin Sensitizer Cat 1
Tetracaine Hydrochloride	1 - 5%	136-47-0	205-248-5	Acute Tox Cat 3(Oral), Eye Irritant Cat 2, Skin Sensitizer Cat 1
Saccharin	1 - 5%	81-07-2	201-321-0	Not Classified
50% Benalkonium Chloride	0.5 – 2%	63449-41-2	264-151-6	Acute Tox Cat 4 (Oral, Dermal), Skin Corrosion Cat 1, Aquatic Acute Cat 1

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Note: All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

Cetylite Page 2 of 8

SECTION 4 - FIRST AID MEASURES

4.1 Description of First Aid Measures:

Eye Contact:

Skin Contact:

Inhalation:

Ingestion:

Medical Conditions Generally Aggravated by **Exposure:**

4.2 Symptoms and Effects Both Acute and Delayed:

4.3 Recommendations to Physicians:

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Fire Extinguishing Materials:

Use the following fire extinguishing materials:

If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.

Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.

If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention. If product is swallowed, call physician or poison center immediately. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

Pre-existing skin, respiratory system or eye problems may be aggravated by prolonged contact.

Exposure to skin, eyes, and respiratory system may cause irritation.

Treat symptoms and eliminate overexposure.

Water Spray: Yes Carbon Dioxide: Yes

Foam: Yes Dry Chemical: Yes Halon: Yes Other: Any "C" Class


5.2 Unusual Fire and Explosion Hazards: Irritating and toxic fumes may be produced at high temperatures. Use of water may result if the formation of a toxic aqueous solution. Do not allow run-off from firefighting to enter drains or water courses.

Explosive Sensitivity to Mechanical Impact: Explosive Sensitivity to Static Discharge:

Nο No

- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray.
- If possible, prevent run-off water from entering storm drains. bodies of water, or other environmentally sensitive areas.

5.3 Special Fire-Fighting Procedures:





For Routine Industrial Use and Handling Applications

Hazard Scale: 0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic Hazard

SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

- Contain spill if safe to do so. Soak up with an absorbent material and place in an appropriate closed container for disposal.
- Place in leak-proof containers. Seal tightly for proper disposal.

Large Spills:

 Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

7.3 Specific Uses:

Various uses.

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Exposure Parameters:

<u>Ingredients</u>	CAS No.	OSHA PEL	NIOSH PEL
CFC-11	75-69-4	1000 ppm	1000 ppm
CFC-114	76-14-2	1000 ppm	1000 ppm
CFC-152A	75-37-6	Not Listed	Not Listed
Dipropylene Glycol	25265-71-8	Not Listed	Not Listed
Benzocaine	94-09-7	Not Listed	Not Listed
Butamben	94-25-7	Not Listed	Not Listed
Tetracaine Hydrochloride	136-47-0	Not Listed	Not Listed
Saccharin	81-07-2	Not Listed	Not Listed
50% Benalkonium Chloride	63449-41-2	Not Listed	Not Listed

8.2 Exposure Controls:

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are

maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:

Not required for properly ventilated areas.

Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states

Cetylite Page 4 of 8

Eye Protection:

Hand Protection:

Body Protection:

Cetacaine® Spray Topical Anesthetic

Safety glasses or goggles are required.

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards,

or relevant Japanese Standards.

Chemical resistant gloves are required to prevent skin contact.

If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European
Standard DIN EN 374, the appropriate Standards of Canada, Australian

Standards, or relevant Japanese Standards.

Use body protect appropriate to task being performed.

If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot

protection, as described in U.S. OSHA 29 CFR 1910.136.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): This product is a light yellow colored liquid with a slight banana, ethereal odor.

Odor: Slight banana, ethereal odor **Odor Threshold:** No data available

pH: Not Available

Melting/Freezing Point: Approximately 450°F

Boiling Point: No data available **Flash Point:** Not Available

Evaporation Rate: No data available

Flammability (Solid; Gas): No data available

Upper/Lower Flammability or Explosion Limits: No data available

Vapor Pressure (mm Hg @ 20°C (68° F): Approximately 0.02 mmHg @ 25°C

Vapor Density: No data available Relative Density: Not Available Specific Gravity: 1.052 @25°C Solubility in Water: No data available Weight per Gallon: Not Available

Partition Coefficient (n-octanol/water): No data available

Auto-Ignition Temperature: No data available **Decomposition Temperature:** No data available

Viscosity: Not Available

9.2 Other Information: No data available

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity: This product is not reactive.

10.2 Stability: Stable under conditions of normal storage and use.

10.3 Possibility of Hazardous Reactions: Not identified.

10.4 Conditions to Avoid:Contact with incompatible materials.

10.5 Incompatible Substances: Strong oxidizing agents.

10.6 Hazardous Decomposition Products: When heated to decomposition this product may contain carbon

dioxide, carbon monoxide and unidentified toxic and/or irritating

compounds.

Cetylite Page 5 of 8

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Suspected Cancer Agent:

Toxicity Data:

Dipropylene Glycol	25265-71-8	LD50 Oral – Rat	14850 mg/kg
Tetracaine HCL	136-47-0	LD50 Oral – Rat	160 mg/kg

Ingredients within this product are found on one or more of the

following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be cancer-causing agents by these

agencies. Saccharin CAS# 81-07-2 IARC Group 3

Irritancy: This product is expected to be an irritant.

Sensitization to the Product: This product is expected to cause skin sensitization.

This product does not contain ingredients that are suspected to be a **Germ Cell Mutagenicity:**

germ cell mutagenic.

Reproductive Toxicity: This product is not expected to be a human reproductive toxicant.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity: No specific data available on this product. 12.2 Persistence and Degradability: No specific data available on this product. 12.3 Bioaccumulative Potential: No specific data available on this product. 12.4 Mobility in Soil: No specific data available on this product. 12.5 Results of PBT and vPvB Assessment: No specific data available on this product.

12.6 Other Adverse Effects: No data available

At present, there are no ecotoxicological assessments for this product. 12.7 Water Endangerment Class:

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste disposal must be in accordance with appropriate U.S. Federal, 13.1 Waste Treatment Methods:

State, and local regulations, those of Australia, EU Member States

and Japan.

13.2 EU Waste Code: Not determined

SECTION 14 - TRANSPORTATION INFORMATION

14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

FOR BULK SHIPMENTS

UN Identification Number:

Aerosol, Non-Flammable **Proper Shipping Name:**

Hazard Class Number and Description: Class 2.2 Non-Flammable Aerosol

Packing Group:

DOT Label(s) Required: Class 2.2 Non-Flammable Aerosol

North American Emergency Response Guidebook

Number:

Special Notes: CONSUMER COMMODITY-ORM-D when shipped in quantities less than 66 lbs per carton.

14.2 Environmental Hazards:

The components of this product are not designated by the Department **Marine Pollutant:** of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix

> B). None

14.3 Special Precaution for User:

14.4 International Air Transport Association Shipping
This product is considered as dangerous goods.

14.5 International Maritime Organization Shipping

Information (IMO):

This product is considered as dangerous goods.

SECTION 15 - REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:

United States Regulations:

U.S. SARA Reporting Requirements:

The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

Propellant Blend contains the following chemicals that are reportable under Section 313:

CAS Number: 75-69-4

Trichlorofluoromethane: <60% of propellant content.

CAS Number 76-14-2

1,2-Dichloro-1,1,2,2-tetrafluoroethane: <35% of propellant content No chemicals in Topical Anesthetic are reportable under Section 313.

U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: No; Fire: Yes; Reactivity; No

U.S. CERCLA Reportable Quantity:

Saccharin Insoluble (CAS# 81-07-2) 100 Lbs.

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65): This

product does not contain ingredients on the Proposition 65 Lists.

15.2 Canadian Regulations:

Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian WHMIS Classification and Symbols:

Classified per WHMIS 2015 Controlled Product Regulations.

15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.4 Australian Information for Product:

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

15.6 International Chemical Inventories:

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

SECTION 16 - ADDITIONAL INFORMATION

Prepared By: Chris Eigbrett (MSDS to GHS Compliance)

Date of Printing: May 6, 2016

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. Cetylite Industries, Inc. assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Cetylite Industries, Inc. assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET

Cetylite Page 8 of 8