# This SDS packet was issued with item:

078940500

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078940498 078940499 078940501



# Bravecto<sup>®</sup>

Page 1 of 4

## Section 1: Identification of the Substance and Supplier

Product name Bravecto

Recommended use For oral flea and tick treatment in dogs

Company details MSD Animal Health, 33 Whakatiki Street, Upper Hutt

Phone: 0800 800 543 Fax: 0800 808 100 Website: www.msd-animal-health.co.nz

Hours: 8 am - 5 pm, Mon - Fri

Emergency telephone 0800 764 766 (0800 POISON) 24 hours human health

0800 243 622 (0800 CHEMCALL) 24 hours

Date of preparation May 2014

#### Section 2: Hazards Identification

Hazard classifications 6.1E, 6.3B, 9.1A

Priority identifiers Warning

Ecotoxic

Secondary identifier 6.1E May be harmful is swallowed, inhaled or absorbed through the skin.

6.3B May cause skin irritation

9.1A Very toxic to aquatic organisms with long-lasting effects.

Risk & Safety Phrases R50 Very toxic to aquatic organisms

## Section 3: Composition/Information on Ingredients

Chemical name	CAS number	Concentration
Fluralaner	846731–61-3	13.64%
Sodium lauryl sulphate	151-21-3	<5 %
Disodium Pamoate	6640-22-8	<5 %

#### Section 4: First Aid Measures

Necessary first aid measures **SKIN CONTACT** In case of skin contact, carefully remove any contaminated clothing, including shoes, and wash skin thoroughly with soap and water. If irritation or symptoms occur or persist, consult a doctor.

**EYE CONTACT** In case of eye contact, immediately rinse eyes thoroughly with plenty of water. If wearing contact lenses, remove only after initial rinse, and continue rinsing eyes for at least 15 minutes. If irritation occurs or persists, consult a doctor.

**INGESTION** Rinse mouth with water and drink a glass of water. DO NOT induce vomiting unless under the direction of a qualified medical professional or National Poisons Centre. If symptoms persist, consult a doctor.



# **Bravecto**®

Page 2 of 4

**INHALATION** Remove affected person promptly to fresh air. Administer artificial respiration if breathing has ceased.

Required instructions For advice contact the National Poisons Centre 0800 POISON (0800 764 766)

or a doctor.

Type of hazard Not classified as flammable

Fire hazard properties Not applicable

Regulatory requirements Not applicable

Extinguishing media and methods

Carbon dioxide (CO2), extinguishing powder or water spray.

Hazchem code 2X

Recommended protective

clothing

Wear full protective clothing and self-contained breathing apparatus (SCBA).

## Section 6: Accidental Release Measures

Emergency procedures Wear chemical resistant gloves and overalls, facemask or goggles. Prevent

further spillage. Recover and salvage product where possible. Otherwise sweep up and collect and place in sealable container for disposal. Seek advice from the local authority regarding disposal. Avoid contamination of any water source with

product or empty container.

## Section 7: Handling and Storage

Precautions for safe Avoid contact with skin, eyes, and mucosa. Keep containers adequately sealed

handling during material transfer, transport, or when not in use.

Regulatory requirements Signage required where quantities greater than 100kg are present.

Emergency Plan required where quantities greater than 100kg are present.

Handling practices Avoid contact with skin. Keep containers adequately sealed during material

transfer, transport, or when not in use.

Approved handlers Not required

Conditions for safe

storage

Store in original container in a cool, dry, ventilated place away from direct heat or direct sunlight. Keep container sealed when not in use. Keep out of reach of

children.

Store site requirements Store below 30°C. Protect from humidity and light. Do not refrigerate.

Packaging Schedule 4



Page 3 of 4

**Bravecto**®

Section 8: Exposure Control/Personal Protection

Workplace exposure standards

No WESs are set for this product.

Application in the workplace

Ensure adequate ventilation. Keep container sealed when not in use.

Exposure standards outside the workplace

TEL - not applicable

Personal protection

Wear chemical resistant gloves, facemask or goggles.

## Section 9: Physical and Chemical Properties

Appearance	Light to dark brown chewable tablet
Boiling Point	Not determined
Melting/Softening point	Not determined
Vapour Pressure	Not determined
Specific Gravity	Not determined
Solubility (H₂O)	Not determined
Percent Volatiles	Not determined
Flash Point	Not determined
Evaporation Rate	Not determined

## Section 10: Stability and Reactivity

Stability of the substance Stable under normal conditions. No hazardous reactions known.

Conditions to avoid Keep away from heat, sparks, open flame and direct sunlight.

Material to avoid Avoid food products. Strong acids and bases. Strong oxidizers.

Hazardous decomposition

products

No dangerous decomposition is expected if used according to manufacturer's

specifications.

## Section 11: Toxicological Information

## Acute effects for individual ingredients only

ORAL	Fluralaner: LD50 >2000mg/kg (rat); Sodium lauryl sulphate: LD50 1288mg/kg (rat)	
DERMAL	Fluralaner: LD50 >2000mg/kg (rat); Sodium lauryl sulphate: LD50 580mg/kg (rabbit) (IUCLID)	
TEL	No TEL is set for this substance at this time.	

Disodium Pamoate: Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering. Inflammation of the eye is characterized by redness, watering, and itching.

Chronic/long term effects for Individual ingredients only



Page 4 of 4

# Bravecto<sup>®</sup>

#### Section 12: Environmental Information

Effects for individual ingredients only

AQUATIC Fluralaner:

96-hr LC50 (Common carp): 2 mg/L

48-hr EC50 (Daphnia magna): 0.0001 - 0.01 mg/L

72-hr EC50 (P. subcapitata): >10 mg/L

TERRESTRIAL INVERTEBRATES No data

EEL Not applicable

## Section 13: Disposal Considerations

Disposal information Disposal of Product and Container

Dispose of this product by wrapping with paper and disposing in a suitable landfill. Avoid contamination of any water source or the environment with product or empty

container.

#### Section 14: Transport Information

Relevant information UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Isoxazoline derivative - Fluralaner)

Class 9 PGIII

Limited quantities/Consumer commodity: 5kg Maximum quantity for own agricultural use: 250kg

Other requirements Refer to Haznote.

## Section 15: Regulatory Information

Regulatory status ACVM Registration No: A11019

For conditions of registration see www.foodsafety.govt.nz

HSNO Approval Code: HSR100757.

For a full listing of controls see www.epa.govt.nz

HSNO and ACVM controls Emergency Plan: 100kg

Signage: 100kg

## Section 16: Other Information

Additional information Bravecto is a registered trademark.

Schering-Plough Animal Health Ltd known as MSD Animal Health, is a subsidiary of Merck & Co., Inc., Whitehouse Station, NJ, USA. Schering-Plough Animal Health Limited urges each user or recipient of this SDS to read the entire data sheet to become aware of the potential hazards associated with this material. This SDS summarises, at the date of issue, our best knowledge of the health and safety hazard information. Although reasonable care has been taken in the preparation of this document, Schering-Plough Animal Health Ltd extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequence of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).