

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

078040966

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

078040909 078040917 078040941 078040974

SAFETY DATA SHEET  
**Baytril Taste Tablets**

122000007051

Version 2.0

Revision Date 09/24/2014

---

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****Product information**

**Product Name:** Baytril Taste Tablets  
**MSDS Number:** 122000007051

**Use** : veterinary medicine

**Company**

BAYER HEALTHCARE LLC  
Animal Health Division  
12707 Shawnee Mission Parkway  
(West 63rd)  
Shawnee, KS 66216-1846  
USA  
(800) 633-3796

**In case of emergency:** (800) 422-9874  
Chemtec: (800) 424-9300  
BAYER INFORMATION PHONE:(800) 633-3796  
INTERNATIONAL:(703) 527-3887

---

**2. HAZARDS IDENTIFICATION****Emergency Overview**

**CAUTION! Colour:** brown **Form:** tablet **Odour:** weak, musty.  
Product poses little or no hazard if spilled and no unusual hazard if involved in a fire.

**GHS Classification:**

**|| Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.**

**GHS Label element:**

**|| Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.**

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Hazardous Ingredients:**

Weight percent	Components	CAS-No.
----------------	------------	---------

# SAFETY DATA SHEET

## Baytril Taste Tablets

122000007051

Version 2.0

Revision Date 09/24/2014

---

7.158%	Enrofloxacin	93106-60-6
1 - 5%	Tradeseecret	
1 - 5%	Inorganic Compound	
10 - 30%	Polysaccharide	

---

#### 4. FIRST AID MEASURES

**General advice:** Take off all contaminated clothing immediately.

**If inhaled:** Remove to fresh air. If symptoms persist, call a physician.

**In case of skin contact:** After contact with skin, wash immediately with plenty of soap and water. If skin reactions occur, contact a physician.

**In case of eye contact:** In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**If swallowed:** If swallowed, seek medical advice immediately and show this container or label.

**Contact Number:** Use the Bayer Emergency Number in Section 1

---

#### 5. FIREFIGHTING MEASURES

**Suitable extinguishing media:** Any

**Specific hazards during firefighting:** Fire may cause evolution of: Carbon monoxide (CO)  
Carbon dioxide (CO<sub>2</sub>)

**Special protective equipment for firefighters:** In the event of fire, wear self-contained breathing apparatus.

**Further information:** Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Use personal protective equipment.

**Methods for cleaning up:** Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see

section 13).

**Additional advice:** Avoid dust formation.

**Further Accidental Release Notes**      Avoid dust formation.

---

## 7. HANDLING AND STORAGE

**Handling:**

Industrial uses: Avoid dust formation. Avoid contact with skin, eyes and clothing.

**No special protective measures against fire required.**

**Storage:**

Storage temperature: < 86 °F (< 30 °C)

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Respiratory protection:**

Recommended Filter type: HEPA

**Hand protection:**

Chemically resistant gloves.

**Eye protection:**

Safety glasses

**Other protective measures:**

No special safety precautions are required during handling of pharmaceuticals in their intended finished form (tablets or liquid formulations) by chemists, the hospital's medical staff or patients.

For the intake of ready for use pharmaceuticals or the external use on the skin please read the label and the package leaflet.

Wear suitable protective equipment.

Please consult label for end-user requirements.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form:	tablet
Colour:	brown
Odour:	weak, musty
Odour Threshold:	No applicable information is available
Melting point:	No applicable information is available
Boiling point/boiling range:	No applicable information is available

# SAFETY DATA SHEET

## Baytril Taste Tablets

122000007051

Version 2.0

Revision Date 09/24/2014

---

Density:	No applicable information is available
Bulk density:	No applicable information is available
Vapour pressure:	No applicable information is available
Viscosity, dynamic:	No applicable information is available
Viscosity, kinematic:	No applicable information is available
Flow time:	No applicable information is available
Surface tension:	No applicable information is available
Miscibility with water:	No applicable information is available
Water solubility:	No applicable information is available
pH:	No applicable information is available
Relative density:	No applicable information is available
Partition coefficient:	No applicable information is available
Solubility(ies):	No applicable information is available
Flash point:	No applicable information is available
Flammability (solid, gas):	No applicable information is available
Ignition temperature:	No applicable information is available
Explosion limits:	No applicable information is available

---

### 10. STABILITY AND REACTIVITY

**Conditions to avoid:** no data available

**Materials to avoid:** Oxidizing agents

**Hazardous reactions:** None known.

**Thermal decomposition:**

no data available

**Hazardous decomposition products:**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

**Oxidizing properties:**

No statements available.

**Impact Sensitivity:**

no data available

---

### 11. TOXICOLOGICAL INFORMATION

SAFETY DATA SHEET  
**Baytril Taste Tablets**

122000007051

Version 2.0

Revision Date 09/24/2014

---

**Acute oral toxicity:**

Enrofloxacin

LD50 rat: > 5,000 mg/kg

The substance or mixture has no acute oral toxicity

Tradeseecret

LD50 rat: > 2,000 mg/kg

Inorganic Compound

The substance or mixture has no acute oral toxicity

Polysaccharide

LD50 rat: > 5,000 mg/kg

The substance or mixture has no acute oral toxicity

**Acute inhalation toxicity:**

Enrofloxacin

LC50 rat: > 2.937 mg/l, 4 h

The substance or mixture has no acute inhalation toxicity

An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.

Inorganic Compound

The substance or mixture has no acute inhalation toxicity

Polysaccharide

LC50 rat: > 5.05 mg/l, 4 h

The substance or mixture has no acute inhalation toxicity

**Acute dermal toxicity:**

Enrofloxacin

LD50 rabbit: > 2,000 mg/kg

Inorganic Compound

The substance or mixture has no acute dermal toxicity

Polysaccharide

LD50 rabbit: > 2,000 mg/kg

The substance or mixture has no acute dermal toxicity

**Acute toxicity (other routes of administration):**

Inorganic Compound

LD50 intraperitoneal rat: 280 mg/kg

**Skin irritation:**

Enrofloxacin

rabbit

Result: No skin irritation

Method: OECD Test Guideline 404

Tradeseecret

rabbit

Result: No skin irritation

Method: Draize Test

SAFETY DATA SHEET  
**Baytril Taste Tablets**

122000007051

Version 2.0

Revision Date 09/24/2014

---

Inorganic Compound  
Result: Mild skin irritation

According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Polysaccharide  
rabbit  
Result: No skin irritation

**Eye irritation:**

Enrofloxacin  
rabbit  
Result: Mild eye irritation  
Method: OECD Test Guideline 405

Tradesecret  
rabbit  
Result: No eye irritation  
Method: Draize Test

Inorganic Compound  
Result: Mild eye irritation

According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Polysaccharide  
rabbit  
Result: No eye irritation

**Sensitisation:**

Enrofloxacin  
Skin sensitization guinea pig  
Result: Did not cause sensitization on laboratory animals.  
Method: Buehler Test

Inorganic Compound  
Result: Does not cause respiratory sensitization.

Result: Does not cause skin sensitization.

Polysaccharide  
Skin sensitization guinea pig  
Result: Did not cause sensitization on laboratory animals.

**Genotoxicity in vitro:**

Enrofloxacin  
Ames test  
Result: negative

Tradesecret  
Ames test Escherichia coli  
Result: negative

Inorganic Compound  
Ames test  
Result: negative

Polysaccharide  
Ames test  
Result: negative

**Genotoxicity in vivo:**

Enrofloxacin  
Micronucleus test, mouse  
Result: No indication of clastogenic effects.

Polysaccharide  
mouse  
Result: No indication of mutagenic effects.

**Carcinogenicity:**

Inorganic Compound  
Result: No indication on the basis of the available data.

**Reproductive toxicity:**

Inorganic Compound  
Result: No toxicity to reproduction

**Pharmaceutic effects:**

Enrofloxacin  
Antibiotic

**Carcinogenicity:**

**STOT - single exposure:**

**Components:**

**14807-96-6 :**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure:**

**Components:**

**14807-96-6 :**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

---

**12. ECOLOGICAL INFORMATION**

**General advice:**

Do not allow to enter surface waters or groundwater. No data is available on the product itself.

SAFETY DATA SHEET  
**Baytril Taste Tablets**

122000007051

Version 2.0

Revision Date 09/24/2014

---

**Toxicity to fish:**

Enrofloxacin

Acute Fish toxicity: LC0 > 10 mg/l

Test species: *Salmo gairdneri* Duration of test: 96 h

Acute Fish toxicity: LC0 > 9.6 mg/l

Test species: *Lepomis macrochirus* (Bluegill) Duration of test: 96 h

Inorganic Compound

LC50 > 10 g/l

Test species: *Danio rerio* (zebra fish) Duration of test: 24 h

Polysaccharide

Acute Fish toxicity: LC50 > 100 mg/l

Test species: *Oncorhynchus mykiss* (rainbow trout) Duration of test: 96 h

**Toxicity to daphnia and other aquatic invertebrates:**

Enrofloxacin

EC0 > 10 mg/l

Test species: *Daphnia magna* (Water flea) Duration of test: 48 h

Polysaccharide

LC50 > 100 mg/l

Test species: *Daphnia magna* (Water flea) Duration of test: 48 h

**Toxicity to algae:**

Polysaccharide

EC50 > 100 mg/l

Duration of test: 96 h

NOEC 12.5 mg/l

Duration of test: 96 h

**Toxicity to bacteria:**

Enrofloxacin

EC0 0.003 mg/l

tested on: *Pseudomonas putida*

**Toxicity on soil-dwelling organisms**

Enrofloxacin LC50 1000 ppm

Test species: *Eisenia fetida* (earthworms) Duration of test: 28 d

**Biodegradability:**

Inorganic Compound

The methods for determining biodegradability are not applicable to inorganic substances.

Polysaccharide

inherently degradable

**Photodegradation:**

Enrofloxacin

Water

half-life time (direct Photolysis): > 240 h

### 13. DISPOSAL CONSIDERATIONS

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

---

### 14. TRANSPORT INFORMATION

**Land transport (CFR)**

non-regulated

**US Sea transport (IMDG)**

non-regulated

**US Air transport (ICAO / IATA cargo aircraft only)**

non-regulated

**US Air transport (ICAO / IATA passenger and cargo aircraft)**

non-regulated

**International IATA**

IMDG

non-regulated

non-regulated

---

### 15. REGULATORY INFORMATION

**Other regulations:** No statements available.

**US. Toxic Substances Control Act** This product is excluded from TSCA regulation by Section 3 (2)(B)(vi) when used for FDA application.

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)**

**Components**

None

**SARA Section 311/312 Hazard Categories**

Exempt from SARA Section 311/312

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required**

**Components**

None

**US. EPA CERCLA Hazardous Substances (40 CFR 302) Components**

# SAFETY DATA SHEET

## Baytril Taste Tablets

122000007051

Version 2.0

Revision Date 09/24/2014

None

### Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists

Weight percent	Components	CAS-No.
----------------	------------	---------

1 - 5%	Inorganic Compound	
--------	--------------------	--

10 - 30%	Polysaccharide	
----------	----------------	--

### California Prop. 65

To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

OSHA Hazcom Standard Rating      Hazardous

## 16. OTHER INFORMATION

### NFPA 704M Rating

Health	1
Flammability	0
Reactivity	0
Other	0

0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.