SAFETY DATA SHEETS

This SDS packet was issued with item:

078915646

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078424955

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078915645



SAFETY DATA SHEET

CO-RAL Emulsifiable Livestock Insecticide

Version 1.2 Revision Date 10/28/2010

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product information

Product Name: CO-RAL Emulsifiable Livestock Insecticide

MSDS Number: 122000007039

Use : Pesticide

Company

BAYER HEALTHCARE LLC Animal Health Division 12707 Shawnee Mission Parkway (West 63rd) Shawnee, KS 66216-1846 UNITED STATES (800) 633-3796

In case of emergency: (800) 422-9874

Chemtrec: (800) 424-9300

BAYER INFORMATION PHONE: (800) 633-3796

INTERNATIONAL: (703) 527-3887

2. HAZARDS IDENTIFICATION

Emergency Overview

DANGER! Toxic, Combustible Liquid Colour: brown **Form:** liquid **Odour:** characteristic. Inhalation, skin absorption, or ingestion may cause inhibition of the enzyme cholinesterase. Inhalation may cause nausea or dizziness. May be fatal if inhaled. Harmful if absorbed through skin. May be fatal if swallowed.

Hazard Communication (29CFR 1910.1200)

Eye Contact Inhalation Skin Absorption Skin Contact

Acute Inhalation Hazards

May cause inhibition of the enzyme cholinesterase with symptoms of runny nose, tearing, tightness of chest, and wheezing. If poisoning is severe, symptoms of fatigue, nausea, vomiting, convulsions, low blood pressure, cardiac irregularities, and coma may occur. In extreme cases death may occur from respiratory failure. The onset of symptoms may be delayed up to 12 hours; however, complete symptomatic recovery of sublethal poisoning usually occurs within one week once the source of exposure is completely removed. Inhalation of glycerine vapors is unlikely due to the low vapor pressure. If

Version 1.2 Revision Date 10/28/2010

misted or handled at elevated temperatures, high concentrations can produce irritation and/or difficulty breathing.

Acute Skin Hazards

Skin absorption of the active ingredient in this product may cause inhibition of the enzyme cholinesterase with symptoms of increased sweating, muscle contractions, tearing and constricted pupils. If poisoning is severe, symptoms of fatigue, nausea, vomiting<(>,<)> convulsions, low blood pressure, cardiac irregularities, and coma may occur. In extreme cases death may occur from respiratory failure. The onset of symptoms may be delayed up to 12 hours however, complete symptomatic recovery of sublethal poisoning usually occurs within one week once the source of exposure is completely removed. May cause slight irritation.

Acute Eye Hazards

May cause slight irritation.

Acute Ingestion Hazards

May cause inhibition of the enzyme cholinesterase with symptoms of vomiting, diarrhea, abdominal cramping, dizziness and sweating. If poisoning is severe, symptoms of fatigue, convulsions, low blood pressure, cardiac irregularities, loss of reflexes and coma may occur In extreme cases death may occur from respiratory failure. The onse of symptoms may be delayed up to 12 hours however, complete symptomat recovery of sublethal poisoning usually occurs within one week once t source of exposure is completely removed.

Chronic Effects of Exposure

Cholinesterase inhibition sometimes persists for weeks, thus repeated exposure to small amounts of this material may result in unexpected cholinesterase depression. Exposure to this product may produce severe symptoms of cholinesterase inhibition in a previously exposed person. Prolonged contact with this product may cause defatting of the skin due to the solvent component in the product. Chronic exposure to organic solvents has been associated with various neurotoxic effects including permanent brain andnervous system damage.

Medical Conditions Aggrevated by Exposure

Eye disorders, Skin disorders, Kidney disorders, Liver disorders

Naphthalene NTP - Hazard Designation: Anticipated carcinogen.

IARC - Overall evaluation: Possibly carcinogenic to humans.

Version 1.2 Revision Date 10/28/2010

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients:

Weight percent 10 - 30%	Components Coumaphos	CAS-No . 56-72-4
1 - 5%	Butan-1-ol	71-36-3
10 - 30%	Naphthalene	91-20-3

4. FIRST AID MEASURES

General advice: Take off all contaminated clothing immediately.

If inhaled: Remove to fresh air. Call a physician immediately.

In case of skin contact: After contact with skin, wash immediately with plenty of soap and water. If skin reactions occur, contact a physician.

In case of eye contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed: If swallowed, seek medical advice immediately and show this container or label.

Note to Physician: If symptoms of organophosphate poisoning are present, the administration of atropine sulfate is indicated. In mild cases, start treatment by giving 1-2 mg of atropine sulfate intravenously every 15 minutes until signs of atropinization appear (dry mouth, flushing, and dilated pupils if pupils were originally pinpoint). In severe cases, start treatment by giving 2-4 mg intravenously every 5-10 minutes until ful atropinized. At first signs of pulmonary edema, place patient in oxygen tent and treat symptomatically. In case of human or animal poisoning, please contact the Poison Control Center at (800)938-3578. Please also notify Bayer at (800)422-9874.

Contact Number: Use the Bayer Emergency Number in Section 1

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media: High volume water jet

Specific hazards during fire fighting: Fire may cause evolution of: Hydrogen chloride gas Oxides of phosphorus Sulphur oxides Carbon oxides

Special protective equipment for fire-fighters: In the event of fire, wear self-contained breathing

Version 1.2 Revision Date 10/28/2010

apparatus. Use personal protective equipment.

Further information: Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment.

Methods for cleaning up: Cover spilt product with liquid-binding material (sand, silica gel, acid binder, universal binder, hybilat). Take up mechanically and fill into labelled, closable containers.

Scrub contaminated area with detergent and bleach solution.

Additional advice: Keep away from/remove sources of ignition.

Further Accidental Release Notes

Keep away from/remove sources of ignition.

7. HANDLING AND STORAGE

Handling:

Avoid formation of aerosol. Only handle product with local exhaust ventilation. Avoid contact with skin, eyes and clothing.

Take measures to prevent the build up of electrostatic charge. Keep away from open flames, hot surfaces and sources of ignition.

Storage:

Storage temperature: < 87 °F (< 30.56 °C)

Do not freeze.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Butan-1-ol (71-36-3)

US. ACGIH Threshold Limit Values

Time Weighted Average (TWA): 20 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Ceiling Limit Value and Time Period (if specified): 50 ppm, 150 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards

Skin designation: Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

PEL: 100 ppm, 300 mg/m3

Naphthalene (91-20-3)

US. ACGIH Threshold Limit Values

Time Weighted Average (TWA): 10 ppm

US. ACGIH Threshold Limit Values

Version 1.2 Revision Date 10/28/2010

Short Term Exposure Limit (STEL): 15 ppm

US. ACGIH Threshold Limit Values

Skin designation: Can be absorbed through the skin.

US. NIOSH: Pocket Guide to Chemical Hazards

Recommended exposure limit (REL): 10 ppm, 50 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards

Short Term Exposure Limit (STEL): 15 ppm, 75 mg/m3

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

PEL: 10 ppm, 50 mg/m3

US. ACGIH Threshold Limit Values

Hazard Designation: Not classifiable as a human carcinogen.

Coumaphos (56-72-4)

US. ACGIH Threshold Limit Values

Time Weighted Average (TWA): 0.05 mg/m3 (Inhalable fraction and vapor.)

US. ACGIH Threshold Limit Values

Skin designation: (Inhalable fraction and vapor.)Can be absorbed through the

skin.

US. ACGIH Threshold Limit Values

Hazard Designation: Not classifiable as a human carcinogen.

Respiratory protection:

Recommended Filter type: Organic vapor with prefilter

Hand protection:

Chemically resistant gloves.

Eye protection:

Safety glasses

Other protective measures:

Wear suitable protective equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Colour: brown

Odour: characteristic
Melting point: < 10 °F

Density: 1.1 - 1.3 g/cm3 at 77 °F (25 °C)

Vapour pressure:

Viscosity, dynamic:

Miscibility with water:

Water solubility:

pH:

no data available
no data available
emulsifiable
no data available

Partition coefficient

(n-octanol/water): no data available

Flash point: $> 185 \,^{\circ}\text{F} \, (85 \,^{\circ}\text{C})$ ASTM D 1310

Ignition temperature: not determined

Version 1.2 Revision Date 10/28/2010

10. STABILITY AND REACTIVITY

Conditions to avoid: no data available

Materials to avoid: Oxidizing agents, Bases

Hazardous reactions: None known.

Thermal decomposition:

no data available

Hazardous decomposition products:

Hydrogen chloride gas, Oxides of phosphorus, Sulphur oxides, Carbon oxides

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity:

LD50 rat, female: 50 mg/kg

LD50 rat, male: 244 mg/kg

Acute inhalation toxicity:

rat: 795 mg/m3, 4 h

Acute dermal toxicity:

LD50 rabbit: > 3,000 mg/kg

Acute toxicity (other routes of administration):

Coumaphos

LD50 intraperitoneal rat: 7500 μg/kg

Skin irritation:

rabbit

Result: slight irritation

Eye irritation:

rabbit

Result: Slightly irritating

Sensitisation:

Result: Non-sensitizer

Genotoxicity in vitro:

Butan-1-ol
Ames test

Result: negative

SAFETY DATA SHEET

CO-RAL Emulsifiable Livestock Insecticide

Version 1.2 Revision Date 10/28/2010

Micronucleus test Result: negative

Pharmaceutic effects:

Coumaphos Anthelmintics

12. ECOLOGICAL INFORMATION

General advice:

Do not allow to enter surface waters or groundwater.

Toxicity to fish:

Coumaphos LC50 0.18 mg/l Duration of test: 96 h

LC50 0.34 mg/l Duration of test: 96 h

LC50 0.89 mg/l Duration of test: 96 h

LC50 5.3 mg/l Duration of test: 96 h

LC50 5.9 mg/l Duration of test: 96 h

Butan-1-ol

Acute Fish toxicity: LC50 1,200 mg/l

Test species: Leuciscus idus (Golden orfe) Duration of test: 48 h

Acute Fish toxicity: LC50 1,730 mg/l

Test species: Pimephales promelas (fathead minnow) Duration of test: 96 h

Toxicity to daphnia and other aquatic invertebrates:

Butan-1-ol EC50 1,983 mg/l

Test species: Daphnia magna (Water flea) Duration of test: 48 h

Toxicity to algae:

Coumaphos

Cell multiplication inhibition test EbC50 0.2 mg/l

tested on: Desmodesmus subspicatus (Green algae) Duration of test: 72 h

Cell multiplication inhibition test ErC10 0.13 mg/l

tested on: Desmodesmus subspicatus (Green algae) Duration of test: 72 h

Cell multiplication inhibition test ErC50 0.61 mg/l

tested on: Desmodesmus subspicatus (Green algae) Duration of test: 72 h

Version 1.2 Revision Date 10/28/2010

Cell multiplication inhibition test EbC10 0.068 mg/l

tested on: Desmodesmus subspicatus (Green algae) Duration of test: 72 h

Cell multiplication inhibition test NOEbC 0.115 mg/l tested on: Desmodesmus subspicatus (Green algae)

Cell multiplication inhibition test NOErC 0.115 mg/l tested on: Desmodesmus subspicatus (Green algae)

Biodegradability:

Coumaphos

1 %, 28 d Not readily biodegradable.

13. DISPOSAL CONSIDERATIONS

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

14. TRANSPORT INFORMATION

Land transport (DOT)

Proper shipping name: Organophosphorus pesticides, liquid, toxic

Hazard Class or Division: 6.1
UN/NA Number: UN3018
Packaging group II
Hazard Label(s): Toxic

Inland waterway transport

Proper shipping name: Organophosphorus pesticides, liquid, toxic

Hazard Class or Division: 6.1
UN/NA Number: UN3018
Packaging group: II
Hazard Label(s): Toxic

Railway transport

Proper shipping name: Organophosphorus pesticides, liquid, toxic

Hazard Class or Division: 6.1
UN/NA Number: UN3018
Packaging group: II
Hazard Label(s): Toxic

Sea transport (IMDG)

Proper shipping name: ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC

(contains COUMAPHOS)

Hazard Class or Division: 6.1
UN-Number: UN3018
Packaging group: II

Version 1.2 Revision Date 10/28/2010

Hazard Label(s): TOXIC

Marine pollutant: Marine pollutant

Air transport (ICAO / IATA cargo aircraft only)

Proper shipping name: Organophosphorus pesticide, liquid, toxic (contains

COUMAPHOS)

Hazard Class or Division: 6.1 **UN/ID Number:** UN3018

Packaging group:

Hazard Label(s): TOXIC

Air transport (ICAO / IATA passenger and cargo aircraft)

Proper shipping name: Organophosphorus pesticide, liquid, toxic (contains

COUMAPHOS)

Hazard Class or Division: 6.1
UN/ID Number: UN3018
Packaging group: II
Hazard Label(s): TOXIC

15. REGULATORY INFORMATION

FIFRA Status

This product is registered with the EPA under FIFRA.

US. Toxic Substances Control Act

This product is excluded from TSCA Regulation under

FIFRA Section 3 (2)(B)(ii) when used as a pesticide.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

Components Coumaphos

SARA Section 311/312 Hazard Immediate Health Hazard, Delayed Health Hazard, Fire

Categories Hazard

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components

Butan-1-ol Naphthalene

US. EPA CERCLA Hazardous Substances (40 CFR 302)Components

CoumaphosReportable quantity: 10 lbsButan-1-olReportable quantity: 5000 lbsNaphthaleneReportable quantity: 100 lbs

Marine pollutant Components

Coumaphos Severe marine pollutant.

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists

Page 9 of 10

Version 1.2 Revision Date 10/28/2010

Weight percent 10 - 30%	Components Coumaphos	CAS-No. 56-72-4
1 - 5%	Butan-1-ol	71-36-3
10 - 30%	Naphthalene	91-20-3

New Jersey Environmental Hazardous Substances List and/or New Jersey RTK Special Hazardous Substances Lists

Weight percent 10 - 30%	Components Coumaphos	CAS-No. 56-72-4
1 - 5%	Butan-1-ol	71-36-3
10 - 30%	Naphthalene	91-20-3

California Prop. 65

Warning! This product contains chemical(s) known to the State of California to be

Carcinogenic. - Male reproductive toxin.

Weight percent
10 - 30%Components
NaphthaleneCAS-No.
91-20-3

< 0.001%

OSHA Hazcom Standard Rating Hazardous

16. OTHER INFORMATION

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Version 4.1 Revision Date 02/05/2015

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product information

Product Name: Co-Ral 1% Livestock Dust

MSDS Number: 122000009527

Company

BAYÉR HEALTHCARE LLC Animal Health Division 12707 Shawnee Mission Parkway (West 63rd) Shawnee, KS 66216-1846 USA (800) 633-3796

In case of emergency: (800) 422-9874

Chemtrec: (800) 424-9300

BAYER INFORMATION PHONE: (800) 633-3796

INTERNATIONAL: (703) 527-3887

2. HAZARDS IDENTIFICATION

Emergency Overview

Colour: white

GHS Classification:

Acute toxicity (Oral) : Category 4

GHS Label element:

Hazard pictograms



Signal word : Warning

Hazard statements : H302 Harmful if swallowed.

Precautionary statements: Prevention:

P264 Wash skin thoroughly after handling.

Version 4.1

Revision Date 02/05/2015

P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment.

Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P330 Rinse mouth.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification:

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Weight percentComponentsCAS-No.1%Coumaphos Technical56-72-4

Other Ingredients

Weight percent Components CAS-No. 99% Calcium carbonate 471-34-1

4. FIRST AID MEASURES

General advice: Take off all contaminated clothing immediately.

If inhaled: Remove to fresh air. If symptoms persist, call a physician.

In case of skin contact: After contact with skin, wash immediately with plenty of soap and water. If skin reactions occur, contact a physician.

In case of eye contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed: If swallowed, seek medical advice immediately and show this container or label.

Contact Number: Use the Bayer Emergency Number in Section 1

5. FIREFIGHTING MEASURES

Suitable extinguishing media: Any

Version 4.1

Revision Date 02/05/2015

Specific hazards during firefighting: Fire may cause evolution of: Carbon monoxide (CO) Carbon dioxide (CO2)

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Further information: Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment.

Methods for cleaning up: Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Handling:

Avoid dust formation. Only handle product with local exhaust ventilation. Avoid contact with skin, eyes and clothing.

No special protective measures against fire required.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Coumaphos Technical (56-72-4)

US. ACGIH Threshold Limit Values

Time Weighted Average (TWA): 0.05 mg/m3 (Inhalable fraction and vapor.)

US. ACGIH Threshold Limit Values

Skin designation: (Inhalable fraction and vapor.)Can be absorbed through the skin.

Calcium carbonate (471-34-1)

US. NIOSH: Pocket Guide to Chemical Hazards

Recommended exposure limit (REL): 10 mg/m3 (Total)

US. NIOSH: Pocket Guide to Chemical Hazards

Recommended exposure limit (REL): 5 mg/m3 (Respirable.)

Respiratory protection:

Recommended Filter type: HEPA

Version 4.1 Revision Date 02/05/2015

Hand protection:

Chemically resistant gloves.

Eye protection:

Safety glasses

Other protective measures:

Wear suitable protective equipment.

Please consult label for end-user requirements.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: No applicable information is available

Colour: white

Odour: No applicable information is available Odour Threshold: No applicable information is available Melting point: No applicable information is available Boiling point/boiling range: No applicable information is available Density: No applicable information is available No applicable information is available Bulk density: Vapour pressure: No applicable information is available Viscosity, dynamic: No applicable information is available Viscosity, kinematic: No applicable information is available Flow time: No applicable information is available Surface tension: No applicable information is available Miscibility with water: No applicable information is available Water solubility: No applicable information is available pH: No applicable information is available Relative density: No applicable information is available Partition coefficient: No applicable information is available Solubility(ies): No applicable information is available Flash point: No applicable information is available Flammability (solid, gas): No applicable information is available Ignition temperature: No applicable information is available **Explosion limits:** No applicable information is available

10. STABILITY AND REACTIVITY

Conditions to avoid: No data available

Materials to avoid: Oxidizing agents

Hazardous reactions: No data available

Version 4.1 Revision Date 02/05/2015

Thermal decomposition:

No data available

Hazardous decomposition products:

Carbon monoxide (CO), Carbon dioxide (CO2)

Oxidizing properties:

No statements available.

Impact sensitivity:

No data available

Further information: The following applies in general to flammable organic substances and preparations: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity:

Acute toxicity estimate (ATE) 1,300 mg/kg Harmful if swallowed. Method: Calculation method Calculated for GHS Classification and Labelling.

Acute inhalation toxicity:

Coumaphos Technical Rat: 0.34 - 1.08 mg/l, 1 h

Acute dermal toxicity:

Acute toxicity estimate (ATE) > 5,000 mg/kg
The substance or mixture has no acute dermal toxicity
Method: Calculation method
Calculated for GHS Classification and Labelling.

Acute toxicity (other routes of administration):

Coumaphos Technical

LD50 intraperitoneal Rat: 7500 µg/kg

Skin irritation:

Coumaphos Technical Rabbit

Result: Mild skin irritation

Eye irritation:

Coumaphos Technical

Rabbit

Result: Mild eye irritation

Version 4.1 Revision Date 02/05/2015

Sensitisation:

Coumaphos Technical guinea pig

Result: Does not cause skin sensitisation.

Pharmaceutic effects:

Coumaphos Technical Antiparasitic agent

Carcinogenicity:

No Carcinogenic substances as defined by IARC, NTP and/or OSHA

STOT - single exposure:

No data available

STOT - repeated exposure:

No data available

12. ECOLOGICAL INFORMATION

General advice:

Do not allow to enter surface waters or groundwater.

Toxicity to fish:

Coumaphos Technical LC50 0.18 mg/l Duration of test: 96 h

Toxicity to daphnia and other aquatic invertebrates:

Coumaphos Technical EC50 0.000192 mg/l

Test species: Daphnia (water flea) Duration of test: 48 h

Toxicity to algae:

Coumaphos Technical

Cell multiplication inhibition test EbC50 0.2 mg/l

tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test ErC50 0.61 mg/l

tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test NOEbC 0.115 mg/l tested on: Desmodesmus subspicatus (green algae)

Cell multiplication inhibition test NOErC 0.115 mg/l tested on: Desmodesmus subspicatus (green algae)

Biodegradability:

Coumaphos Technical

1 %, 28 d Not readily biodegradable.

Co-Ral 1% Livestock Dust

Version 4.1 Revision Date 02/05/2015

13. DISPOSAL CONSIDERATIONS

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

14. TRANSPORT INFORMATION

Please note the classifications shown are for bulk shipments. Limited quantities or other exemptions may apply.

Land transport (CFR)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (contains COUMAPHOS)

Hazard Class or Division: 9

UN/NA Number: UN3077
Packaging group III
Hazard Label(s): Class 9

Marine pollutant: Marine pollutant

US Sea transport (IMDG)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (contains COUMAPHOS)

Hazard Class or Division: 9

UN number: UN3077
Packaging group: III

Hazard Label(s): MISCELLANEOUS Marine pollutant: Marine pollutant

US Air transport (ICAO / IATA cargo aircraft only)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (contains COUMAPHOS)

Hazard Class or Division: 9

UN/ID Number: UN3077
Packaging group: III

Hazard Label(s): MISCELLANEOUS
Marine pollutant: Marine pollutant

US Air transport (ICAO / IATA passenger and cargo aircraft)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (contains COUMAPHOS)

Hazard Class or Division: 9 UN/ID Number: 9 UN3077

Packaging group:

Hazard Label(s): MISCELLANEOUS Marine pollutant: Marine pollutant

International IATA non-regulated non-regulated

Page 7 of 9

Version 4.1 Revision Date 02/05/2015

15. REGULATORY INFORMATION

Other regulations: No statements available.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A) Components

Coumaphos Technical

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components

None

US. EPA CERCLA Hazardous Substances (40 CFR 302) Components

Coumaphos Technical Reportable quantity: 10 lbs

Marine pollutant Components

Coumaphos Technical Severe marine pollutant.

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists

Weight percent Components CAS-No. 1 - 5% Coumaphos Technical 56-72-4

New Jersey Environmental Hazardous Substances List and/or New Jersey RTK Special Hazardous

Substances Lists

Weight percentComponentsCAS-No.1 - 5%Coumaphos Technical56-72-4

California Prop. 65

To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

OSHA Hazcom Standard Rating Hazardous

16. OTHER INFORMATION

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and

Version 4.1

Revision Date 02/05/2015

may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.