SAFETY DATA SHEETS

This SDS packet was issued with item:

078881408

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078840733 078881416 078912765



SAFETY DATA SHEET Vetericyn® Plus AX130 Hydrogel Products Part# AX60001

1. COMPANY IDENTIFICATION

Innovacyn Inc. 3546 N. Riverside Ave Rialto, CA 92377 (866) 318-3116

Product Identification

Part Number	Size	Description	
1040	16 fl. oz.	Vetericyn [®] Plus Wound & Skin Care Hydrogel	
1042	8 fl. oz.	Vetericyn [®] Plus Wound & Skin Care Hydrogel	
1044	4 fl. oz.	Vetericyn [®] Plus Wound & Skin Care Hydrogel	
1045	4 fl. oz.	Vetericyn [®] Plus Wound & Skin Care Hydrogel	
1067	3 fl. oz.	Vetericyn [®] Plus Ophthalmic Gel	
0011040	473 ml	Vetericyn [®] Plus Skin Care Gel (Gel de soins de la peau)	
0011042	237 ml	Vetericyn® Plus Skin Care Gel (Gel de soins de la peau)	
0011045	115 ml	Vetericyn® Plus Skin Care Gel (Gel de soins de la peau)	
0441040	500 ml	Vetericyn® Plus Wound & Skin Care Hydrogel	
0441042	250 ml	Vetericyn® Plus Wound & Skin Care Hydrogel	
0441045	120 ml	Vetericyn [®] Plus Wound & Skin Care Hydrogel	
1345	4 fl. oz.	Vetericyn Plus Wound & Skin Care Hydrogel	

RECOMMENDED USE IDENTIFICATION

This products intended use is for the OTC management of minor skin wounds including minor lacerations, abrasions, irritations, cuts, burns and intact skin; in addition, to moistening and lubricating absorbent wound dressing.

RESTRICTIONS ON USE IDENTIFICATION

For external use only.

2. HAZARDS IDENTIFICATION

NOT HAZARDOUS to humans and animals.

Hazardous Material Identification System (HMIS) Rating:

Health: 0 Flammability: 0

Physical: 0; Reactivity: 0 Personal Protection Index: A

NFPA/HMIS Definitions:

0-Minimal Hazard

1-Slight Hazard

2-Moderate Hazard

3-Serious Hazard

4-Severe Hazard

The following values are obtained using the guidelines prepared by the National Fire Protection Association (NFPA) and American Coatings Association (HMIS)

HAZARDOUS AND/OR REGULATED COMPONENTS

None

HAZARDS DISCLOSURE

As defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200 and defined under the Superfund Amendments & Reauthorization Act (SARA) 311 and 312, this product contains no known hazardous materials.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	Percentage	CAS#
Active: Hypochlorous Acid	0.010%	7790-92-3
Electrolyzed Water	N/A	7732-18-5
Sodium Chloride		7647-14-5
Sodium Hypochlorite		7681-52-9
Lithium Magnesium Sodium Silicate		53320-86-8
Sodium Bicarbonate		144-55-8
Sodium Sulfate		7757-82-6
Phosphates		N/A

4 FIRST AID MEASURES

EYE CONTACT FIRST AID: Product is non-irritant, non-toxic. Flush with water, if wished. SKIN CONTACT FIRST AID: Product is non-irritant, non-toxic. Flush with water, if wished. INHALATION FIRST AID: Product is non-irritant, non-toxic. No known risks if inhaled. INGESTION FIRST AID: Product is non-irritant, non-toxic.

5. FIRE-FIGHTING MEASURES

General Fire Hazards: None, Non-flammable

Hazardous Combustion Products: None, Non-flammable

Extinguishing Media: Product will not burn Personal Protection: None required Rate of Burning: Non-flammable

6, ACCIDENTAL RELEASE MEASURES

None required

Product is non-hazardous, non-toxic.

7. HANDLING AND STORAGE

RECOMMENDED STORAGE TEMPERATURE: Ideal storage is at room temperature.

HANDLING: No special handling requirements.

STORAGE: Store at room temperature away from direct sunlight or heat. Do not allow to freeze.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Permissible Exposure Limit (PEL): None Threshold Limit Values (TLV): None

Engineering Controls: None

Personal Protective Equipment (PPE): None

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Hydrogel

Odor: Slightly chlorinated odor Odor Threshold: Shelf life of product PH: Balance between 6.5-7.5 Boiling Point: Not applicable Melting Point: Not applicable Flash Point: Not applicable Evaporation Rate: Not applicable

Flammability (solid, gas): Non-flammable Upper Flammable Limit (UFL): Non-flammable Lower Flammable Limit (LFL): Non-flammable

1110)/2(0)/1

Upper Explosive Limit (UEL): None Vapor Pressure: Not applicable Vapor Density: Not applicable Relative Density: 1.00-1.06 Solubility: Not applicable

Partition coefficient: Not applicable Auto Ignition Temperature: Not applicable Decomposition Temperature: Not applicable

Viscosity: 190-490 cps

10. STABILITY AND REACTIVITY

Reactivity: Not applicable

Chemical Stability: Stable under recommended storage conditions

Possibility of hazardous reactions: Not hazardous

Conditions to avoid: Avoid freezing Incompatible Materials: None

Hazardous decomposition products: None

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: No known hazards, non-toxic SKIN EFFECTS: No known hazards, non-toxic ORAL LDso: >5000 mg/Kg. No known hazards, non-toxic DERMAL LDso: >5050 mg/Kg. No known hazards, non-toxic. INHALATION LCso: >2.16 mg/l. No known hazards, non-toxic

Potential Health Affects

EYE: No potential health affects; product is non-hazardous. SKIN: No potential health affects; product is non-hazardous. INHALATION: No potential health affects; product is non-hazardous. INGESTION: No potential health affects; product is non-hazardous. CARCINOGENICITY INFORMATION: No known cancer hazards.

12. ECOLOGICAL INFORMATION

Presents no hazards to the environment

Ecotoxicity: non-hazardous

Persistence and degradability: Unknown

Bioaccumulative potential: Biodegradable, non-hazardous

Mobility in soil: Unknown

Other adverse effects (such as hazardous to the ozone layer): Unknown

13. DISPOSAL CONSIDERATIONS

No special disposal considerations are required. Follow local ordinance for waste or recycling.

14. TRANSPORTATION INFORMATION

UN number: None required

UN proper shipping name: Oxidized water

Transport (D.O.T.) hazard class(es); Not DOT regulated

Freight Packing group, if applicable: 70, PG III

Environmental hazards (e.g., Marine pollutant (Yes/No): NO

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): Not applicable

Special precautions: None



15. Regulation

National Fire Protection Association (NFPA)
American Coatings Association (HMIS)
OSHA Hazard Communication Standard 29 CFR 1910.1200
Superfund Amendments & Reauthorization Act (SARA) 311 and 312
NMFC-National-Motor-Freight-Classification
The US Department of Transportation
Annex II of MARPOL 73/78 and the IBC Code
APPENDIX D TO §1910.1200 - SAFETY DATA SHEETS

™16. Other Information

SDS: Vetericyn[®] Plus AX130 Hydrogel Products Part# AX60001 Version: 3.0 Effective: June 10, 2015 DCO No. 340-15