

## SAFETY DATA SHEETS

**This SDS packet was issued with item:**

078908540

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

078713104 078852930 078853278 078859682 078881291 078908115

# **MATERIAL SAFETY DATA SHEET**

**PRODUCT NAME:**

**VetOne Isoflurane**

**AS SOLD BY VETONE**

**A Service of**



Document No.: SF-FM-Isoflurane/09

**Section – 1: Product and Company Identification**
**Product Name:** Isoflurane

**Synonyms:** 1-chloro-2,2,2-trifluoroethyl difluoromethyl ether;  
 2-Chloro-2-(difluoromethoxy)-1, 1, 1-trifluoroethane, "ISOFOR"

**CAS NO:** 26675-46-7

**Empirical Formulae:**  $C_3H_2ClF_5O$  /  $CF_3CHClOCHF_2$   
**Molecular Weight:** 184.50

**Product Use:** Volatile anaesthetic administered by inhalation

**Company Address:**
**Head Office (Hyderabad)**  
**Piramal Enterprises Limited**  
 5-9-30, Road No.4,  
 Basheerbagh Palace Colony,  
 Basheerbagh, Hyderabad-500 063.  
 Andhra Pradesh, India.

**Site Address:**
**Piramal Enterprises Limited**  
 Digwal Village, Kohir Mandal, Medak District,  
 Andhra Pradesh – 502321, India.

 Emergency telephone: +91-8008788557  
 E mail: [srinivasa.chari@piramal.com](mailto:srinivasa.chari@piramal.com)
**Section – 2: Hazard Identifications**
**GHS Classification**
**Classification of the substance or mixture**
**Classification according to Regulation (EC) No 1272/2008**

Skin Corrosion/Irritation - Category 3

STOT - SE - Category 3

**Classification according to EU Directives 67/548/EEC or 1999/45/EC**

Xn Harmful, R67

**Label elements**
**Labelling according Regulation (EC) No 1272/2008**
**Pictogram**

**Signal word:**
**Warning**
**Hazard statement(s)**
**H316** Causes mild skin irritation

**H336** May cause drowsiness or dizziness.

**Precautionary statement(s)**
**P261** Avoid breathing dust/fume/gas/mist/vapors/spray.

**P271** Use only outdoors or in a well-ventilated area.

**P304+P340** IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

**P312** Call a POISON CENTER or doctor/physician if you feel unwell.

**P332+P313** If skin irritation occurs: Get medical advice/ attention.

**Classification/Specific hazards :**

According to EC criteria, this product is not classified as a "hazardous substance".



Document No.: SF-FM-Isoflurane/09

**Section – 3: Composition / Information on Ingredients**

Name	CAS No.	Molecular Wt
Isoflurane (ISOFOR)	26675-46-7	184.5

**Section – 4: First Aid Measures**

**Inhalation:** Fresh air, rest. Artificial respiration may be needed. Refer for medical attention

**Skin:** Remove contaminated clothes. Rinse and then wash skin with water and soap

**Eyes:** First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.

**Section – 5: Fire Fighting Measures**

**FIRE AND EXPLOSION HAZARDS:** Very negligible fire hazard.

**EXTINGUISHING MEDIA:** carbon dioxide, regular dry chemical

Large fires: Use regular foam or flood with fine water spray.

**FIRE FIGHTING:** Do not get water inside container. Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Keep unnecessary people away, isolate hazard area and deny entry. Use extinguishing agents appropriate for surrounding fire. Flood with fine water spray. Cool containers with water spray until well after the fire is out. Apply water from a protected location or from a safe distance. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Consider downwind evacuation if material is leaking.

**FLASH POINT:** Will not burn

**Section – 6: Accidental Release Measures**

Collect leaking and spilled liquid in sealable containers as far as possible. Ventilation. Absorb remaining liquid in sand or inert absorbent and remove to safe place. (Extra personal protection: self-contained breathing apparatus.)

**OCCUPATIONAL RELEASE:**

Stop leak if possible without personal risk. Reduce vapors with water spray. Do not get water directly on material. Do not get water inside container. Keep unnecessary people away, isolate hazard area and deny entry.

Small spills: Flood with water. Large spills: Dike for later disposal. Stay upwind and keep out of low areas. Ventilate closed spaces before entering. Evacuation radius: 150 feet

**Section – 7: Handling and Storage**

**Handling (ventilation and fire prevention) ;**

Avoid contact with eyes, skin, and clothing. Avoid generating or breathing product aerosol. Wash after handling.

**Storage (conditions and limitations) ;**

Store tightly closed in original container. Keep containers in a well ventilated, secure location.

**Section – 8: Exposure Controls / Personal Protection**

**Personal Protection:**

**Inhalation:** Ventilation, local exhaust, or breathing protection

**Skin:** Protective gloves- rubber.

**Eyes:** Safety spectacles, or eye protection in combination with breathing protection

**Ingestion:** Do not eat, drink, or smoke during work.





Document No.: SF-FM-Isoflurane/09

**For Unknown Concentrations or Immediately Dangerous to Life or Health** -Any supplied-air respirator with full face piece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full face piece

**Exposure Control:****EXPOSURE LIMITS:**

TLV not established. See Regulatory information.

**INHALATION RISK:**

A harmful contamination of the air can be reached very quickly on evaporation of this substance at 20°C.

**Section – 9: Physical and Chemical Properties****PHYSICAL STATE:** Liquid**APPEARANCE:** clear**COLOR:** colorless**ODOR:** sweet odor**MOLECULAR WEIGHT:** 184.50**BOILING POINT:** 120 F (49 C)**FREEZING POINT:** Not available**VAPOR PRESSURE:** 330 mmHg @ 25 C

Relative density of the vapour/air-mixture at 20°C (air = 1):1.2

**SPECIFIC GRAVITY** (water=1): 1.496 @ 25 C**WATER SOLUBILITY:** insoluble**PH:** Not available**VOLATILITY:** Not available**ODOR THRESHOLD:** Not available**EVAPORATION RATE:** Not available

Octanol/water partition coefficient as log Pow: 2.1

**SOLVENT SOLUBILITY:**

Soluble: oils, fats, organic solvents

**Section – 10: Stability and Reactivity****PHYSICAL DANGERS:**

The vapour is heavier than air and may accumulate in lowered spaces causing a deficiency of oxygen.

**CHEMICAL DANGERS:**

On contact with hot surfaces or flames this substance decomposes forming corrosive fumes such as phosgene hydrogen chloride and hydrogen fluoride.

**REACTIVITY:** Stable at normal temperatures and pressure.**CONDITIONS TO AVOID:** Minimize contact with material. Avoid inhalation of material or combustion by-products. Containers may rupture or explode if exposed to heat.**INCOMPATIBILITIES:** No data available.**HAZARDOUS DECOMPOSITION:**

Thermal decomposition products: halogenated compounds, oxides of carbon

**POLYMERIZATION:** Will not polymerize**Section – 11: Toxicological Information****ROUTES OF EXPOSURE:**

The substance can be absorbed into the body by inhalation of its vapour and by ingestion.

**TOXICITY DATA:**

**Document No.:** SF-FM-Isoflurane/09

Test	Result	Route	Species
LD50	4470 mg/kg	Oral	Rat
LD50	5080 mg/kg	Oral	Mouse
LC50	16300ppm/3Hrs	Inhalation	Rat
LC50	16800ppm/3Hrs	Inhalation	Mouse
LD50	No established data is available	Dermal	--

**HALOGENATED ANESTHETIC AGENTS:**

 2 ppm (15.1 mg/m<sup>3</sup>) NIOSH recommended ceiling 60 minute(s)

**CARCINOGEN STATUS:** IARC: Human Inadequate Evidence, Animal Inadequate Evidence, Group 3

**ACUTE TOXICITY LEVEL:**

Moderately Toxic: ingestion

**TARGET ORGANS:** central nervous system

**MUTAGENIC DATA:** Available.

**REPRODUCTIVE EFFECTS DATA:** Available.

**ADDITIONAL DATA:** Interactions with drugs may occur

**Section – 12: Ecological Information**

Not available

**Section – 13: Disposal Considerations**

Collect leaking and spilled liquid in sealable containers as far as possible. Ventilation. Absorb remaining liquid in sand or inert absorbent and remove to safe place. (Extra personal protection: self-contained breathing apparatus.)

**Section – 14: Transport Information**


Labels Required: MISCELLANEOUS

<b>DOT</b>	Not regulated for inner packagings not exceeding 5.0 L (1.3 gallons) net capacity each. Regulated for inner packagings exceeding 5.0 L (1.3 gallons)
<b>DOT shipping name</b>	Aviation regulated liquid, N.O.S., (Isoflurane)
<b>UN Number</b>	UN3334
<b>Packing group</b>	None
<b>DOT hazard class</b>	9

<b>ICAO/IATA</b>	
<b>IATA proper shipping name</b>	Aviation regulated liquid, N.O.S., (Isoflurane)
<b>IATA UN number</b>	UN3334
<b>IATA primary hazard class</b>	9
<b>IATA packing group</b>	None
<b>IATA packing instruction</b>	964
<b>TDG (Canada)</b>	Not regulated



**Document No.:** SF-FM-Isoflurane/09

<b>IMO/IMDG</b>	Not regulated	
<b>ADR/RID</b>	Not regulated	


#### Section – 15: Regulatory Information

##### OCCUPATIONAL EXPOSURE LIMITS:

TLV not established

Check oxygen content before entering area. High concentrations in the air cause a deficiency of oxygen with the risk of unconsciousness or death. Forane is a trade name. MAK value not established but full documentation is available (MAK IIb).

**OSHA PROCESS SAFETY (29CFR1910.119):** Not regulated

( R ) Risk Phrases	R-36- Irritation to eyes	 [Xn] Irritant
(S) Safety Phrases	S36-Wear suitable protective clothing.	

##### U.S. REGULATIONS:

**TSCA Inventory List** - The product is exempt from TSCA, it is FDA Regulated

##### OTHER REGULATIONS:

**Japanese Inventory (ENCS)** This product does not comply with JPENCS

##### CANADIAN REGULATIONS:

**Canada DSL Inventory List** - This product does not comply with DSL

**EU EINECS List** - This product complies with EINECS

#### Section – 16: Other Information

The (M) SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.


**(M)SDS prepared date:** 04/03/2014

**(M)SDS review date:** 03/03/2016

##### Revision of Change:

1. Company and LOGO name change
2. Packing Instruction changed from 906 to 964 as per abstract of IATA DG Regulations for UN3334
3. Updating of legal classification from Annex 1 of Regulation (EC) 1272/2008

**Disclaimer:** The information above is believed to be accurate and represents the best information currently available to us. Users should make their own investigations to determine the suitability of the information for their particular purposes. This document is intended as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

Prepared By:   
 Manager - EHS