

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

078654784

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

078654768 078654776 078654792 078917091

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

078905631 078914073 078917092 078917093 078917094



## PRODUCT SAFETY DATA SHEET

### NOROMECTIN INJECTION (USA)

#### 1. IDENTIFICATION OF SUBSTANCE / PREPARATION AND OF COMPANY / UNDERTAKING

Product Name : Noromectin Injection (USA)

Supplier : Norbrook Laboratories Ltd,  
Station Works, Newry, Co.Down,  
N.Ireland, BT35 6JP.

Supplier : Norbrook, Inc.  
9733 Loiret Blvd  
Lenexa, KS 66219  
Phone: 913 599 5777  
Fax: 913 599 5766

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Preparation : Preparation

Active Ingredients : 22, 23-Dihydroavermectin B<sub>1</sub> ( Ivermectin )

Description : Anthelmintic Endectocide ( Chemical Group 3-AV )

Chemical Family : Avermectins

#### 3. HAZARDS IDENTIFICATION

Physical and Chemical Hazards : Not classified as dangerous under EEC Directives 67/548/EEC, 88/379/EEC or 99/45/EC.

Environmental Hazards : Ivermectin is harmful to aquatic life. Surface waters or ditches should not be contaminated with product or used containers.

Adverse Human Health Effects : None known

#### 4. FIRST AID MEASURES

Inhalation : Remove to fresh air. If any signs or symptoms occur or persist seek medical advice.

Skin Contact : Wash thoroughly with soap and water. Remove contaminated clothing and wash before reuse.

Eyes Contact : Immediately flush eyes with copious amounts of water for at least 15 minutes. If irritation persists, seek medical attention.

Ingestion : Do not induce vomiting. Seek medical attention.

#### 5. FIRE FIGHTING MEASURES

Extinguishing media: Use carbon dioxide, dry chemical or alcohol-resistant foam spray extinguishers. Use water spray to cool fire-exposed containers. A fine water mist may be used to smother or to disperse vapours.

Fire and explosion hazards: None

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions : Provide good ventilation. Prevent skin and eye contact.  
Environmental Precautions : Keep away from drains, surface-water, ground-water and soil.  
Method for Clean-up : Absorb small spills on spill pillows, sand, sawdust or other suitable absorbing material.

## 7. HANDLING AND STORAGE

Handling : Avoid contact with eyes, skin and clothing. Do not breathe vapours or mist. Do not ingest. Do not smoke or eat while handling the product. Wash thoroughly after handling. The containers should be stored in their original boxes when not in use.  
Storage : Store in closed containers in a cool, dry, well-ventilated area away from oxidisers, heat, sparks and open flame. Protect containers from physical damage and light.  
Keep container closed when not in use. Before opening large containers, release any pressure build-up by loosening closure slowly. Do not transfer contents to unlabelled containers. Do not store in aluminium containers. Use only with adequate ventilation. Keep out of reach of children.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Component - Occupational Exposure Standard

Ivermectin

Not Established

For pure ivermectin :

LD50 ( Oral, mouse )	25 mg/kg
LD50 ( Oral, rat )	50 mg/kg
LD50 ( Dermal, rat )	> 660 mg/kg

Protective Equipment : Wear vinyl, nitrile or rubber gloves, a waterproof bib-apron and suitable eye protection when applying the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : Liquid  
Colour : Clear, pale yellow  
Odour : None

## 10. STABILITY AND REACTIVITY

Stability : Stable under normal conditions of storage and use.  
Conditions to avoid : None known  
Materials to avoid : None known

## 11. TOXICOLOGICAL INFORMATION

Exposure Effects ( Acute )

Eye Contact	:	Direct contact of the solution with eyes can cause irritation.
Skin Contact	:	Ivermectin is non-irritating in animal studies. Prolonged or repeated contact with Noromectin Injection may cause irritation and/or drying and cracking of the skin.
Inhalation	:	None known.
Ingestion	:	Oral toxicity of the Noromectin Injection solution is low. Pure ivermectin is considered highly toxic in acute animal studies.  If overexposed to ivermectin, symptoms may include decreased activity, slow rate of breathing, dilation of the pupils, muscle tremors and inco-ordination.

## Exposure Effects ( Chronic )

Unknown for the product mixture. When this product is used according to the directions, prolonged exposure of man is not expected. Ivermectin has tested negative in several mutagenicity studies.

**12. ECOLOGICAL INFORMATION**

Data on the ecological implications for Noromectin Injection is not yet available.

**13. DISPOSAL CONSIDERATIONS**

Product/Residues	:	Ivermectin is extremely dangerous to aquatic life. Do not discharge the material into surface or waste water. For disposal, use an incinerator licensed for chemical waste.
Package	:	Dispose of waste containers using regular disposal methods in accordance with local and national environmental regulations.

**14. TRANSPORT INFORMATION**

Land, Sea & Air Transport

ADR/RID, IMO/IMDG, IATA/ICAO, UN No. : Not applicable

**15. REGULATORY INFORMATION**

Labelling Information

Safety Phrases	:	S2	Keep out of reach of children
		S7	Keep container tightly closed

**16. OTHER INFORMATION**

ML : 2000/01 For Animal Treatment Only.

ANADA 200-437, approved by FDA

Revision Date	:	20/03/07
Revision No	:	01
Printing Date	:	23/03/2007

Suppliers data sheets and various chemicals and pharmaceuticals databases were used to compile this sheet.

The information contained in this PSDS is believed to be accurate and represents the best information available at the time of preparation. However Norbrook Laboratories Limited makes no warranty, express or implied, with respect to such information and assumes no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes, and Norbrook Laboratories Limited will not be held liable for any damage resulting from the handling of or contact with the above product.

### SECTION 1: IDENTIFICATION

#### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** Noromectin Injection For Cattle and Swine

**Product Code:** ANADA 200-437

#### 1.2. Intended Use of the Product

**Use of the Substance/Mixture:** Noromectin® (ivermectin) Injection is an injectable parasiticide for cattle and swine, that effectively treats and controls the following internal and external parasites that may impair the health of cattle and swine: gastrointestinal roundworms (including inhibited *Ostertagia ostertagi* in cattle), lungworms, grubs, sucking lice, and mange mites of cattle; and gastrointestinal roundworms, lungworms, lice, and mange mites of swine.

#### 1.3. Name, Address, and Telephone of the Responsible Party

##### Supplier

Norbrook, Inc.  
9401 Indian Creek Parkway – Ste. 680  
Overland Park, KS 66210  
Phone: 913 599 5777  
Fax: 913 599 5766

##### Manufacturer

Norbrook Laboratories Ltd,  
Station Works, Newry, Co.Down,  
N.Ireland, BT35 6JP.  
Telephone No. +44 (0)28 3026 4435  
Fax No. +44 (0)28 3026 1721  
E-Mail: enquiries@norbrook.co.uk

#### 1.4. Emergency Telephone Number

**Emergency Number** : 913 599 5777

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

##### GHS-US Classification

Acute Tox. 4 (Oral)	H302
Eye Irrit. 2A	H319
Repr. 2	H361
STOT SE 1	H370
STOT RE 1	H372
Aquatic Acute 3	H402
Aquatic Chronic 3	H412

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label Elements

##### GHS-US Labeling

##### Hazard Pictograms (GHS-US)



##### Signal Word (GHS-US)

: Danger

##### Hazard Statements (GHS-US)

: H302 - Harmful if swallowed.  
H319 - Causes serious eye irritation.  
H361 - Suspected of damaging fertility or the unborn child.  
H370 - Causes damage to organs.  
H372 - Causes damage to organs through prolonged or repeated exposure.  
H402 - Harmful to aquatic life.  
H412 - Harmful to aquatic life with long lasting effects.

##### Precautionary Statements (GHS-US)

: P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P260 - Do not breathe vapors, mist, or spray.  
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing, and eye protection.  
P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

# Noromectin Injection For Cattle and Swine

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Remove contact lenses, if present and easy to do. Continue rinsing.  
P307+P311 - If exposed: Call a poison center/doctor.  
P308+P313 - If exposed or concerned: Get medical advice/attention.  
P314 - Get medical advice/attention if you feel unwell.  
P321 - Specific treatment (see section 4 on this SDS).  
P330 - Rinse mouth.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P405 - Store locked up.  
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### 2.3. Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product Identifier	%	GHS-US classification
1,2-Propylene glycol	(CAS No) 57-55-6	Proprietary	Not classified
1,3-Dioxolan-4-ylmethanol	(CAS No) 5464-28-8	Proprietary	Eye Irrit. 2A, H319
Ivermectin	(CAS No) 70288-86-7	Proprietary	Acute Tox. 2 (Oral), H300 Acute Tox. 3 (Dermal), H311 Repr. 2, H361 STOT SE 1, H370 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200]

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

**First-aid Measures Inhalation:** Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Gently wash with plenty of soap and water followed by rinsing with water for at least 15 minutes. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

**First-aid Measures After Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Obtain medical attention if irritation persists.

**First-aid Measures After Ingestion:** Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**Symptoms/Injuries:** Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. Suspected of damaging fertility or the unborn child. Please refer to the package insert for more detailed information.

**Symptoms/Injuries After Inhalation:** May cause respiratory irritation.

**Symptoms/Injuries After Skin Contact:** Causes skin irritation. Symptoms may include: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

**Symptoms/Injuries After Eye Contact:** Causes serious eye irritation. Symptoms may include: Redness, pain, swelling, itching, burning, tearing, and blurred vision.

**Symptoms/Injuries After Ingestion:** Harmful if swallowed. Causes damage to organs.

**Chronic Symptoms:** Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.

# Noromectin Injection For Cattle and Swine

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** None known.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not flammable.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Use only as directed. Avoid all contact with skin, eyes, or clothing. Avoid breathing vapor, mist, or spray.

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### 6.2. Environmental Precautions

Avoid release to the environment.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain and collect as any solid.

**Methods for Cleaning Up:** Absorb and/or contain spill with inert material, then place in suitable container. Clean up spills immediately and dispose of waste safely.

### 6.4. Reference to Other Sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Precautions for Safe Handling:** Contaminated sharps should be handled with care and discarded immediately or as soon as possible in containers that are closable, puncture-resistant, leak proof on sides and bottoms, and appropriately labeled. Contact your local health department for referral to a syringe disposal program. special instructions before use. Do not handle until all safety precautions have been read and understood.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Store locked up. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Products:** Strong acids, strong bases, strong oxidizers.

**Storage Temperature:** 30 °C Max

### 7.3. Specific End Use(s)

Noromectin® (ivermectin) Injection is an injectable parasiticide for cattle and swine, that effectively treats and controls the following internal and external parasites that may impair the health of cattle and swine: gastrointestinal roundworms (including inhibited *Ostertagia ostertagi* in cattle), lungworms, grubs, sucking lice, and mange mites of cattle; and gastrointestinal roundworms, lungworms, lice, and mange mites of swine.

# Noromectin Injection For Cattle and Swine

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

#### 1,2-Propylene glycol (57-55-6)

USA AIHA	WEEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
----------	-------------------------------	----------------------

#### 8.2. Exposure Controls

##### Appropriate Engineering Controls

: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

##### Personal Protective Equipment

: Avoid all unnecessary exposure. Gloves. Safety glasses. Protective clothing. Insufficient ventilation: wear respiratory protection.



##### Materials for Protective Clothing

: Chemically resistant materials and fabrics.

##### Hand Protection

: Wear chemically resistant protective gloves.

##### Eye Protection

: Chemical safety goggles.

##### Skin and Body Protection

: Wear suitable protective clothing. Wash contaminated clothing before reuse.

##### Respiratory Protection

: In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Clear solution
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available

#### 9.2. Other Information No additional information available

### SECTION 10: STABILITY AND REACTIVITY

- 10.1. **Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. **Chemical Stability:** Stable at standard temperature and pressure.
- 10.3. **Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. **Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. **Incompatible Materials:** Strong acids, strong bases, strong oxidizers.
- 10.6. **Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides.

# Noromectin Injection For Cattle and Swine

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on Toxicological Effects

**Acute Toxicity:** Oral: Harmful if swallowed.

Noromectin Injection For Cattle and Swine	
ATE (Oral)	1,000.00 mg/kg body weight
1,2-Propylene glycol (57-55-6)	
LD50 Oral Rat	20 g/kg
LD50 Dermal Rabbit	20800 mg/kg
Ivermectin (70288-86-7)	
LD50 Oral Rat	10 mg/kg
ATE (Dermal)	300.00 mg/kg body weight

**Skin Corrosion/Irritation:** Not classified

**Serious Eye Damage/Irritation:** Causes serious eye irritation.

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

**Reproductive Toxicity:** Suspected of damaging fertility or the unborn child.

**Specific Target Organ Toxicity (Single Exposure):** Causes damage to organs.

**Specific Target Organ Toxicity (Repeated Exposure):** Causes damage to organs through prolonged or repeated exposure.

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** May cause respiratory irritation.

**Symptoms/Injuries After Skin Contact:** Causes skin irritation. Symptoms may include: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

**Symptoms/Injuries After Eye Contact:** Causes serious eye irritation. Symptoms may include: Redness, pain, swelling, itching, burning, tearing, and blurred vision.

**Symptoms/Injuries After Ingestion:** Harmful if swallowed. Causes damage to organs.

**Chronic Symptoms:** Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.

### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

**Ecology - General** : Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

1,2-Propylene glycol (57-55-6)	
LC50 Fish 1	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	10000 mg/l (Exposure time: 24 h - Species: Daphnia magna)
LC50 Fish 2	41 - 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 2	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

**12.2. Persistence and Degradability** No additional information available

#### 12.3. Bioaccumulative Potential

1,2-Propylene glycol (57-55-6)	
BCF Fish 1	< 1
Log Pow	-0.92

**12.4. Mobility in Soil** No additional information available

#### 12.5. Other Adverse Effects

**Other Information** : Avoid release to the environment.

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste Treatment Methods

**Sewage Disposal Recommendations:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

**Additional Information:** Contaminated sharps should be handled with care and discarded immediately or as soon as possible in containers that are closable, puncture-resistant, leak proof on sides and bottoms, and appropriately labeled. Contact your local health department for referral to a syringe disposal program.

# Noromectin Injection For Cattle and Swine

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 14: TRANSPORT INFORMATION

- 14.1. In Accordance with DOT** Not regulated for transport  
**14.2. In Accordance with IMDG** Not regulated for transport  
**14.3. In Accordance with IATA** Not regulated for transport

### SECTION 15: REGULATORY INFORMATION

#### 15.1. US Federal Regulations

Noromectin Injection For Cattle and Swine	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard
<b>1,2-Propylene glycol (57-55-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA TSCA Regulatory Flag	Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule

#### 15.2. US State Regulations

<b>1,2-Propylene glycol (57-55-6)</b>	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) List	

### SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date	: 06/16/2016
Other Information	: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

#### GHS Full Text Phrases:

Acute Tox. 2 (Oral)	Acute toxicity (oral) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Repr. 2	Reproductive toxicity Category 2
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 1	Specific target organ toxicity (single exposure) Category 1
H300	Fatal if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H370	Causes damage to organs
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

SDS US (GHS HazCom)