SAFETY DATA SHEETS

This SDS packet was issued with item:

078582142

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078024141







Safety Data Sheet

1. IDENTIFICATION

Product Identifier: DipQuick Stain #3 – Counter Stain

Product Code(s): J0322, J0322A, J0322A3

Synonyms: Mixture.

Recommended Use: For invitro veterinary use only.

Uses Advised Against: Not for use on humans.

Supplier: Jorgensen Laboratories

1450 Van Buren Avenue, Loveland, CO 80538

Phone: (970) 669-2500 or (800) 525-5614 Fax: (970) 663-5042

Emergency Phone Number: U.S. and Canada: (800) 535-5053 International: (352) 323-3500 (INFOTRAC)

2. HAZARDS IDENTIFICATION

Hazard Classifications: This product is classified as not hazardous under OSHA's Hazard Communication

Standard, 29 CFR 1910.1200 (HCS) and the United Nations' Globally Harmonized System of Classification and Labeling of Chemicals (GHS). However, all chemicals handled and

used in the workplace should be treated with caution.

Signal Word: Not applicable.

Hazard Statements: Not applicable.

Pictograms: Not applicable.

Precautionary Statements:

Prevention: Not applicable.

Response: Not applicable.

Storage: Not applicable.

Disposal: Flush with large volumes of water to prevent azide buildup.

Hazards Not Otherwise

Classified:

This product contains 0.01% sodium azide, which may react with lead and copper plumbing

to form explosive metal azides.

Toxicity Statement: Not applicable.

Product: DipQuick Stain #3 – Counter Stain

Revision Date: 10/06/2016

SDSJ0322_SDSJ0322A

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Component	Common Name / Synonyms	CAS#	Chemical Formula	% by Weight
Water	Water	7732-18-5	H ₂ O	98.9
Sodium Azide	Hydrozoic Acid, Sodium Salt	26628-22-8	NaN₃	0.01
Nonhazardous Ingredients	Trade Secret	N/A	N/A	<1.1

Trade Secret Statement: The identifiers and concentrations of the "nonhazardous ingredients" have been withheld

under a trade secret. These components are either nonhazardous or are present at sufficiently low concentrations such that they do not affect the hazard classification of this

product.

4. FIRST AID MEASURES

First Aid Procedures:

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. Call a physician immediately if you feel unwell or are concerned.

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs,

keep head low so that vomit does not enter lungs. Never give anything by mouth to an unconscious person. Call a physician or poison control center if symptoms occur.

Skin Contact: Remove contaminated clothing and shoes. Wash skin with plenty of water for at least 15

minutes. Wash clothing before reuse. Get medical attention if symptoms occur.

Eye Contact: Check for and remove contact lenses if present and easy to do. Immediately flush eyes with

gentle but large stream of water for at least 15 minutes, lifting lower and upper eyelids

occasionally. Get medical attention if symptoms occur.

General Advice: Ensure that medical personnel and those providing first aid are aware of the material(s)

involved and take precautions to protect themselves.

Symptoms and Effects: May cause irritation to eyes, skin, respiratory tract, and gastrointestinal tract. Ingestion may

cause nausea, vomiting, diarrhea, abdominal pain, and nervous system effects.

Immediate Medical Care/

Special Treatment:

If you feel unwell or are concerned, call a physician or poison control center immediately.

Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media: Water spray, dry powder, alcohol resistant foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream, as it may scatter and spread fire.

Hazardous Combustion

Products:

Carbon oxides, nitrogen oxides, sodium oxides, potassium oxides, phosphorus compounds,

toxic fumes.

Specific Hazards: Excessive thermal conditions may cause decomposition and yield hazardous decomposition

products listed above.

Special Protective Equipment/ Precautions for Firefighters: As in any fire, wear MSHA/NIOSH-approved (or equivalent), self-contained, positivepressure or pressure-demand breathing apparatus and full protective gear. In the event of

fire and/or explosion, do not breathe fumes.

Product: DipQuick Stain #3 – Counter Stain

SDSJ0322_SDSJ0322A

Revision Date: 10/06/2016

ACCIDENTAL RELEASE MEASURES 6.

Personal Precautions and Protective Equipment:

Isolate hazard area and keep unnecessary and unprotected personnel away from the area of the leak or spill. Wear appropriate personal protective equipment (see Section 8). Avoid

contact with eyes, skin, and clothing.

Emergency Procedures: In case of chemical emergency, or if unsure how to address an accidental release, consult a

professional (see Section 1).

Methods for Containment: Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer,

> basements, or confined areas. Dike the spilled material, where this is possible. Product should not be released to the environment. Contain and recover liquid when possible.

Methods for Cleanup: Absorb spill with an inert material (e.g. vermiculite, dry sand, earth, cloth, or fleece) and

> place in a noncombustible container for reclamation or disposal. Do not flush to sewer. Clean contaminated surface thoroughly. Spills can be dissolved with alcohol or acetone solution. Never return spills in original containers for reuse. Clean up in accordance with all

applicable regulations.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes, and clothing. Do not breathe vapors or spray mist. Do not

ingest. When using, do not eat, drink, or smoke. Keep away from incompatible materials (see Section 10). Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Containers of this material may be hazardous when empty, as they retain product residues. Observe all warnings and precautions listed for this product.

Storage: Store in a cool, dry, ventilated area. Limit exposure to light. Store in a segregated and

> approved area away from incompatible materials (see Section 10). Store in original container. Keep containers tightly closed and upright. Keep away from food, drink, and animal foodstuffs. Keep out of the reach of children. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of this product.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits: Water: No information found.

> Nonhazardous Ingredients: No information found.

0.29 mg/m³ Sodium Azide: ACGIH: TLV:

> OSHA: PEL: 0.1 ppm NIOSH: CEIL: 0.3 mg/m^{3}

> > 18 of 22

Engineering Controls: Ensure adequate ventilation. Ventilation rates should be matched to conditions. If

> applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not

been established, maintain airborne levels to an acceptable level.

Personal Protective Measures:

Eye/Face Protection: Wear safety glasses with side shields or safety goggles. Wear a face shield. Maintain

approved eye wash station and accessible rinse facilities in work area.

Skin Protection: Wear appropriate chemical resistant clothing (with long sleeves) and appropriate chemical

resistant gloves.

Product: DipQuick Stain #3 - Counter Stain SDSJ0322_SDSJ0322A Respiratory Protection: An air-purifying, NIOSH-approved respirator with appropriate cartridge or canister may be

permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Use a positive-pressure, air-supplied respirator if there is any potential for an uncontrolled release, if exposure levels are unknown, or if any other circumstances exist where air-purifying respirators may not provide adequate protection.

Specific Requirements for Personal Protective

Boiling Point/Range:

Equipment:

Ensure that glove material is compatible with this product. This information is available from

glove manufacturers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Unless otherwise indicated, all properties are given at 25 °C and standard pressure.

> 100 °C

Appearance: Blue, opaque liquid. Odor: Not applicable.

Odor Threshold: No information found.

Formula Weight: Mixture. pH: 6.8 < 0 °C **Melting/Freezing Point:**

Decomposition Temperature: No information found.

Flash Point: Not applicable. **Auto-ignition Temperature:** Not applicable.

Flammability: Not flammable or explosive.

Flammability/Explosive Limits: Not applicable.

Solubility: Miscible with water. **Vapor Pressure:** No information found. Vapor Density: No information found. Specific Gravity: 1.01 (Water = 1)

Evaporation Rate: No information found. No information found. Viscosity: **Partition Coefficient** No information found.

(n-octanol/water):

STABILITY AND REACTIVITY 10.

Reactivity Data: No information found.

Chemical Stability: Stable under normal conditions. Sensitive to air.

Conditions to Avoid: Heat, incompatible materials.

Incompatible Materials: Oxidizing agents, acids, bases.

Hazardous Decomposition

Carbon oxides, nitrogen oxides, sodium oxides, potassium oxides, phosphorus compounds,

19 of 22

Products: toxic fumes.

Product: DipQuick Stain #3 – Counter Stain SDSJ0322_SDSJ0322A

Revision Date: 10/06/2016

Possibility of Hazardous

May react vigorously or violently if exposed to extreme thermal conditions or if

Reactions:

contacted with the incompatible materials listed above.

Hazardous Polymerization: Will not occur.

11. **TOXICOLOGICAL INFORMATION**

Routes of Exposure: Inhalation, ingestion, skin contact, eye contact.

Acute Effects: May be harmful if swallowed. May cause irritation to the eyes, skin, respiratory tract, and

gastrointestinal tract. May affect the nervous system.

Chronic Effects: Prolonged or repeated exposure may affect the liver, kidneys, cardiovascular system, and

nervous system. May cause mutagenic effects.

Toxicological Data: Water: Not applicable.

> Nonhazardous Ingredients: No information found.

Sodium Azide: LD₅₀ Oral, Mouse: 27 mg/kg

> LD₅₀ Dermal, Rabbit: 20 mg/kg May be mutagenic based on animal data.

Symptoms of Exposure: Irritation, nausea, vomiting, diarrhea, abdominal pain, nervous system effects.

Carcinogenic Effects: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

12. **ECOLOGICAL INFORMATION**

Ecotoxicological Data: Water: Not applicable.

> Nonhazardous Ingredients: No information found.

> No information found. Sodium Azide:

Persistence and Degradability: May not be readily biodegradable.

Environmental Effects: Not expected to be hazardous to the environment. However, the possibility of an

environmental hazard cannot be excluded in the event of unprofessional handling or

disposal.

13. DISPOSAL INFORMATION

Disposal Instructions: All wastes must be handled in accordance with local, state, and federal regulations.

Minimize exposure to product waste (see Section 8).

Because emptied containers retain product residue, follow label warnings even after **Contaminated Packaging:**

container is emptied. Offer rinsed packaging material to local recycling facilities.

Waste Codes: No information found.

14. TRANSPORT INFORMATION

DOT: Not regulated.

Product: DipQuick Stain #3 - Counter Stain SDSJ0322_SDSJ0322A 20 of 22 Revision Date: 10/06/2016

Environmental Hazard

Regulations:

No information found.

Other Transport Precautions: No information found.

REGULATORY INFORMATION 15.

U.S. Federal Regulations:

OSHA: This product is not considered a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Inventory: All components of this product are on the U.S. TSCA Inventory.

U.S. EPCRA (SARA Title III):

Section 302: Extremely hazardous substance: Sodium Azide

Sections 311/312:

Hazard Category	List (Yes/No)	
Section 311 – Hazardous Chemical	No	
Immediate Hazard	No	
Delayed Hazard	No	
Fire Hazard	No	
Pressure Hazard	No	
Reactivity Hazard	No	

Section 313: Sodium Azide

CERCLA Reportable Quantities: Sodium Azide: 1000 lb

Canada WHMIS: This SDS is prepared in compliance with the Globally Harmonized System of Classification

and Labelling of Chemicals (GHS). Therefore, it complies with the 2015 Workplace

21 of 22

Hazardous Materials Information System (WHMIS) as well.

International Inventories:

Country or Region	Inventory Name	On Inventory (Yes/No)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

^{*}A "Yes" indicates that the listed components of this product comply with the inventory requirements administered by the governing country or region.

Product: DipQuick Stain #3 - Counter Stain SDSJ0322_SDSJ0322A

Revision Date: 10/06/2016

OTHER INFORMATION 16.

Disclaimer:

Jorgensen Laboratories provides the information in this Safety Data Sheet in the belief that it is reliable but assumes no responsibility for its completeness or accuracy. The physical properties reported in this SDS are obtained from literature and do not constitute product specifications. Jorgensen Laboratories makes and gives no representations or warranties with respect to the information contained herein or the product to which it refers, whether express, implied, or statutory, including without limitation, warranties of accuracy, completeness, merchantability, non-infringement, performance, safety, suitability, stability, and fitness for a particular purpose. No warranty against infringement of any patent, copyright or trademark is made or implied. This SDS is intended only as a guide to the appropriate handling of the material by a properly trained person. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. Accordingly, Jorgensen Laboratories assumes no liability whatsoever for the use of or reliance upon this information including results obtained, incidental or consequential damages, or lost profits.

Issue Date: October 6, 2016

Reason for Revision: Update of Sections 8, 9, 11, 12, 14, and 15 over 10/16/2016 version.

Product: DipQuick Stain #3 - Counter Stain

SDSJ0322_SDSJ0322A Revision Date: 10/06/2016

22 of 22