

SAFETY DATA SHEETS

This SDS packet was issued with item:

078912807

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078910467 078912832 078912873

SAFETY DATA SHEET



1. Identification

Product identifier	BOVI-SHIELD GOLD ONE SHOT
Other means of identification	
Synonyms	Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza 3-Respiratory Syncytial Virus Vaccine, Modified Live Virus, Mannheimia Haemolytica Toxoid
Recommended use	Veterinary vaccine
Recommended restrictions	Not for human use
Manufacturer/Importer/Supplier/Distributor information	
Company Name (US)	Zoetis Inc. 10 Sylvan Way Parsippany, New Jersey 07054 (USA)
Rocky Mountain Poison and Drug Center	1-866-531-8896
Product Support/Technical Services	1-800-366-5288
Emergency telephone numbers	CHEMTREC (24 hours): 1-800-424-9300 International CHEMTREC (24 hours): +1-703-527-3887
Company Name (EU)	Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium
Emergency telephone number	International CHEMTREC (24 hours): +1-703-527-3887
Contact E-Mail	VMIPSrecords@zoetis.com

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.

Label elements

Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Direct contact with eyes may cause temporary irritation. In the event of accidental injection, an allergic reaction may occur. Contains formaldehyde. May produce an allergic reaction.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Aluminum hydroxide gel		21645-51-2	1-3

Chemical name	Common name and synonyms	CAS number	%
Formaldehyde		50-00-0	<0.1
Adjuvanted sterile diluent		Not assigned	*
Bovine Parainfluenza3		NOT ASSIGNED	*
Bovine Respiratory Syncytial Virus		NOT ASSIGNED	*
Bovine Rhinotracheitis		NOT ASSIGNED	*
Bovine Virus Diarrhea		NOT ASSIGNED	*
Gentamicin		1403-66-3	##
Mannheimia haemolytica		Not Assigned	*

Composition comments * Non-hazardous Ingredients
 ## Trace
 In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present and easy to do.

Ingestion Rinse mouth. Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort. In the event of accidental injection, an allergic reaction may occur. Signs and symptoms might include skin rash, itching, redness or swelling. Respiratory reactions may be characterized by rhinitis, sneezing, scratchy throat, oral mucosal edema, laryngeal mucosal edema, coughing, shortness of breath, wheezing, and chest pain. Asthma like reactions occur with acute exposures in sensitized patients.

Indication of immediate medical attention and special treatment needed Treat symptomatically.

General information For personal protection, see section 8 of the SDS. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Use water spray to cool unopened containers.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapor. Avoid accidental injection. Wash thoroughly after handling. When using, do not eat, drink or smoke. Wear personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store away from direct sunlight. @ 2 - 7°C (36 - 45°F). Do not freeze. Store in original tightly closed container. Keep away from heat, sparks and open flame. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Components	Type	Value
Formaldehyde (CAS 50-00-0)	STEL	2 ppm
	TWA	0.75 ppm

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
Aluminum hydroxide gel (CAS 21645-51-2)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Aluminum hydroxide gel (CAS 21645-51-2)	TWA	1 mg/m3	Respirable fraction.
Formaldehyde (CAS 50-00-0)	Ceiling	0.3 ppm	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Formaldehyde (CAS 50-00-0)	Ceiling	0.1 ppm
	TWA	0.016 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Control banding approach

Gentamicin: Zoetis OEB 2 (control exposure to the range of 100ug/m3 to < 1000ug/m3)

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Keep air contamination levels below the exposure limits or within the OEB range listed above in this section. General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/face protection

If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand protection

Wear impervious gloves if skin contact is possible.

Other

Wear suitable protective clothing. Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and laboratory areas.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation, wear suitable respiratory equipment. If airborne exposures are within or exceed the Occupational Exposure Band (OEB) range, wear an appropriate respirator with a protection factor sufficient to control exposures to the bottom of the OEB range. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Thermal hazards

Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Freeze-dried preparation plus sterile diluent

Physical state Solid, Liquid.

Form Solid. Liquid.

Color Not available.

Odor Not available.

Odor threshold Not available.

pH 6 - 8

Melting point/freezing point Not available.

Initial boiling point and boiling range > 212 °F (> 100 °C)

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) 100 %

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Specific gravity 0.8 - 1.2

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Sunlight. High temperatures. Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze.

Incompatible materials Strong oxidizing agents. This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.

Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological information**Information on likely routes of exposure**

Inhalation No adverse effects due to inhalation are expected.

Skin contact
 Formaldehyde
 Prolonged skin contact may cause temporary irritation.
 Species: Rabbit
 Severity: Moderate Severe

Eye contact
 Gentamicin
 Direct contact with eyes may cause temporary irritation.
 Species: Rabbit
 Severity: Non-irritating

Formaldehyde
 Species: Rabbit
 Severity: Severe

Ingestion
 Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics
 Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort. In the event of accidental injection, an allergic reaction may occur. Signs and symptoms might include skin rash, itching, redness or swelling. Respiratory reactions may be characterized by rhinitis, sneezing, scratchy throat, oral mucosal edema, laryngeal mucosal edema, coughing, shortness of breath, wheezing, and chest pain. Asthma like reactions occur with acute exposures in sensitized patients.

Information on toxicological effects

Acute toxicity
 Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components	Species	Test Results
Aluminum hydroxide gel (CAS 21645-51-2)		
<u>Acute</u>		
Other		
LD50	Rat	150 mg/kg
Formaldehyde (CAS 50-00-0)		
<u>Acute</u>		
Inhalation		
LC50	Rat	0.48 mg/l, 4 Hours
Oral		
LD50	Rat	800 mg/kg 100 mg/kg
<u>Chronic</u>		
Inhalation		
LOAEL	Mouse	15 ppm, 2 years Tumors
	Rat	15 ppm, 9 days Respiratory system 6 ppm, 2 years Tumors
Gentamicin (CAS 1403-66-3)		
<u>Acute</u>		
Intramuscular		
LD50	Mouse	167 mg/kg
	Rat	463 mg/kg
Oral		
LD50	Rat	6600 mg/kg
Subcutaneous		
LD50	Rat	710 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Eye Contact		
Gentamicin	Species: Rabbit	Severity: Non-irritating

Eye Contact
Formaldehyde

Species: Rabbit
Severity: Severe

Respiratory or skin sensitization

ACGIH sensitization

FORMALDEHYDE (CAS 50-00-0)

Dermal sensitization
Respiratory sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product contains formaldehyde and merthiolate which are considered to be skin sensitizers. This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames)
Result: Positive
Species: Bacteria

In Vitro Chromosome Aberration
Result: Positive
Species: Rodent

In Vitro Sister Chromatid Exchange
Result: Positive
Species: Rodent

In Vivo Chromosome Aberration
Result: Positive
Species: Not specified

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. No known carcinogens are present at greater than 0.1%.

IARC Monographs. Overall Evaluation of Carcinogenicity

Formaldehyde (CAS 50-00-0) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0) Cancer

US. National Toxicology Program (NTP) Report on Carcinogens

Formaldehyde (CAS 50-00-0) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Developmental effects

Formaldehyde

185 mg/kg/day Embryo / Fetal Development, Not teratogenic
Maternal toxicity
Species: Mouse
Organ: Oral

40 ppm Embryo / Fetal Development, Not Teratogenic
Maternal Toxicity
Species: Rat
Organ: Inhalation

Gentamicin

75 mg/kg/day Embryo / Fetal Development, Developmental toxicity
Result: LOAEL
Species: Rat
Organ: Intramuscular

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not an aspiration hazard.

Further information

Allergic reactions are possible. The antigens included in this product are non-infectious. All have been prepared from modified or inactivated preparations of microorganisms.

12. Ecological information**Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Avoid release to the environment.

Components	Species		Test Results
Formaldehyde (CAS 50-00-0)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	4.3 - 7.8 mg/l, 48 hours
Fish	LC50	Striped bass (Morone saxatilis)	10.302 - 16.743 mg/l, 96 hours
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal considerations

Disposal instructions	Avoid release to the environment. Do not discharge into drains, water courses or onto the ground. Do not contaminate ponds, waterways or ditches with chemical or used container. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	None known.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information**DOT**

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Formaldehyde (CAS 50-00-0) Listed.

SARA 304 Emergency release notification

Formaldehyde (CAS 50-00-0) 100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0) Cancer
Skin sensitization
Respiratory sensitization

Eye irritation
Skin irritation
respiratory tract irritation
Acute toxicity
Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
---------------	------------	------------------------------	--------------------------------------	---	---

Formaldehyde	50-00-0	100	500		
--------------	---------	-----	-----	--	--

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Formaldehyde (CAS 50-00-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Formaldehyde (CAS 50-00-0)

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Formaldehyde (CAS 50-00-0)

Listed: January 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Formaldehyde (CAS 50-00-0)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 04-02-2017

Version # 01

Disclaimer

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.

SAFETY DATA SHEET



1. Identification

Product identifier	BOVI-SHIELD GOLD ONE SHOT
Other means of identification	
Synonyms	Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza 3-Respiratory Syncytial Virus Vaccine, Modified Live Virus, Mannheimia Haemolytica Toxoid
Recommended use	Veterinary vaccine
Recommended restrictions	Not for human use
Manufacturer/Importer/Supplier/Distributor information	
Company Name (US)	Zoetis Inc. 10 Sylvan Way Parsippany, New Jersey 07054 (USA)
Rocky Mountain Poison and Drug Center	1-866-531-8896
Product Support/Technical Services	1-800-366-5288
Emergency telephone numbers	CHEMTREC (24 hours): 1-800-424-9300 International CHEMTREC (24 hours): +1-703-527-3887
Company Name (EU)	Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium
Emergency telephone number	International CHEMTREC (24 hours): +1-703-527-3887
Contact E-Mail	VMIPSrecords@zoetis.com

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.

Label elements

Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.

Supplemental information	Direct contact with eyes may cause temporary irritation. In the event of accidental injection, an allergic reaction may occur. Contains formaldehyde. May produce an allergic reaction.
---------------------------------	---

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Aluminum hydroxide gel		21645-51-2	1-3

Material name: BOVI-SHIELD GOLD ONE SHOT

809 Version #: 01 Issue date: 04-02-2017

SDS US

1 / 9

Chemical name	Common name and synonyms	CAS number	%
Formaldehyde		50-00-0	<0.1
Adjuvanted sterile diluent		Not assigned	*
Bovine Parainfluenza3		NOT ASSIGNED	*
Bovine Respiratory Syncytial Virus		NOT ASSIGNED	*
Bovine Rhinotracheitis		NOT ASSIGNED	*
Bovine Virus Diarrhea		NOT ASSIGNED	*
Gentamicin		1403-66-3	##
Mannheimia haemolytica		Not Assigned	*

Composition comments * Non-hazardous Ingredients
 ## Trace
 In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present and easy to do.

Ingestion Rinse mouth. Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort. In the event of accidental injection, an allergic reaction may occur. Signs and symptoms might include skin rash, itching, redness or swelling. Respiratory reactions may be characterized by rhinitis, sneezing, scratchy throat, oral mucosal edema, laryngeal mucosal edema, coughing, shortness of breath, wheezing, and chest pain. Asthma like reactions occur with acute exposures in sensitized patients.

Indication of immediate medical attention and special treatment needed Treat symptomatically.

General information For personal protection, see section 8 of the SDS. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Use water spray to cool unopened containers.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapor. Avoid accidental injection. Wash thoroughly after handling. When using, do not eat, drink or smoke. Wear personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store away from direct sunlight. @ 2 - 7°C (36 - 45°F). Do not freeze. Store in original tightly closed container. Keep away from heat, sparks and open flame. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Components	Type	Value
Formaldehyde (CAS 50-00-0)	STEL	2 ppm
	TWA	0.75 ppm

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
Aluminum hydroxide gel (CAS 21645-51-2)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Aluminum hydroxide gel (CAS 21645-51-2)	TWA	1 mg/m3	Respirable fraction.
Formaldehyde (CAS 50-00-0)	Ceiling	0.3 ppm	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Formaldehyde (CAS 50-00-0)	Ceiling	0.1 ppm
	TWA	0.016 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Control banding approach

Gentamicin: Zoetis OEB 2 (control exposure to the range of 100ug/m3 to < 1000ug/m3)

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Keep air contamination levels below the exposure limits or within the OEB range listed above in this section. General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/face protection

If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand protection

Wear impervious gloves if skin contact is possible.

Other

Wear suitable protective clothing. Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and laboratory areas.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation, wear suitable respiratory equipment. If airborne exposures are within or exceed the Occupational Exposure Band (OEB) range, wear an appropriate respirator with a protection factor sufficient to control exposures to the bottom of the OEB range. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Thermal hazards

Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Freeze-dried preparation plus sterile diluent

Physical state Solid, Liquid.

Form Solid. Liquid.

Color Not available.

Odor Not available.

Odor threshold Not available.

pH 6 - 8

Melting point/freezing point Not available.

Initial boiling point and boiling range > 212 °F (> 100 °C)

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) 100 %

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Specific gravity 0.8 - 1.2

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Sunlight. High temperatures. Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze.

Incompatible materials Strong oxidizing agents. This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.

Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological information**Information on likely routes of exposure**

Inhalation No adverse effects due to inhalation are expected.

Skin contact
Formaldehyde

Prolonged skin contact may cause temporary irritation.
Species: Rabbit
Severity: Moderate Severe

Eye contact
Gentamicin

Direct contact with eyes may cause temporary irritation.
Species: Rabbit
Severity: Non-irritating

Formaldehyde

Species: Rabbit
Severity: Severe

Ingestion

Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort. In the event of accidental injection, an allergic reaction may occur. Signs and symptoms might include skin rash, itching, redness or swelling. Respiratory reactions may be characterized by rhinitis, sneezing, scratchy throat, oral mucosal edema, laryngeal mucosal edema, coughing, shortness of breath, wheezing, and chest pain. Asthma like reactions occur with acute exposures in sensitized patients.

Information on toxicological effects

Acute toxicity

Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components	Species	Test Results
Aluminum hydroxide gel (CAS 21645-51-2)		
<u>Acute</u>		
Other		
LD50	Rat	150 mg/kg
Formaldehyde (CAS 50-00-0)		
<u>Acute</u>		
Inhalation		
LC50	Rat	0.48 mg/l, 4 Hours
Oral		
LD50	Rat	800 mg/kg
		100 mg/kg
<u>Chronic</u>		
Inhalation		
LOAEL	Mouse	15 ppm, 2 years Tumors
	Rat	15 ppm, 9 days Respiratory system
		6 ppm, 2 years Tumors
Gentamicin (CAS 1403-66-3)		
<u>Acute</u>		
Intramuscular		
LD50	Mouse	167 mg/kg
	Rat	463 mg/kg
Oral		
LD50	Rat	6600 mg/kg
Subcutaneous		
LD50	Rat	710 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Eye Contact		
Gentamicin	Species: Rabbit	Severity: Non-irritating

Eye Contact
Formaldehyde

Species: Rabbit
Severity: Severe

Respiratory or skin sensitization

ACGIH sensitization

FORMALDEHYDE (CAS 50-00-0)

Dermal sensitization
Respiratory sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product contains formaldehyde and merthiolate which are considered to be skin sensitizers. This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity
Formaldehyde

In Vitro Bacterial Mutagenicity (Ames)
Result: Positive
Species: Bacteria

In Vitro Chromosome Aberration
Result: Positive
Species: Rodent

In Vitro Sister Chromatid Exchange
Result: Positive
Species: Rodent

In Vivo Chromosome Aberration
Result: Positive
Species: Not specified

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. No known carcinogens are present at greater than 0.1%.

IARC Monographs. Overall Evaluation of Carcinogenicity

Formaldehyde (CAS 50-00-0) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0) Cancer

US. National Toxicology Program (NTP) Report on Carcinogens

Formaldehyde (CAS 50-00-0) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Developmental effects

Formaldehyde

185 mg/kg/day Embryo / Fetal Development, Not teratogenic
Maternal toxicity
Species: Mouse
Organ: Oral

40 ppm Embryo / Fetal Development, Not Teratogenic
Maternal Toxicity
Species: Rat
Organ: Inhalation

Gentamicin

75 mg/kg/day Embryo / Fetal Development, Developmental toxicity
Result: LOAEL
Species: Rat
Organ: Intramuscular

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not an aspiration hazard.

Further information

Allergic reactions are possible. The antigens included in this product are non-infectious. All have been prepared from modified or inactivated preparations of microorganisms.

12. Ecological information**Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Avoid release to the environment.

Components	Species		Test Results
Formaldehyde (CAS 50-00-0)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	4.3 - 7.8 mg/l, 48 hours
Fish	LC50	Striped bass (Morone saxatilis)	10.302 - 16.743 mg/l, 96 hours
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal considerations

Disposal instructions	Avoid release to the environment. Do not discharge into drains, water courses or onto the ground. Do not contaminate ponds, waterways or ditches with chemical or used container. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	None known.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information**DOT**

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Formaldehyde (CAS 50-00-0) Listed.

SARA 304 Emergency release notification

Formaldehyde (CAS 50-00-0) 100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0) Cancer
Skin sensitization
Respiratory sensitization

Eye irritation
Skin irritation
respiratory tract irritation
Acute toxicity
Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
---------------	------------	------------------------------	--------------------------------------	---	---

Formaldehyde	50-00-0	100	500		
--------------	---------	-----	-----	--	--

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Formaldehyde (CAS 50-00-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Formaldehyde (CAS 50-00-0)

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Formaldehyde (CAS 50-00-0)

Listed: January 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Formaldehyde (CAS 50-00-0)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 04-02-2017

Version # 01

Disclaimer

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.