SAFETY DATA SHEETS

This SDS packet was issued with item:

078912853

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078421989 078426088

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078912822 078912892

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Animal Health
Pfizer Inc
235 East 42nd Street
New York, NY 10017
Poison Control Center Phone: 1-866-531-8896
Technical Services Phone: 1-800-366-5288

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: pfizer-MSDS@pfizer.com

Pfizer Ltd
Ramsgate Road
Sandwich, Kent
CT13 9NJ
United Kingdom
+00 44 (0)1304 616161

Emergency telephone number:
ChemSafe (24 hours): +44 (0)208 762 8322

Material Name: Clostridium chauvoei-septicum-haemolyticum-novyi-sordellii-perfringens Types C&D Bacterin-Toxoid

Trade Name: UltraChoice® 8
Chemical Family: Not determined
Intended Use: Veterinary Vaccine

2. HAZARDS IDENTIFICATION

Appearance: Liquid solution in multiple-dose vials
Signal Word: WARNING

Statement of Hazard: May cause allergic skin reaction.
Contains formaldehyde: potential cancer hazard

Additional Hazard Information:
Short Term: May cause eye, skin and respiratory tract irritation. In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted.

EU Indication of danger: Irritant

EU Hazard Symbols:

Xi

EU Risk Phrases:
R43 - May cause sensitization by skin contact.

Australian Hazard Classification (NOHSC): Hazardous Substance. Non-Dangerous Goods.

Note: This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	Classification	%
Saponin	8047-15-2	232-462-6	Not Listed	*
Formaldehyde	50-00-0	200-001-8	C;R34 Carc. Cat.3;R40 R43 T;R23/24/25	<0.2
Aluminum potassium sulfate	7784-24-9	Not listed	Not Listed	*

Ingredient	CAS Number	EU EINECS/ELINCS List	Classification	%
Clostridium perfringens type C	NOT ASSIGNED	Not listed	Xn;R22	*
Clostridium chauvoei	NOT ASSIGNED	Not listed	Xn;R22	*
Clostridium perfringens type D	NOT ASSIGNED	Not listed	Xn;R22	*
Clostridium sordellii	NOT ASSIGNED	Not listed	Xn;R22	*
Clostridium haemolyticum	NOT ASSIGNED	Not listed	Xn;R22	*
Clostridium septicum	NOT ASSIGNED	Not listed	Xn;R22	*
Clostridium novyi	NOT ASSIGNED	Not listed	Xn;R22	*

Additional Information: * Proprietary
Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention. For information on potential delayed effects, see Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

5. FIRE FIGHTING MEASURES

Extinguishing Media: As for primary cause of fire.

Hazardous Combustion Products: Not known

Fire Fighting Procedures: During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Additional Information: This product is a nonflammable aqueous solution. This material is not expected to support combustion.

6. ACCIDENTAL RELEASE MEASURES

Health and Safety Precautions: Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Measures for Cleaning / Collecting: Contain the source of the spill or leak. Use non-combustible absorbent material to wipe up spill and place in a sealed container for disposal. Clean spill area thoroughly. Prevent discharge to drains.

Measures for Environmental Protections: Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Additional Consideration for Large Spills: Prevent discharge to drains. Dike, pump, or use non-combustible material to absorb spill; then place in a labeled container for disposal. Close container and move it to a secure holding area.

7. HANDLING AND STORAGE

General Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use appropriate personal protective equipment. Wash hands and any exposed skin after removal of PPE. Releases to the environment should be avoided.

Storage Conditions: Store under refrigeration in closed container. Do not freeze. Keep container tightly closed when not in use.

Storage Temperature: 2-7°C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to available public information for specific member state Occupational Exposure Limits.

Formaldehyde

ACGIH Ceiling Threshold Limit:	= 0.3 ppm Ceiling
ACGIH - Sensitizer Designation	Sensitizer
Australia STEL	= 2 ppm STEL = 2.5 mg/m^3 STEL
Australia TWA	= 1 ppm TWA = 1.2 mg/m^3 TWA
Austria OEL - MAKs	Listed
Bulgaria OEL - TWA	Listed
Czech Republic OEL - TWA	Listed
Estonia OEL - TWA	Listed
Finland OEL - TWA	Listed
France OEL - TWA	Listed
Germany (DFG) - MAK	= 0.3 ppm MAK = 0.37 mg/m^3 MAK
Greece OEL - TWA	Listed
Hungary OEL - TWA	Listed
Ireland OEL - TWAs	= 2 ppm TWA = 2.5 mg/m^3 TWA
Latvia OEL - TWA	Listed
Lithuania OEL - TWA	Listed
Netherlands OEL - TWA	Listed
OSHA - Final PELS - TWAs:	= 0.75 ppm TWA
OSHA - Specifically Regulated Chemicals	= 0.5 ppm Action Level = 0.75 ppm TWA = 2 ppm STEL Irritant and potential cancer hazard - see 29 CFR 1910.1048
Poland OEL - TWA	Listed
Romania OEL - TWA	Listed
Slovenia OEL - TWA	Listed
Sweden OEL - TWAs	= 0.5 ppm LLV = 0.6 mg/m^3 LLV

Aluminum potassium sulfate

ACGIH OELs - Notice of Intended Changes	Listed

Engineering Controls:	Engineering controls should be used as the primary means to control exposures. Exposure monitoring may be necessary to determine requirements.
Personal Protective Equipment:	Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).
Hands:	Wear impervious gloves if skin contact is possible.
Eyes:	Safety glasses or goggles
Skin:	Wear protective clothing when working with large quantities. Wash hands and arms thoroughly after handling this material.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection: In the event of a spill where the applicable Occupational Exposure Limit (OEL) may be exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State:	Liquid Solution in multiple-dose vials	**Color:**	No data available.
Molecular Formula:	Mixture	**Molecular Weight:**	Mixture

Water solubility:	Components are soluble in water
pH:	7.0 +/- 1.5
Boiling Point (°C):	>100
Vapor Pressure (kPa):	Expected to be negligible
Specific Gravity:	1.0 +/-0.2

Flash Point (Liquid) (°C):	Non-flammable
Polymerization:	Will not occur

10. STABILITY AND REACTIVITY

Stability:	Stable
Conditions to Avoid:	Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze.
Incompatible Materials:	This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.
Hazardous Decomposition Products:	None expected under normal conditions.

11. TOXICOLOGICAL INFORMATION

General Information: The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The primary hazards are due to the formaldehyde content.

Acute Toxicity: (Species, Route, End Point, Dose)

Formaldehyde
Rat Oral LD50 100 mg/kg
Rat Inhalation LC50/4h 0.48mg/L
Mouse Inhalation LC50/4h 0.414mg/L
Rabbit Dermal LD50 270mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Formaldehyde
Skin Irritation Rabbit Severe
Eye Irritation Rabbit Severe
Skin Sensitization - Beuhler Guinea Pig Positive
Skin Sensitization - GPMT Guinea Pig Positive

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde
90 Day(s) Rat Inhalation1.6 ppm NOAEL Lungs
13 Week(s) Rat Inhalation 0.0012 mg/L NOAEL Lungs Respiratory system
4 Week(s) Rat Oral 25 mg/kg NOAEL Gastrointestinal system
13 Week(s) Mouse Inhalation 0.002 mg/L NOAEL Lungs Respiratory system

Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde
Embryo / Fetal Development Rat Inhalation 40 ppm NOAEL Not Teratogenic, Maternal Toxicity
Embryo / Fetal Development Mouse Oral 185 mg/kg NOAEL Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde
In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive
In Vitro Chromosome Aberration Rat Positive
In Vitro Sister Chromatid Exchange Rat Positive
In Vivo Chromosome Aberration Rat Positive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde
2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors
2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status: Contains formaldehyde: potential cancer hazard.

11. TOXICOLOGICAL INFORMATION

Formaldehyde

IARC: Group 1 (Carcinogenic to Humans)
NTP: Reasonably Anticipated To Be A Carcinogen

OSHA: Present

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Formaldehyde
Oncorhynchus mykiss (Rainbow Trout) EPA LC50 96 Hours 118 ppm
Daphnia magna (Water Flea) OECD EC50 24 Hours 42 mg/L

13. DISPOSAL CONSIDERATIONS

Disposal Procedures: Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

Formaldehyde

RCRA - U Series Wastes waste number U122

14. TRANSPORT INFORMATION

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

EU Symbol: Xi
EU Indication of danger: Irritant

EU Risk Phrases:
R43 - May cause sensitization by skin contact.

EU Safety Phrases:
S24 - Avoid contact with skin.
S37 - Wear suitable gloves.

OSHA Label:
WARNING
May cause allergic skin reaction.
Contains formaldehyde: potential cancer hazard

Canada - WHMIS: Classifications

WHMIS hazard class:
D2a very toxic materials

Saponin

Australia (AICS):	Present
EU EINECS/ELINCS List	232-462-6

Formaldehyde

CERCLA/SARA 313 Emission reporting	= 0.1 % de minimis concentration
CERCLA/SARA Hazardous Substances and their Reportable Quantities:	= 100 lb final RQ = 45.4 kg final RQ
CERCLA/SARA - Section 302 Extremely Hazardous TPQs	= 500 lb TPQ
CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	= 100 lb EPCRA RQ
California Proposition 65	carcinogen, initial date 1/1/88 (gas)
OSHA - Specifically Regulated Chemicals	= 0.5 ppm Action Level = 0.75 ppm TWA = 2 ppm STEL Irritant and potential cancer hazard - see 29 CFR 1910.1048
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present

Standard for the Uniform Scheduling	Schedule 2
for Drugs and Poisons:	Schedule 6
EU EINECS/ELINCS List	200-001-8

Aluminum potassium sulfate

Australia (AICS):	Present

16. OTHER INFORMATION

Text of R phrases mentioned in Section 3

R34 - Causes burns.
R40 - Limited evidence of a carcinogenic effect
R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

Data Sources: Pfizer proprietary drug development information. Publicly available toxicity information. Safety data sheets for individual ingredients.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 6 - Accidental Release Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 9 - Physical and Chemical Properties. Updated Section 13 - Disposal Considerations. Updated Section 15 - Regulatory Information.

Prepared by: Toxicology and Hazard Communication
Pfizer Global Environment, Health, and Safety

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet

SAFETY DATA SHEET

1. Identification

Product identifier **Clostridium chauvoei-septicum-haemolyticum-novyi-sordellii-perfringens Types C&D Bacterin-Toxoid**

Other means of identification

Synonyms UltraChoice® 8 * UltraChoice™ 8

Recommended use Veterinary vaccine

Recommended restrictions Not for human use

Manufacturer/Importer/Supplier/Distributor information

Company Name (US) Zoetis Inc.
10 Sylvan Way
Parsippany, New Jersey 07054 (USA)

Rocky Mountain Poison and Drug Center 1-866-531-8896

Product Support/Technical Services 1-800-366-5288

Emergency telephone numbers CHEMTREC (24 hours): 1-800-424-9300
International CHEMTREC (24 hours): +1-703-527-3887

Company Name (EU) Zoetis Belgium S.A.
Mercuriusstraat 20
1930 Zaventem
Belgium

Emergency telephone number International CHEMTREC (24 hours): +1-703-527-3887

Contact E-Mail VMIPSrecords@zoetis.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards

Sensitization, respiratory	Category 1A
Sensitization, skin	Category 1A
Carcinogenicity	Category 1A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Signal word Danger

Hazard statement May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause cancer.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist or vapor. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory protection.

Response If exposed or concerned: Get medical advice/attention. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center/doctor. Wash contaminated clothing before reuse.

Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Direct contact with eyes may cause temporary irritation. In the event of accidental injection, an allergic reaction may occur.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Water, purified		7732-18-5	>90
Aluminum potassium sulfate		7784-24-9	<5
Formaldehyde		50-00-0	0.2
Clostridium chauvoei		NOT ASSIGNED	*
Clostridium haemolyticum		NOT ASSIGNED	*
Clostridium novyi		NOT ASSIGNED	*
Clostridium perfringens type C		NOT ASSIGNED	*
Clostridium perfringens type D		NOT ASSIGNED	*
Clostridium septicum		NOT ASSIGNED	*
Clostridium sordellii		NOT ASSIGNED	*
Saponin		8047-15-2	##

Composition comments

Trace
* Non-hazardous Ingredients
In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. For breathing difficulties, oxygen may be necessary.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation develops and persists. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present and easy to do.
Ingestion	Rinse mouth. Call a physician immediately. Do not induce vomiting without advice from poison control center. Never give anything by mouth to a victim who is unconscious or is having convulsions.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation. Exposed individuals may experience eye tearing, redness, and discomfort. May cause an allergic skin reaction. Dermatitis. Rash. Difficulty in breathing.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. Saponins have little toxicity for humans when ingested but have hemolytic effects when injected intravenously.
General information	For personal protection, see section 8 of the SDS. IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Ventilate closed spaces before entering them. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Avoid release to the environment.

Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Do not handle until all safety precautions have been read and understood. Use with adequate ventilation. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid accidental injection. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash thoroughly after handling. When using, do not eat, drink or smoke. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Store in a cool, dry place out of direct sunlight. @ 2 - 7˚C (36 - 45˚F). Do not freeze. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Components	Type	Value
Formaldehyde (CAS 50-00-0)	STEL	2 ppm
	TWA	0.75 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Aluminum potassium sulfate (CAS 7784-24-9)	TWA	1 mg/m3	Respirable fraction.
Formaldehyde (CAS 50-00-0)	Ceiling	0.3 ppm	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Aluminum potassium sulfate (CAS 7784-24-9)	TWA	2 mg/m3
Formaldehyde (CAS 50-00-0)	Ceiling	0.1 ppm
	TWA	0.016 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Control banding approach Not available.

Appropriate engineering controls Ensure adequate ventilation, especially in confined areas. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/face protection	If contact is likely, safety glasses with side shields are recommended.
Skin protection	
Hand protection	Wear protective gloves. Wear impervious gloves if skin contact is possible.
Other	Wear suitable protective clothing. Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and laboratory areas.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation, wear suitable respiratory equipment. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Whenever air contamination (mist, vapor or odor) is generated, respiratory protection is recommended as a precaution to minimize exposure.
Thermal hazards	Not applicable.
General hygiene considerations	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	Liquid Solution in multiple-dose vials
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
pH	6 - 8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	Non-flammable
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	0.8 - 1.2

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Protect from sunlight. Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze.

Incompatible materials Strong oxidizing agents. This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.

Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful.

Skin contact May cause an allergic skin reaction.

Formaldehyde — Species: Rabbit; Severity: Moderate to Severe

Eye contact Direct contact with eyes may cause temporary irritation.

Formaldehyde — Species: Rabbit; Severity: Severe

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Exposed individuals may experience eye tearing, redness, and discomfort. Difficulty in breathing. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components	Species	Test Results
Formaldehyde (CAS 50-00-0)		
Acute		
Dermal		
LD50	Rabbit	270 mg/kg
Inhalation		
LC50	Mouse	0.414 mg/L, 4 hours
	Rat	0.48 mg/L, 4 hours
Oral		
LD50	Rat	100 mg/kg
Chronic		
Inhalation		
LOAEL	Mouse	15 ppm, 2 years Tumors
	Rat	15 ppm, 90 days Respiratory system
		6 ppm, 2 years Tumors

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

Eye Contact

Formaldehyde — Species: Rabbit; Severity: Severe

Respiratory or skin sensitization

ACGIH sensitization

FORMALDEHYDE (CAS 50-00-0) — Dermal sensitization

Respiratory sensitization

Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin sensitization May cause an allergic skin reaction.

Skin sensitization

Formaldehyde	Species: Guinea Pig Severity: Positive

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

Formaldehyde	In Vitro Bacterial Mutagenicity (Ames) Result: Positive Species: Bacteria In Vitro Chromosome Aberration Result: Positive Species: Rodent In Vitro Sister Chromatid Exchange Result: Positive Species: Rodent In Vivo Chromosome Aberration Result: Positive Species: Not specified

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Formaldehyde (CAS 50-00-0)	1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0)	Cancer

US. National Toxicology Program (NTP) Report on Carcinogens

Formaldehyde (CAS 50-00-0)	Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Developmental effects

Formaldehyde	185 mg/kg/day Embryo / Fetal Development, Not teratogenic Maternal toxicity Species: Mouse Organ: Oral 40 ppm Embryo / Fetal Development, Not Teratogenic Maternal Toxicity Species: Rat Organ: Inhalation

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

Further information May cause allergic respiratory and skin reactions. In the event of accidental injection, an allergic reaction may occur. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. Saponins have little toxicity for humans when ingested but have hemolytic effects when injected intravenously.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Avoid release to the environment.

Components		Species	Test Results
Formaldehyde (CAS 50-00-0)			
	EC50	Daphnia magna (Water Flea)	42 mg/L, 24 Hours
	LC50	Oncorhynchus mykiss (Rainbow Trout)	118 ppm, 96 Hours
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	4.3 - 7.8 mg/l, 48 hours
Fish	LC50	Striped bass (Morone saxatilis)	10.302 - 16.743 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Avoid release to the environment. Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Formaldehyde (CAS 50-00-0) Listed.

SARA 304 Emergency release notification

Formaldehyde (CAS 50-00-0) 100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0)
Cancer
Skin sensitization
Respiratory sensitization
Eye irritation
Skin irritation
respiratory tract irritation
Acute toxicity

Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
Formaldehyde	50-00-0	100	500		

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Formaldehyde	50-00-0	0.2

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Formaldehyde (CAS 50-00-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Formaldehyde (CAS 50-00-0)

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Formaldehyde (CAS 50-00-0) Listed: January 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Formaldehyde (CAS 50-00-0)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 03-12-2014

Revision date 05-05-2017

Version # 03

Disclaimer

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.

SAFETY DATA SHEET

1. Identification

Product identifier **Clostridium chauvoei-septicum-haemolyticum-novyi-sordellii-perfringens Types C&D Bacterin-Toxoid**

Other means of identification

Synonyms UltraChoice® 8 * UltraChoice™ 8

Recommended use Veterinary vaccine

Recommended restrictions Not for human use

Manufacturer/Importer/Supplier/Distributor information

Company Name (US) Zoetis Inc.
10 Sylvan Way
Parsippany, New Jersey 07054 (USA)

Rocky Mountain Poison and Drug Center 1-866-531-8896

Product Support/Technical Services 1-800-366-5288

Emergency telephone numbers CHEMTREC (24 hours): 1-800-424-9300
International CHEMTREC (24 hours): +1-703-527-3887

Company Name (EU) Zoetis Belgium S.A.
Mercuriusstraat 20
1930 Zaventem
Belgium

Emergency telephone number International CHEMTREC (24 hours): +1-703-527-3887

Contact E-Mail VMIPSrecords@zoetis.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards

Sensitization, respiratory	Category 1A
Sensitization, skin	Category 1A
Carcinogenicity	Category 1A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Signal word Danger

Hazard statement May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause cancer.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist or vapor. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory protection.

Response If exposed or concerned: Get medical advice/attention. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center/doctor. Wash contaminated clothing before reuse.

Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Direct contact with eyes may cause temporary irritation. In the event of accidental injection, an allergic reaction may occur.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Water, purified		7732-18-5	>90
Aluminum potassium sulfate		7784-24-9	<5
Formaldehyde		50-00-0	0.2
Clostridium chauvoei		NOT ASSIGNED	*
Clostridium haemolyticum		NOT ASSIGNED	*
Clostridium novyi		NOT ASSIGNED	*
Clostridium perfringens type C		NOT ASSIGNED	*
Clostridium perfringens type D		NOT ASSIGNED	*
Clostridium septicum		NOT ASSIGNED	*
Clostridium sordellii		NOT ASSIGNED	*
Saponin		8047-15-2	##

Composition comments

Trace
* Non-hazardous Ingredients
In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. For breathing difficulties, oxygen may be necessary.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation develops and persists. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present and easy to do.
Ingestion	Rinse mouth. Call a physician immediately. Do not induce vomiting without advice from poison control center. Never give anything by mouth to a victim who is unconscious or is having convulsions.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation. Exposed individuals may experience eye tearing, redness, and discomfort. May cause an allergic skin reaction. Dermatitis. Rash. Difficulty in breathing.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. Saponins have little toxicity for humans when ingested but have hemolytic effects when injected intravenously.
General information	For personal protection, see section 8 of the SDS. IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Ventilate closed spaces before entering them. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Avoid release to the environment.

Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Do not handle until all safety precautions have been read and understood. Use with adequate ventilation. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid accidental injection. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash thoroughly after handling. When using, do not eat, drink or smoke. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Store in a cool, dry place out of direct sunlight. @ 2 - 7˚C (36 - 45˚F). Do not freeze. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Components	Type	Value
Formaldehyde (CAS 50-00-0)	STEL	2 ppm
	TWA	0.75 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Aluminum potassium sulfate (CAS 7784-24-9)	TWA	1 mg/m3	Respirable fraction.
Formaldehyde (CAS 50-00-0)	Ceiling	0.3 ppm	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Aluminum potassium sulfate (CAS 7784-24-9)	TWA	2 mg/m3
Formaldehyde (CAS 50-00-0)	Ceiling	0.1 ppm
	TWA	0.016 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Control banding approach Not available.

Appropriate engineering controls Ensure adequate ventilation, especially in confined areas. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/face protection	If contact is likely, safety glasses with side shields are recommended.
Skin protection	
Hand protection	Wear protective gloves. Wear impervious gloves if skin contact is possible.
Other	Wear suitable protective clothing. Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and laboratory areas.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation, wear suitable respiratory equipment. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Whenever air contamination (mist, vapor or odor) is generated, respiratory protection is recommended as a precaution to minimize exposure.
Thermal hazards	Not applicable.
General hygiene considerations	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	Liquid Solution in multiple-dose vials
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
pH	6 - 8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	Non-flammable
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	0.8 - 1.2

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Protect from sunlight. Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze.

Incompatible materials Strong oxidizing agents. This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.

Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful.

Skin contact May cause an allergic skin reaction.

Formaldehyde — Species: Rabbit; Severity: Moderate to Severe

Eye contact Direct contact with eyes may cause temporary irritation.

Formaldehyde — Species: Rabbit; Severity: Severe

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Exposed individuals may experience eye tearing, redness, and discomfort. Difficulty in breathing. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components	Species	Test Results
Formaldehyde (CAS 50-00-0)		
Acute		
Dermal		
LD50	Rabbit	270 mg/kg
Inhalation		
LC50	Mouse	0.414 mg/L, 4 hours
	Rat	0.48 mg/L, 4 hours
Oral		
LD50	Rat	100 mg/kg
Chronic		
Inhalation		
LOAEL	Mouse	15 ppm, 2 years Tumors
	Rat	15 ppm, 90 days Respiratory system
		6 ppm, 2 years Tumors

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

Eye Contact

Formaldehyde — Species: Rabbit; Severity: Severe

Respiratory or skin sensitization

ACGIH sensitization

FORMALDEHYDE (CAS 50-00-0) — Dermal sensitization

	Respiratory sensitization
Respiratory sensitization	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitization	May cause an allergic skin reaction.

Skin sensitization

Formaldehyde	Species: Guinea Pig Severity: Positive

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

Formaldehyde	In Vitro Bacterial Mutagenicity (Ames) Result: Positive Species: Bacteria In Vitro Chromosome Aberration Result: Positive Species: Rodent In Vitro Sister Chromatid Exchange Result: Positive Species: Rodent In Vivo Chromosome Aberration Result: Positive Species: Not specified

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Formaldehyde (CAS 50-00-0)	1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0)	Cancer

US. National Toxicology Program (NTP) Report on Carcinogens

Formaldehyde (CAS 50-00-0)	Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Developmental effects

Formaldehyde	185 mg/kg/day Embryo / Fetal Development, Not teratogenic Maternal toxicity Species: Mouse Organ: Oral 40 ppm Embryo / Fetal Development, Not Teratogenic Maternal Toxicity Species: Rat Organ: Inhalation

Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.
Further information	May cause allergic respiratory and skin reactions. In the event of accidental injection, an allergic reaction may occur. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. Saponins have little toxicity for humans when ingested but have hemolytic effects when injected intravenously.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Avoid release to the environment.

Components		Species	Test Results
Formaldehyde (CAS 50-00-0)			
	EC50	Daphnia magna (Water Flea)	42 mg/L, 24 Hours
	LC50	Oncorhynchus mykiss (Rainbow Trout)	118 ppm, 96 Hours
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	4.3 - 7.8 mg/l, 48 hours
Fish	LC50	Striped bass (Morone saxatilis)	10.302 - 16.743 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Avoid release to the environment. Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Formaldehyde (CAS 50-00-0) Listed.

SARA 304 Emergency release notification

Formaldehyde (CAS 50-00-0) 100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0) Cancer
Skin sensitization
Respiratory sensitization
Eye irritation
Skin irritation
respiratory tract irritation
Acute toxicity

Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
Formaldehyde	50-00-0	100	500		

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Formaldehyde	50-00-0	0.2

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Formaldehyde (CAS 50-00-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Formaldehyde (CAS 50-00-0)

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Formaldehyde (CAS 50-00-0) Listed: January 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Formaldehyde (CAS 50-00-0)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 03-12-2014
Revision date 05-05-2017
Version # 03

Disclaimer	Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.