SAFETY DATA SHEETS

This SDS packet was issued with item: 078951723

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078951722 078951724 078951726 078951727 078951728 078951799 078951800 078951801 078951802 078951803 078951816 078951827 078951828 078951829

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/24/2017

Reviewed on 05/24/2017

1 Identification

- · Product Identifier
- · Trade name: RX Destroyer™ Hardener
- *Relevant identified uses of the substance or mixture and uses advised against:* No further relevant information available.
- · *Product Description* No further relevant information available.
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier:
 C2R Global Manufacturing Inc.
 701 Blackhawk Drive, Unit A
 Burlington, WI 53105
 Phone: 262-363-7004
 Emergency telephone number: 262-363-7004

2 Hazard(s) Identification

· Classification of the substance or mixture:

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- STOT SE 3 H335 May cause respiratory irritation. Eye Irrit. 2B H320 Causes eye irritation.
- · Label elements:
- GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



· Signal word: Warning

Hazard-determining components of labeling:

2-Propenoic acid, homopolymer sodium salt

• Hazard statements:

H315+H320 Causes skin and eye irritation.

- H335 May cause respiratory irritation.
- Precautionary statements:
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves.
- P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a POISON CENTER/doctor if you feel unwell.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P332+P313 If skin irritation occurs: Get medical advice/attention.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/24/2017

Reviewed on 05/24/2017

Trade name: RX Destroyer™ Hardener

P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

NFPA ratings (scale 0 - 4)

Health = 1 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH	1	Health = 1
		Fire = 0
	0	Physical Hazard = 0

Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture: consisting of non-regulated material.

· Dangerous Components:

9003-04-7 2-Propenoic acid, homopolymer sodium salt

🚸 Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320

4 First-Aid Measures

• Description of first aid measures:

• General information:

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

• After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Ingestion will induce vomiting
- Information for doctor:

· Most important symptoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

• Extinguishing media:

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

90-99%

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/24/2017

Reviewed on 05/24/2017

Trade name: RX Destroyer™ Hardener

- · Special hazards arising from the substance or mixture:
- Extremely slippery conditions are created if spilled product comes in contact with water.
- Advice for firefighters:
- Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up:

Use caution after contact of product with water as extremely slippery conditions will result. Residuals may be flushed with water into the drain for normal wastewater treatment. This is a non-hazardous waste suitable for disposal in an approved solid waste landfill.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling
- · Precautions for safe handling: No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities:
- · Storage
- **Requirements to be met by storerooms and receptacles:** Store in a cool, dry place.

Store in the original container.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters:
- · Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation of this SDS were used as basis.

• Exposure controls:

Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Where acceptable concentrations cannot be maintained by general mechanical ventilation, local exhaust ventilation is recommended.

- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/24/2017

Reviewed on 05/24/2017

Trade name: RX Destroyer™ Hardener

· Breathing equipment:

Not required.

Wear respirator with a high efficiency filter if particulate concentrations in the work area exceed 0.05 mg/m3 over an eight-hour period.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

• Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye protection:



Safety glasses

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:	
Form:	Granulate
Color:	White
Odor:	Odorless
· Odor threshold:	Not determined.
[.] pH-value @ 20 °C (68 °F):	5.5-6.5 (1% IN WATER)
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	>390 °F Not determined.
· Flash point:	None
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	Not applicable
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.

(Contd. on page 5)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/24/2017

Reviewed on 05/24/2017

Trade name: RX Destroyer™ Hardener

• Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure @ 20 °C (68 °F):	<10 mm Hg
 Density @ 20 °C (68 °F): Relative density: Vapor density: Evaporation rate: 	0.4-0.7 g/ml Not determined. Not applicable. <1
 Solubility in / Miscibility with: Water: 	Insoluble.
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
 Solvent content: Organic solvents: 	0.0 %
Solids content: • Other information:	99.0 % No further relevant information available.
0 Stability and Reactivity	

· Reactivity: No further relevant information available.

- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: Strong oxidizing agents.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological Information

· Information on toxicological effects:

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

9003-04-7 2-Propenoic acid, homopolymer sodium salt

Oral LD50 >2000 mg/kg (Rat)

Dermal LD50 >2000 mg/kg (Rat)

- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Irritating effect.

· Other information (about experimental toxicology): Potential Health Effects: Ingestion will induce vomiting

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

(Contd. on page 6)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/24/2017

Reviewed on 05/24/2017

Trade name: RX Destroyer™ Hardener

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):
- None of the ingredients are listed.
- · NTP (National Toxicology Program):
- None of the ingredients are listed.
- OSHA-Ca (Occupational Safety & Health Administration): None of the ingredients are listed.
- 12 Ecological Information
 - Toxicity:
- · Aquatic toxicity:
- 9003-04-7 2-Propenoic acid, homopolymer sodium salt
- EC50 >100 mg/l (Daphnia)
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Polyacrylate absorbents are relatively inert in aerobic and anaerobic conditions. They are immobile in landfills and soil systems (>90% retention), with the mobile fraction showing biodegradability. They are also compatible with incineration of municipal solid waste. Incidental down-the-drain disposal of small quantities of polyacrylic absorbents will not affect the performance of wastewater treatment systems.

- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects: No further relevant information available.

3 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport Information

· UN-Number:	
· DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material
· UN proper shipping name:	
· DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material
 Transport hazard class(es): 	-
· DOT, ADR/ADN, ADN, IMDG, IATA	
· Class:	Non-Regulated Material
· Packing group:	0
· DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material
· Environmental hazards:	Not applicable.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/24/2017

Reviewed on 05/24/2017

Trade name:	RX Destroyer™	Hardener
-------------	---------------	----------

- Special precautions for user: Not applicable.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable.
- · UN "Model Regulation":

Not applicable. Non-Regulated Material

5 Regulatory Information

- Safety, health and environmental regulations/legislation specific for the substance or mixture: • SARA (Superfund Amendments and Reauthorization):
- Section 355 (extremely hazardous substances):

None of the ingredients are listed.

• Section 313 (Specific toxic chemical listings): None of the ingredients are listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed or exempt from listing.

· California Proposition 65:

· Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

• *New Jersey Right-to-Know List:* None of the ingredients are listed.

• New Jersey Special Hazardous Substance List:

None of the ingredients are listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients are listed.

· Carcinogenic categories:

• EPA (Environmental Protection Agency):

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/24/2017

Reviewed on 05/24/2017

Trade name: RX Destroyer™ Hardener

· Hazard pictograms:



· Signal word: Warning

· Hazard-determining components of labeling:

2-Propenoic acid, homopolymer sodium salt

Hazard statements:

H315+H320 Causes skin and eye irritation.

H335 May cause respiratory irritation.

Precautionary statements:

Trecaulonaly statements.			
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.		
P264	Wash thoroughly after handling.		
P271	Use only outdoors or in a well-ventilated area.		
P280	Wear protective gloves.		
P302+P352	IF ON SKIN: Wash with plenty of water.		
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if		
	present and easy to do. Continue rinsing.		
P312	Call a POISON CENTER/doctor if you feel unwell.		
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).		
P332+P313	If skin irritation occurs: Get medical advice/attention.		
P337+P313	If eye irritation persists: Get medical advice/attention.		
P362+P364	Take off contaminated clothing and wash it before reuse.		
P403+P233	Store in a well-ventilated place. Keep container tightly closed.		
P405	Store locked up.		
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.		

• National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 05/24/2017 / 6

• Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ACGIH: American Conference of Governmental Industrial Hygienists

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/24/2017

Reviewed on 05/24/2017

Trade name: RX Destroyer™ Hardener

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106