SAFETY DATA SHEETS

This SDS packet was issued with item:

078934299

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078358719 078497636 078867103

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078497644

SAFETY DATA SHEET



1. Identification

Product identifier Moxidectin and Praziquantel Oral Gel

Other means of identification

Synonyms QUEST PLUS * QUEST® PLUS GEL * QUEST PLUS® GEL * QUEST® PLUS

(moxidectin/praziquantel) Equine Oral Gel

Recommended useVeterinary product used as anti-worm agent (anthelmintic)

Recommended restrictions Not for human use

Manufacturer/Importer/Supplier/Distributor information

Company Name (USA) Zoetis Inc.

10 Sylvan Way

Parsippany, New Jersey 07054 (USA)

Rocky Mountain Poison

and Drug Center

1-866-531-8896

Product Support/Technical

Services

1-800-366-5288

Emergency telephone

numbers

CHEMTREC (24 hours): 1-800-424-9300

International CHEMTREC (24 hours): +1-703-527-3887

Company Name (CA) Zoetis Canada Inc.

16740 Trans-Canada Highway Kirkland, Quebec, H9H 4M7

Emergency telephone

number

International CHEMTREC (24 hours): +1-703-527-3887

Contact E-Mail productsupport@zoetis.com

Product Support 1-800-461-0917

All Safety Data Sheets are available via our Zoetis Canada website at

https://www.zoetis.ca/sds/sds.aspx

Supplier Not available.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2

Specific target organ toxicity following Category 2 (central nervous system)

repeated exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment,

long-term hazard

Category 1

Label elements



Signal word Warning

Hazard statement Causes serious eye irritation. May cause damage to organs (central nervous system) through

prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention Do not breathe mist or vapour. Wash thoroughly after handling. Avoid release to the environment.

Wear eye protection/face protection. Wear protective gloves/protective clothing.

Material name: Moxidectin and Praziquantel Oral Gel 676 Version #: 01 Issue date: 05-June-2017

SDS CANADA

Response Get medical advice/attention if you feel unwell. IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention. Collect spillage.

Store away from incompatible materials. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Praziquantel		55268-74-1	12.5
Benzyl alcohol		100-51-6	3-8
Moxidectin		113507-06-5	2

% = W/V

4. First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist. For breathing difficulties, oxygen Inhalation

may be necessary.

Skin contact Wash off immediately with soap and plenty of water. Get medical advice/attention if you feel

unwell. Get medical attention if irritation develops and persists. Wash contaminated clothing

before reuse.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove

contact lenses, if present and easy to do.

Rinse mouth. Call a physician or poison control centre immediately. Do not induce vomiting without Ingestion

advice from poison control center. Never give anything by mouth to a victim who is unconscious or

is having convulsions.

Most important

symptoms/effects, acute and

delayed

Narcosis. Behavioural changes. Decrease in motor functions. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects. May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage.

Indication of immediate medical attention and special treatment needed

General information

May cause central nervous system effects. Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. For personal protection, see section 8 of the SDS. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Ensure adequate ventilation. Ventilate the contaminated area. Do not breathe mist or vapour. Avoid contact with eyes, skin, and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ensure adequate ventilation. Avoid release to the environment. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Clean contaminated surface thoroughly.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into

drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Use this product with adequate ventilation. Wear appropriate personal protective equipment. Do not breathe mist or vapour. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities Store locked up. Keep away from heat, sparks and open flame. Keep container tightly closed. Store in a well-ventilated place. @ 15-30°C (59-86°F). Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS). Keep out of the reach of children.

Value

8. Exposure controls/personal protection

Occupational exposure limits

Zoetis Components **Type**

Moxidectin (CAS **TWA** 70 µg/m3 113507-06-5)

Biological limit values No biological exposure limits noted for the ingredient(s).

Control banding approach Praziquantel: Zoetis OEB 1 (control exposure to the range of 1000ug/m3 to 3000ug/m3)

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Keep air contamination levels below the exposure limits or within the OEB range listed above in this section. Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or aerosols. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Wear safety glasses or goggles if eye contact is possible. Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Impervious gloves are recommended if skin contact

with drug product is possible and for bulk processing operations.

Wear suitable protective clothing. Impervious protective clothing is recommended if skin contact Other

with drug product is possible and for bulk processing operations.

No personal respiratory protective equipment normally required. In case of insufficient ventilation, Respiratory protection

wear suitable respiratory equipment. If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL. If airborne exposures are within or exceed the Occupational Exposure Band (OEB) range, wear an appropriate respirator with a protection factor sufficient to control exposures to the bottom of the OEB range. Chemical respirator with organic vapour cartridge, full facepiece, dust and mist filter.

Thermal hazards Not applicable.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

gel. **Appearance** Physical state Solid. Solid. **Form**

> Colour Pale yellow - Orange Pink.

Not available. Odour

Material name: Moxidectin and Praziguantel Oral Gel 676 Version #: 01 Issue date: 05-June-2017

SDS CANADA

Not available. Odour threshold Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Not available. Flash point Not available. **Evaporation rate** Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper Not available.

(%)

Not available. Vapour pressure Vapour density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. Viscosity

Other information

Explosive properties Not explosive. **Oxidising properties** Not oxidising.

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions. Hazardous polymerisation does not occur. Possibility of hazardous

reactions

Conditions to avoid Contact with incompatible materials. Keep away from heat, spark, open flames and other sources

of ignition. Avoid release to the environment.

Incompatible materials Avoid contact with oxidisers or reducing agents. Fluorine. Chlorine.

Hazardous decomposition

dioxide, carbon monoxide, and oxides of nitrogen.

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition. Carbon

11. Toxicological information

Information on likely routes of exposure

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation

Prolonged inhalation may be harmful.

May be harmful in contact with skin. Frequent or prolonged contact may defat and dry the skin, Skin contact

leading to discomfort and dermatitis.

Benzyl alcohol Species: Guinea Pig

Severity: Moderate

Moxidectin Species: Rabbit

Severity: Mild

Species: Rabbit Benzyl alcohol

Severity: Minimal

Material name: Moxidectin and Praziguantel Oral Gel 676 Version #: 01 Issue date: 05-June-2017

Eye contact

Causes serious eye irritation.

Moxidectin

Species: Rabbit Severity: Moderate

Benzyl alcohol

Species: Rabbit Severity: Severe

Ingestion

May be harmful if swallowed. However, ingestion is not likely to be a primary route of occupational

exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Narcosis. Behavioural changes. Decrease in motor functions. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage.

Information on toxicological effects

Acute toxicity May be harmful if swallowed.

Product	Species	Test results
Moxidectin and Praziquant	el Oral Gel	
<u>Acute</u>		
Dermal		
ATE		> 10000 mg/kg
Oral		
ATE		3225 mg/kg
Components	Species	Test results
Benzyl alcohol (CAS 100-5	51-6)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	2000 mg/kg
Inhalation		
LC50	Rat	> 4.178 mg/l
		1000 mg/l, 8 Hours
Oral		
LD50	Mouse	1580 mg/kg
	Rat	1230 mg/kg
Moxidectin (CAS 113507-0	06-5)	
<u>Acute</u>	,	
 Dermal		
LD50	Rat	> 2000 mg/kg
Oral		
LD50	Rat	106 mg/kg
Chronic		
Oral		
NOEL	Mouse	30 mg/kg/day, 2 years (Not carcinogenic)
	Rat	100 mg/kg/day, 2 years (Not carcinogenic)
<u>Subacute</u>		
Oral		
LOEL	Rat	100 mg/kg/day, 28 days (Central Nervous System)
NOEL	Mouse	75 mg/kg/day, 28 days (Central nervous system)
Subchronic		
Oral		
NOEL	Dog	10 mg/kg/day, 90 days (Central Nervous System)

Material name: Moxidectin and Praziquantel Oral Gel

SDS CANADA

5/10

676 Version #: 01 Issue date: 05-June-2017

 Components
 Species
 Test results

 Rat
 50 mg/kg/day, 13 weeks (Central Nervous System)

Praziquantel (CAS 55268-74-1)

Acute Oral

LD50 Rat 2840 mg/kg

Chronic

Hamster 2 years (Not carcinogenic)
Rat 2 years (Not carcinogenic)

Skin corrosion/irritation Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Corrosivity

Moxidectin Species: Rabbit

Severity: Mild

Serious eye damage/eye irritation

Eye contact

Causes serious eye irritation.

Moxidectin Species: Rabbit Severity: Moderate

Benzyl alcohol Species: Rabbit Severity: Severe

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitizer.

Skin sensitisation This product is not expected to cause skin sensitisation.

Skin sensitisation

Moxidectin Species: Guinea Pig

Severity: negative

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

Moxidectin In Vitro Bacterial Mutagenicity (Ames)

Result: negative

Species: Salmonella, E. coli

In Vitro HGPRT Forward Gene Mutation Assay

Result: negative

Species: Chinese Hamster Ovary (CHO) cells

In Vivo Cytogenetics Result: negative

Species: Rat Bone Marrow

In Vivo Unscheduled DNA Synthesis

Result: negative

Species: Rat Hepatocyte

Praziquantel Mammalian Cell Mutagenicity

Result: negative Species: Not specified

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Developmental effects

Moxidectin 1 mg/kg/day Embryo / Fetal Development, (Maternal toxicity,

Not teratogenic) Result: NOEL Species: Rabbit Organ: Oral route

Praziquantel 200 mg/kg/day Prenatal & Postnatal Development, Not

Teratogenic Result: NOEL Species: Rabbit

Organ: No route specified

300 mg/kg/day Prenatal & Postnatal Development, Not

teratogenic Result: NOEL Species: Rat

Organ: No route specified

Moxidectin 5 mg/kg/day Embryo / Fetal Development, (Negative)

Result: NOEL Species: Rat Organ: Oral route

5 mg/kg/day Embryo / Fetal Development, (Not Teratogenic,

Embryotoxicity, Maternal Toxicity)

Result: NOEL Species: Rat Organ: Oral route

Reproductivity

Praziquantel 8000 mg/kg/day Reproductive & Fertility, No effects at

maximum dose Result: NOEL Species: Rat

Organ: No route specified

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (central nervous system) through prolonged or repeated exposure.

Not an aspiration hazard. **Aspiration hazard**

Chronic effects May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may

be harmful.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects. Avoid release to the environment.

	Species	Test results
0-51-6)		
EC50	Daphnia magna (Water Flea)	230 mg/l, 48 Hours
		66 mg/l, 21 day(s) Toxicity for reproduction
	Pseudokirchneriella subcapitata (Green Alga)	500 mg/l, 72 Hours
LC50	Pimephales promelas (Fathead Minnow)	460 mg/l, 96 Hours
LC50	Bluegill (Lepomis macrochirus)	10 mg/l, 96 hours
)7-06-5)		
EC50	Daphnia Magna (Water Flea)	30 ppt, 48 Hours
	Selenastrum capricornutum (Green Alga)	> 87 ppb, 72 Hours
	LC50 LC50 LC50 17-06-5)	Pseudokirchneriella subcapitata (Green Alga) LC50 Pimephales promelas (Fathead Minnow) LC50 Bluegill (Lepomis macrochirus) 17-06-5) EC50 Daphnia Magna (Water Flea) Selenastrum capricornutum (Green

Material name: Moxidectin and Praziquantel Oral Gel 676 Version #: 01 Issue date: 05-June-2017

SDS CANADA

Components Species Test results

Lepomis macrochirus (Bluegill Sunfish) 0.62 ppb, 96 Hours

Oncorhynchus mykiss (Rainbow Trout) 0.16 ppb, 96 Hours

Persistence and degradability No data is available on the degradability of this product. The active ingredient in this formulation is

expected to bind to soil or sediment.

Bioaccumulative potential No data available for this product.

LC50

Partition coefficient n-octanol / water (log Kow)

Moxidectin 8.74, (Log D @pH 7) Estimated

Mobility in soilThe active ingredient in this formulation is expected to bind to soil or sediment.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsAvoid release to the environment. Do not discharge into drains, water courses or onto the ground.

Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. Dispose of contents/container in

accordance with local/regional/national/international regulations.

Local disposal regulationsDispose in accordance with all applicable regulations.

Hazardous waste codeThe waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

UN number UN3077

UN proper shipping name Transport hazard class(es) Environmentally hazardous substances, solid, n.o.s. (Moxidectin, Benzyl Alcohol)

Class 9

Subsidiary risk Packing group III
Environmental hazards Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN3077

UN proper shipping name Environmentally hazardous substances, solid, n.o.s. (Moxidectin, Benzyl Alcohol), MARINE

POLLUTANT (Moxidectin, Benzyl Alcohol)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards

Marine pollutant Yes EmS F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

to Not established.

the IBC Code

IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant. As of January 1, 2015, materials offered for transport that are classified for transportation only as Marine Pollutants and which are packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 Liters or less for liquids or having a net mass per single or inner packaging of 5 kilograms or less for solids are NOT subject to ICAO/IATA, IMDG, or ADR transport regulations provided the general packaging requirements of those regulations are met. Refer to ICAO/IATA A197, IMDG 2.10.2.7, ADR SP 375. Please refer to the applicable dangerous goods regulations for additional information. Transport according to the requirements of the appropriate regulatory body.

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No

Country(s) or regionInventory nameOn inventory (yes/no)*EuropeEuropean Inventory of Existing Commercial Chemical
Substances (EINECS)No

EuropeEuropean List of Notified Chemical Substances (ELINCS)NoJapanInventory of Existing and New Chemical Substances (ENCS)NoKoreaExisting Chemicals List (ECL)NoNew ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesNo

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

No

16. Other information

Issue date 05-June-2017

Version No. 01

List of abbreviations ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).

Disclaimer Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while

it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently

available.

Revision information Product and Company Identification: Synonyms

Composition / Information on Ingredients: Ingredients

Composition/information on ingredients: Component information

Toxicological Information: Toxicological Data

Transport Information: Material Transportation Information

GHS: Classification

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).