

SAFETY DATA SHEETS

This SDS packet was issued with item:

078912888

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078421112 078422880 078425906

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078912816 078912857



MATERIAL SAFETY DATA SHEET

Revision date: 07-Dec-2006

Version: 1.4

Page 1 of 7

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Animal Health
Pfizer Inc
235 East 42nd Street
New York, NY 10017
Poison Control Center Phone: 1-866-531-8896
Technical Services Phone: 1-800-366-5288

Pfizer Ltd,
Kent
CT13 9NJ
United Kingdom
+00 44 (0)1304 616161

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300

Emergency telephone number:
ChemSafe (24 hours): +44 (0)208 762 8322

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Bacterin-Toxoid

Trade Name: Ultrabac(R) 7
Chemical Family: Mixture
Intended Use: Veterinary Vaccine

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS List	%
Formaldehyde	50-00-0	200-001-8	0.1 - 1.0%

Ingredient	CAS Number	EU EINECS List	%
Clostridium perfringens type C	NOT ASSIGNED	Not listed	*
Aluminum hydroxide gel	21645-51-2	244-492-7	*
Water, purified	7732-18-5	231-791-2	>90%
Clostridium chauvoei	NOT ASSIGNED	Not listed	*
Clostridium septicum	NOT ASSIGNED	Not listed	*
Clostridium sordellii	NOT ASSIGNED	Not listed	*
Clostridium perfringens type D	NOT ASSIGNED	Not listed	*
Clostridium novyi	NOT ASSIGNED	Not listed	*

Additional Information:

* Proprietary
Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

3. HAZARDS IDENTIFICATION

Appearance: Liquid solution in multiple-dose vials
Signal Word: WARNING

Statement of Hazard: Contains formaldehyde: potential cancer hazard
May cause sensitization of the skin and respiratory system
May cause eye, skin and respiratory tract irritation

Additional Hazard Information:

MATERIAL SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Bacterin-Toxoid
Revision date: 07-Dec-2006

Page 2 of 7

Version: 1.4

Short Term:

May cause eye and skin irritation May cause allergic skin reaction In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted.
Irritant

EU Indication of danger:

EU Hazard Symbols:



EU Risk Phrases:

R43 - May cause sensitization by skin contact.

Note:

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

4. FIRST AID MEASURES

Eye Contact:

Immediately flush eyes with water for at least 15 minutes. If irritation occurs or persists, get medical attention.

Skin Contact:

Wash skin with soap and water. If irritation occurs or persists, get medical attention.

Ingestion:

Get medical attention. Do not induce vomiting unless directed by medical personnel. Never give anything by mouth to an unconscious person.

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention immediately.

5. FIRE FIGHTING MEASURES

Extinguishing Media:

As for primary cause of fire.

Hazardous Combustion Products:

Not known

Fire Fighting Procedures:

Dike and collect water used to fight fire.

Fire / Explosion Hazards:

Not applicable

Additional Information:

This product is a nonflammable aqueous solution. This material is not expected to support combustion.

6. ACCIDENTAL RELEASE MEASURES

Health and Safety Precautions:

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Measures for Cleaning / Collecting:

Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.

Measures for Environmental Protections:

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

MATERIAL SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Bacterin-Toxoid
Revision date: 07-Dec-2006

Page 3 of 7

Version: 1.4

Additional Consideration for Large Spills: Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

General Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use appropriate personal protective equipment.

Storage Conditions: Store under refrigeration in closed container.

Storage Temperature: 2-7°C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Formaldehyde

OSHA - Final PELs - TWAs:	= 0.75 ppm TWA
OSHA - Specifically Regulated Chemicals	= 0.5 ppm Action Level
	= 0.75 ppm TWA
	= 2 ppm STEL Irritant and potential cancer hazard - see 29 CFR 1910.1048
ACGIH Ceiling Threshold Limit:	= 0.3 ppm Ceiling
ACGIH - Sensitizer Designation	Sensitizer
Australia STEL	= 2 ppm STEL
	= 2.5 mg/m ³ STEL
Australia TWA	= 1 ppm TWA
	= 1.2 mg/m ³ TWA

See exposure limits for component (s) listed above.

Engineering Controls: Engineering controls should be used as the primary means to control exposures. Exposure monitoring may be necessary to determine requirements.

Personal Protective Equipment:

Hands:	Wear impervious gloves if skin contact is possible.
Eyes:	Safety glasses or goggles
Skin:	Wear protective clothing when working with large quantities. Wash hands and arms thoroughly after handling this material.
Respiratory protection:	In the event of a spill where the applicable Occupational Exposure Limit (OEL) may be exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State:	Liquid Solution in multiple-dose vials	Color:	No data available.
Molecular Formula:	Mixture	Molecular Weight:	Mixture

Solubility:	Soluble: Water (based on components)
pH:	7.0 +/- 1.5
Boiling Point (°C):	>100
Vapor Pressure (kPa):	Expected to be negligible
Specific Gravity:	1.0 +/-0.2

Flash Point (Liquid) (°C): Non-flammable

MATERIAL SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Bacterin-Toxoid
Revision date: 07-Dec-2006

Page 4 of 7

Version: 1.4

10. STABILITY AND REACTIVITY

Stability: Stable
Conditions to Avoid: Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze.
Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.
Hazardous Decomposition Products: None expected under normal conditions.
Polymerization: Will not occur

11. TOXICOLOGICAL INFORMATION

General Information: The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The primary hazards are due to the formaldehyde content.

Acute Toxicity: (Species, Route, End Point, Dose)

Formaldehyde

Rat Oral LD50 800 mg/kg

Aluminum hydroxide gel

Rat Intraperitoneal LD50 150 mg/kg

Inhalation Acute Toxicity Not determined for this mixture. However, irritation may occur based on effects of individual components.

Ingestion Acute Toxicity See Acute toxicity table.

Irritation / Sensitization: (Study Type, Species, Severity)

Formaldehyde

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Moderate Severe

Skin Irritation / Sensitization This product contains formaldehyde which is considered to be a skin sensitizer.

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs

90 Day(s) Rat Inhalation Not Specified Lungs

90 Day(s) Monkey Inhalation Not Specified Lungs

9 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Subchronic Effects

Rats exposed to 15 ppm formaldehyde vapor for six hours/day for up to nine days showed an acute cell degeneration, necrosis and inflammation in the nasal cavities. Inhalation exposure to formaldehyde for up to 90 days produced interstitial inflammation in the lungs of dogs, rats, monkeys, rabbits and guinea pigs.

Chronic Effects/Carcinogenicity In rats, several inhalation studies have shown that formaldehyde induces squamous-cell carcinomas and necrosis of the nasal cavity. Formaldehyde also showed cocarcinogenic effects when inhaled, ingested, or applied to the skin of rodents.

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity

Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

MATERIAL SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Bacterin-Toxoid
Revision date: 07-Dec-2006

Page 5 of 7

Version: 1.4

Reproductive Effects Teratogenicity

Not considered to be a reproductive hazard.
Formaldehyde has been tested by inhalation, oral, and dermal routes and has not been shown to be teratogenic in animals.

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive
In Vitro Chromosome Aberration Rodent Positive
In Vitro Sister Chromatid Exchange Rodent Positive
In Vivo Chromosome Aberration Not specified Positive

Mutagenicity Formaldehyde has been reported to be active in many short-term tests, both in vitro and in vivo.

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors
2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status: Contains formaldehyde: potential cancer hazard.

Formaldehyde

IARC: Group 1
NTP: Reasonably Anticipated To Be A Carcinogen
OSHA: Present

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.

13. DISPOSAL CONSIDERATIONS

Disposal Procedures: Dispose of waste in accordance with all applicable laws and regulations.

Formaldehyde

RCRA - U Series Wastes

waste number U122

14. TRANSPORT INFORMATION

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

MATERIAL SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Bacterin-Toxoid
Revision date: 07-Dec-2006

Page 6 of 7

Version: 1.4

15. REGULATORY INFORMATION

EU Symbol: Xi
EU Indication of danger: Irritant

EU Risk Phrases:
R43 - May cause sensitization by skin contact.

EU Safety Phrases:
S24 - Avoid contact with skin.
S37 - Wear suitable gloves.

OSHA Label:
WARNING
Contains formaldehyde: potential cancer hazard
May cause sensitization of the skin and respiratory system
May cause eye, skin and respiratory tract irritation

Canada - WHMIS: Classifications

WHMIS hazard class:
Class D, Division 2, Subdivision A



Aluminum hydroxide gel

Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS List	244-492-7

Formaldehyde

CERCLA/SARA 313 Emission reporting	= 0.1 % de minimis concentration
CERCLA/SARA Hazardous Substances	= 100 lb final RQ
and their Reportable Quantities:	= 45.4 kg final RQ
CERCLA/SARA - Section 302 Extremely Hazardous TPQs	= 500 lb TPQ
CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	= 100 lb EPCRA RQ
California Proposition 65	carcinogen, initial date 1/1/88 (gas)
OSHA - Specifically Regulated Chemicals	= 0.5 ppm Action Level
	= 0.75 ppm TWA
	= 2 ppm STEL Irritant and potential cancer hazard - see 29 CFR 1910.1048
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 2
	Schedule 6
EU EINECS List	200-001-8

Water, purified

Inventory - United States TSCA - Sect. 8(b)	Present
---	---------

MATERIAL SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-
Sordelli-Perfringens Types C&D Bacterin-Toxoid
Revision date: 07-Dec-2006

Page 7 of 7

Version: 1.4

Australia (AICS):
EU EINECS List

Present
231-791-2

16. OTHER INFORMATION

Reasons for Revision:

Updated Section 3 - Hazard Identification. Updated Section 6 - Accidental Release Measures.
Updated Section 11 - Toxicology Information. Updated Section 13 - Disposal Considerations.
Updated Section 15 - Regulatory Information.

Prepared by:

Toxicology and Hazard Communication
Pfizer Global Environment, Health, and Safety

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without a warranty of any kind, expressed or implied.

End of Safety Data Sheet

SAFETY DATA SHEET



Revision date: 17-Mar-2014

Version: 2.0

Page 1 of 11

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Bacterin-Toxoid

Trade Name: Ultrabac 7
Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary Vaccine

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.
100 Campus Drive, P.O. Box 651
Florham Park, New Jersey 07932 (USA)
Rocky Mountain Poison Control Center Phone: 1-866-531-8896
Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A.
Mercuriusstraat 20
1930 Zaventem
Belgium

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: VMIPSrecords@zoetis.com

Emergency telephone number:
International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Liquid solution in multiple-dose vials

Classification of the Substance or Mixture

GHS - Classification

Respiratory Sensitization: Category 1
Skin Sensitization: Category 1
Carcinogenicity: Category 1A

EU Classification:

EU Indication of danger: Irritant
Carcinogenic: Category 3

EU Symbol: Xi
EU Risk Phrases:

R43 - May cause sensitization by skin contact.
R40 - Limited evidence of a carcinogenic effect

Label Elements

Signal Word: Danger
Hazard Statements: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H317 - May cause an allergic skin reaction
H350 - May cause cancer

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Bacterin-Toxoid
Revision date: 17-Mar-2014

Page 2 of 11

Version: 2.0

Precautionary Statements:

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P284 - Wear respiratory protection
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician
P302+ P352 - IF ON SKIN: Wash with plenty of soap and water
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse
P308 + P313 - IF exposed or concerned: Get medical attention/advice
P405 - Store locked up
P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards

Short Term:

May cause eye and skin irritation May cause allergic skin reaction In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted.
Hazardous Substance. Non-Dangerous Goods.

Australian Hazard Classification (NOHSC):

Note:

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Aluminum hydroxide gel	21645-51-2	244-492-7	Not Listed	Not Listed	##
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 1A (H350) Acute Tox. 3 (H331)	0.1-1

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Bacterin-Toxoid
Revision date: 17-Mar-2014

Page 3 of 11

Version: 2.0

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Clostridium sordellii	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium novyi	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium chauvoei	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium perfringens type D	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium septicum	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium perfringens type C	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Water, purified	7732-18-5	231-791-2	Not Listed	Not Listed	>90%

Additional Information:

* Proprietary

Trace

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact:

Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.

Skin Contact:

Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.

Ingestion:

Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation:

Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of

Exposure:

For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.

Medical Conditions

None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician:

None

5. FIRE-FIGHTING MEASURES

Extinguishing Media:

Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion

Formation of toxic gases is possible during heating or fire.

Products:

Fire / Explosion Hazards:

Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Bacterin-Toxoid
Revision date: 17-Mar-2014

Page 4 of 11

Version: 2.0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.

Additional Consideration for Large Spills: Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Use with adequate ventilation. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Prevent environmental releases. Use appropriate personal protective equipment. Avoid accidental injection.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store under refrigeration in closed container.

Storage Temperature: 2-7°C

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Aluminum hydroxide gel

ACGIH Threshold Limit Value (TWA)	1 mg/m ³
Austria OEL - MAKs	5 mg/m ³
Germany (DFG) - MAK	4 mg/m ³
	1.5 mg/m ³
Latvia OEL - TWA	6 mg/m ³
Lithuania OEL - TWA	6 mg/m ³
Poland OEL - TWA	2.5 mg/m ³
	1.2 mg/m ³
Slovakia OEL - TWA	1.5 mg/m ³
Switzerland OEL - TWAs	3 mg/m ³

Formaldehyde

ACGIH Ceiling Threshold Limit:	0.3 ppm
ACGIH - Sensitizer Designation	Sensitizer
Australia STEL	2 ppm
	2.5 mg/m ³
Australia TWA	1 ppm
	1.2 mg/m ³

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Bacterin-Toxoid
Revision date: 17-Mar-2014

Page 5 of 11

Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Austria OEL - MAKs	0.5 ppm 0.6 mg/m ³
Bulgaria OEL - TWA	1.0 mg/m ³
Czech Republic OEL - TWA	0.5 mg/m ³
Estonia OEL - TWA	0.5 ppm 0.6 mg/m ³
Finland OEL - TWA	0.3 ppm 0.37 mg/m ³
France OEL - TWA	0.5 ppm
Germany (DFG) - MAK	0.3 ppm 0.37 mg/m ³ no irritation should occur during mixed exposure
Greece OEL - TWA	2 ppm 2.5 mg/m ³
Hungary OEL - TWA	0.6 mg/m ³
Ireland OEL - TWAs	2 ppm 2.5 mg/m ³
Japan - OELs - Ceilings	0.2 ppm 0.24 mg/m ³
Latvia OEL - TWA	0.5 mg/m ³
Lithuania OEL - TWA	0.5 ppm 0.6 mg/m ³
Netherlands OEL - TWA	0.15 mg/m ³
Vietnam OEL - TWAs	0.5 mg/m ³
OSHA - Final PELs - TWAs:	0.75 ppm
OSHA - Specifically Regulated Chemicals	2 ppm 0.5 ppm 0.75 ppm
Poland OEL - TWA	0.5 mg/m ³
Romania OEL - TWA	1 ppm 1.20 mg/m ³
Slovakia OEL - TWA	0.3 ppm 0.37 mg/m ³
Slovenia OEL - TWA	0.5 ppm 0.62 mg/m ³
Sweden OEL - TWAs	0.3 ppm 0.37 mg/m ³
Switzerland OEL -TWAs	0.3 ppm 0.37 mg/m ³

Exposure Controls

Engineering Controls:

Engineering controls should be used as the primary means to control exposures. Exposure monitoring may be necessary to determine requirements.

Personal Protective Equipment:

Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).

Hands:

Wear impervious gloves if skin contact is possible.

Eyes:

Safety glasses or goggles

Skin:

Wear protective clothing when working with large quantities. Wash hands and arms thoroughly after handling this material.

Respiratory protection:

In the event of a spill where the applicable Occupational Exposure Limit (OEL) may be exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures below the OEL.

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Bacterin-Toxoid
Revision date: 17-Mar-2014

Page 6 of 11

Version: 2.0

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid Solution in multiple-dose vials	Color:	No data available.
Odor:	No data available.	Odor Threshold:	No data available.
Molecular Formula:	Mixture	Molecular Weight:	Mixture
Solvent Solubility:	No data available		
Water Solubility:	No data available		
Solubility:	Soluble: Water (based on components)		
pH:	7.0 +/- 1.5		
Melting/Freezing Point (°C):	No data available		
Boiling Point (°C):	>100		
Partition Coefficient: (Method, pH, Endpoint, Value)	No data available		
Decomposition Temperature (°C):	No data available.		
Evaporation Rate (Gram/s):	No data available		
Vapor Pressure (kPa):	Expected to be negligible		
Vapor Density (g/ml):	No data available		
Relative Density:	No data available		
Specific Gravity:	1.0 +/-0.2		
Viscosity:	No data available		
Flammability:			
Autoignition Temperature (Solid) (°C):	No data available		
Flammability (Solids):	No data available		
Flash Point (Liquid) (°C):	Non-flammable		
Upper Explosive Limits (Liquid) (% by Vol.):	No data available		
Lower Explosive Limits (Liquid) (% by Vol.):	No data available		
Polymerization:	Will not occur		

10. STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical Stability:	Stable under normal conditions of use.
Possibility of Hazardous Reactions	
Oxidizing Properties:	No data available
Conditions to Avoid:	Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze.
Incompatible Materials:	This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.
Hazardous Decomposition Products:	No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: Toxicological properties of the formulation have not been fully investigated. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes the potential hazards of the individual ingredients.

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Bacterin-Toxoid
Revision date: 17-Mar-2014

Page 7 of 11

Version: 2.0

11. TOXICOLOGICAL INFORMATION

Acute Toxicity: (Species, Route, End Point, Dose)

Formaldehyde

Rat Oral LD50 800 mg/kg

Aluminum hydroxide gel

Rat Para-periosteal LD50 150 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Formaldehyde

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Moderate Severe

Skin Sensitization Positive

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs

90 Day(s) Rat Inhalation Not Specified Lungs

90 Day(s) Monkey Inhalation Not Specified Lungs

90 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity

Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive

In Vitro Chromosome Aberration Rodent Positive

In Vitro Sister Chromatid Exchange Rodent Positive

In Vivo Chromosome Aberration Not specified Positive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors

2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status: See below

Formaldehyde

IARC: Group 1 (Carcinogenic to Humans)

NTP: Known Human Carcinogen

OSHA: Listed

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Bacterin-Toxoid
Revision date: 17-Mar-2014

Page 8 of 11

Version: 2.0

11. TOXICOLOGICAL INFORMATION

12. ECOLOGICAL INFORMATION

Environmental Overview:	The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.
Toxicity:	No data available
Persistence and Degradability:	No data available
Bio-accumulative Potential:	No data available
Mobility in Soil:	No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:	Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.
---------------------------------	---

Formaldehyde
RCRA - U Series Wastes
Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Bacterin-Toxoid
Revision date: 17-Mar-2014

Page 9 of 11

Version: 2.0

15. REGULATORY INFORMATION

WHMIS hazard class:

Class D, Division 2, Subdivision A

Class D, Division 2, Subdivision B



Aluminum hydroxide gel

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	244-492-7

Formaldehyde

CERCLA/SARA 313 Emission reporting	0.1 %
CERCLA/SARA Hazardous Substances and their Reportable Quantities:	100 lb
CERCLA/SARA - Section 302 Extremely Hazardous TPQs	45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	500 lb
California Proposition 65	100 lb
OSHA - Specifically Regulated Chemicals	carcinogen initial date 1/1/88 gas
	2 ppm
	0.5 ppm
	0.75 ppm
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 2
EU EINECS/ELINCS List	Schedule 6
	200-001-8

Clostridium sordellii

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Clostridium novyi

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Clostridium chauvoei

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Clostridium perfringens type D

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Bacterin-Toxoid
Revision date: 17-Mar-2014

Page 10 of 11

Version: 2.0

15. REGULATORY INFORMATION

EU EINECS/ELINCS List	Not Listed
Clostridium septicum	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Clostridium perfringens type C	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Water, purified	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
REACH - Annex IV - Exemptions from the obligations of Register:	Present
EU EINECS/ELINCS List	231-791-2

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

H301 - Toxic if swallowed
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H331 - Toxic if inhaled
H350 - May cause cancer

T - Toxic
C - Corrosive
Carcinogenic: Category 3

R34 - Causes burns.
R40 - Limited evidence of a carcinogenic effect
R43 - May cause sensitization by skin contact.
R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 11 - Toxicology Information. Updated Section 15 - Regulatory Information.

SAFETY DATA SHEET

**Material Name: Clostridium Chauvoei-Septicum-Novyi-
Sordelli-Perfringens Types C&D Bacterin-Toxoid**
Revision date: 17-Mar-2014

Page 11 of 11

Version: 2.0

Prepared by: Toxicology and Hazard Communication
Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet

SAFETY DATA SHEET



Revision date: 22-Apr-2014

Version: 2.0

Page 1 of 11

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Haemophilus Somnus Bacterin-Toxoid

Trade Name: Ultrabac 7 - Somubac
Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary Vaccine

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.
100 Campus Drive, P.O. Box 651
Florham Park, New Jersey 07932 (USA)
Rocky Mountain Poison Control Center Phone: 1-866-531-8896
Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A.
Mercuriusstraat 20
1930 Zaventem
Belgium

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: VMIPSrecords@zoetis.com

Emergency telephone number:
International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Liquid solution in multiple-dose vials

Classification of the Substance or Mixture

GHS - Classification

Respiratory Sensitization: Category 1
Skin Sensitization: Category 1
Carcinogenicity: Category 1A

EU Classification:

EU Indication of danger: Irritant
Carcinogenic: Category 3

EU Symbol: Xi T
EU Risk Phrases:

R43 - May cause sensitization by skin contact.
R40 - Limited evidence of a carcinogenic effect

Label Elements

Signal Word: Danger
Hazard Statements: H317 - May cause an allergic skin reaction
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H350 - May cause cancer

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-
Sordelli-Perfringens Types C&D Haemophilus Somnus
Bacterin-Toxoid
Revision date: 22-Apr-2014

Page 2 of 11

Version: 2.0

Precautionary Statements:

- P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
- P284 - Wear respiratory protection
- P272 - Contaminated work clothing should not be allowed out of the workplace
- P280 - Wear protective gloves/protective clothing/eye protection/face protection
- P201 - Obtain special instructions before use
- P202 - Do not handle until all safety precautions have been read and understood
- P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician
- P302+ P352 - IF ON SKIN: Wash with plenty of soap and water
- P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
- P362 - Take off contaminated clothing and wash before reuse
- P308 + P313 - IF exposed or concerned: Get medical attention/advice
- P405 - Store locked up
- P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards
Short Term:

May cause eye and skin irritation. May cause allergic skin reaction. In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted.
Hazardous Substance. Non-Dangerous Goods.

Australian Hazard Classification (NOHSC):

Note: This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Aluminum hydroxide gel	21645-51-2	244-492-7	Not Listed	Not Listed	*
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc. Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 1A (H350) Acute Tox. 3 (H331)	0.1-1.0%

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Haemophilus Somnus Bacterin-Toxoid
Revision date: 22-Apr-2014

Page 3 of 11

Version: 2.0

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Haemophilus somnus	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium sordellii	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium novyi	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium chauvoei	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium perfringens type D	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium septicum	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium perfringens type C	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*

Additional Information:

* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact:

Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.

Skin Contact:

Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.

Ingestion:

Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation:

Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of Exposure:

For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.

Medical Conditions

None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician:

None

5. FIRE-FIGHTING MEASURES

Extinguishing Media:

Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion

Formation of toxic gases is possible during heating or fire.

Products:

Fire / Explosion Hazards:

Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-
Sordelli-Perfringens Types C&D Haemophilus Somnus
Bacterin-Toxoid
Revision date: 22-Apr-2014

Page 4 of 11

Version: 2.0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.

Additional Consideration for Large Spills: Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Use with adequate ventilation. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Prevent environmental releases. Use appropriate personal protective equipment. Avoid accidental injection.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store under refrigeration in closed container.

Storage Temperature: 2-7°C

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Aluminum hydroxide gel

ACGIH Threshold Limit Value (TWA)	1 mg/m ³
Austria OEL - MAKs	5 mg/m ³
Germany (DFG) - MAK	4 mg/m ³
	1.5 mg/m ³
Latvia OEL - TWA	6 mg/m ³
Lithuania OEL - TWA	6 mg/m ³
Poland OEL - TWA	2.5 mg/m ³
	1.2 mg/m ³
Slovakia OEL - TWA	1.5 mg/m ³
Switzerland OEL -TWAs	3 mg/m ³

Formaldehyde

ACGIH Ceiling Threshold Limit:	0.3 ppm
ACGIH - Sensitizer Designation	Sensitizer
Australia STEL	2 ppm
	2.5 mg/m ³
Australia TWA	1 ppm
	1.2 mg/m ³

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Haemophilus Somnus Bacterin-Toxoid
Revision date: 22-Apr-2014

Page 5 of 11

Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Austria OEL - MAKs	0.5 ppm 0.6 mg/m ³
Bulgaria OEL - TWA	1.0 mg/m ³
Czech Republic OEL - TWA	0.5 mg/m ³
Estonia OEL - TWA	0.5 ppm 0.6 mg/m ³
Finland OEL - TWA	0.3 ppm 0.37 mg/m ³
France OEL - TWA	0.5 ppm
Germany (DFG) - MAK	0.3 ppm 0.37 mg/m ³ no irritation should occur during mixed exposure
Greece OEL - TWA	2 ppm 2.5 mg/m ³
Hungary OEL - TWA	0.6 mg/m ³
Ireland OEL - TWAs	2 ppm 2.5 mg/m ³
Japan - OELs - Ceilings	0.2 ppm 0.24 mg/m ³
Latvia OEL - TWA	0.5 mg/m ³
Lithuania OEL - TWA	0.5 ppm 0.6 mg/m ³
Netherlands OEL - TWA	0.15 mg/m ³
Vietnam OEL - TWAs	0.5 mg/m ³
OSHA - Final PELs - TWAs:	0.75 ppm
OSHA - Specifically Regulated Chemicals	2 ppm 0.5 ppm 0.75 ppm
Poland OEL - TWA	0.5 mg/m ³
Romania OEL - TWA	1 ppm 1.20 mg/m ³
Slovakia OEL - TWA	0.3 ppm 0.37 mg/m ³
Slovenia OEL - TWA	0.5 ppm 0.62 mg/m ³
Sweden OEL - TWAs	0.3 ppm 0.37 mg/m ³
Switzerland OEL -TWAs	0.3 ppm 0.37 mg/m ³

Exposure Controls

Engineering Controls:

Engineering controls should be used as the primary means to control exposures. Keep airborne contamination levels below the exposure limits listed above in this section. General room ventilation is adequate unless the process generates dust, mist or fumes.

Personal Protective Equipment:

Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).

Hands:

Wear impervious gloves if skin contact is possible.

Eyes:

Safety glasses or goggles

Skin:

Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and laboratory areas.

Respiratory protection:

If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Haemophilus Somnus Bacterin-Toxoid
Revision date: 22-Apr-2014

Page 6 of 11

Version: 2.0

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid Solution in multiple-dose vials	Color:	No data available.
Odor:	No data available.	Odor Threshold:	No data available.
Molecular Formula:	Mixture	Molecular Weight:	Mixture
Solvent Solubility:	No data available		
Water Solubility:	No data available		
Solubility:	Soluble: Water (based on components)		
pH:	7.0 +/- 1.5		
Melting/Freezing Point (°C):	No data available		
Boiling Point (°C):	>100		
Partition Coefficient: (Method, pH, Endpoint, Value)			
No data available			
Decomposition Temperature (°C):	No data available.		
Evaporation Rate (Gram/s):	No data available		
Vapor Pressure (kPa):	Expected to be negligible		
Vapor Density (g/ml):	No data available		
Relative Density:	No data available		
Specific Gravity:	1.0 +/-0.2		
Viscosity:	No data available		
Flammability:			
Autoignition Temperature (Solid) (°C):	No data available		
Flammability (Solids):	No data available		
Flash Point (Liquid) (°C):	Non-flammable		
Upper Explosive Limits (Liquid) (% by Vol.):	No data available		
Lower Explosive Limits (Liquid) (% by Vol.):	No data available		
Polymerization:	Will not occur		

10. STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical Stability:	Stable under normal conditions of use.
Possibility of Hazardous Reactions	
Oxidizing Properties:	No data available
Conditions to Avoid:	Fine particles (such as dust and mists) may fuel fires/explosions.
Incompatible Materials:	As a precautionary measure, keep away from strong oxidizers
Hazardous Decomposition Products:	No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information:	Toxicological properties of the formulation have not been fully investigated. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes the potential hazards of the individual ingredients.
-----------------------------	---

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Haemophilus Somnus Bacterin-Toxoid
Revision date: 22-Apr-2014

Page 7 of 11

Version: 2.0

11. TOXICOLOGICAL INFORMATION

Acute Toxicity: (Species, Route, End Point, Dose)

Formaldehyde

Rat Oral LD50 800 mg/kg

Aluminum hydroxide gel

Rat Para-periosteal LD50 150 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Formaldehyde

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Moderate Severe

Skin Sensitization Positive

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs

90 Day(s) Rat Inhalation Not Specified Lungs

90 Day(s) Monkey Inhalation Not Specified Lungs

90 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity

Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive

In Vitro Chromosome Aberration Rodent Positive

In Vitro Sister Chromatid Exchange Rodent Positive

In Vivo Chromosome Aberration Not specified Positive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors

2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status:

See below

Formaldehyde

IARC:

Group 1 (Carcinogenic to Humans)

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Haemophilus Somnus Bacterin-Toxoid
Revision date: 22-Apr-2014

Page 8 of 11

Version: 2.0

11. TOXICOLOGICAL INFORMATION

NTP: Known Human Carcinogen
OSHA: Listed

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

Formaldehyde
RCRA - U Series Wastes Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Haemophilus Somnus Bacterin-Toxoid
Revision date: 22-Apr-2014

Page 9 of 11

Version: 2.0

15. REGULATORY INFORMATION

Canada - WHMIS: Classifications

WHMIS hazard class:

Class D, Division 2, Subdivision A

Class D, Division 2, Subdivision B



Haemophilus somnus

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Aluminum hydroxide gel

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	244-492-7

Formaldehyde

CERCLA/SARA 313 Emission reporting	0.1 %
CERCLA/SARA Hazardous Substances and their Reportable Quantities:	100 lb
CERCLA/SARA - Section 302 Extremely Hazardous TPQs	45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	500 lb
California Proposition 65	100 lb
OSHA - Specifically Regulated Chemicals	carcinogen initial date 1/1/88 gas
	2 ppm
	0.5 ppm
	0.75 ppm
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 2
EU EINECS/ELINCS List	Schedule 6
	200-001-8

Clostridium sordellii

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Clostridium novyi

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

SAFETY DATA SHEET

Material Name: Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Haemophilus Somnus Bacterin-Toxoid
Revision date: 22-Apr-2014

Page 10 of 11

Version: 2.0

15. REGULATORY INFORMATION

Clostridium chauvoei

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Clostridium perfringens type D

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Clostridium septicum

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Clostridium perfringens type C

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

H301 - Toxic if swallowed
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H331 - Toxic if inhaled
H350 - May cause cancer

T - Toxic
C - Corrosive
Carcinogenic: Category 3

R34 - Causes burns.
R40 - Limited evidence of a carcinogenic effect
R43 - May cause sensitization by skin contact.
R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 10 - Stability and Reactivity. Updated Section 11 - Toxicology Information. Updated Section 15 - Regulatory Information.

SAFETY DATA SHEET

**Material Name: Clostridium Chauvoei-Septicum-Novyi-
Sordelli-Perfringens Types C&D Haemophilus Somnus
Bacterin-Toxoid**
Revision date: 22-Apr-2014

Page 11 of 11

Version: 2.0

Prepared by: Toxicology and Hazard Communication
Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet

SAFETY DATA SHEET



1. Identification

Product identifier	Ultrabac 7 / Somubac
Other means of identification	
Synonyms	Ultrabac® 7/Somubac® * ULTRABAC® 7/SOMUBAC® * Clostridium Chauvoei-Septicum-Novyi-Sordelli-Perfringens Types C&D Haemophilus Somnus Bacterin-Toxoid
Recommended use	Veterinary vaccine
Recommended restrictions	Not for human use
Manufacturer/Importer/Supplier/Distributor information	
Company Name (US)	Zoetis Inc. 10 Sylvan Way Parsippany, New Jersey 07054 (USA)
Rocky Mountain Poison and Drug Center	1-866-531-8896
Product Support/Technical Services	1-800-366-5288
Emergency telephone numbers	CHEMTREC (24 hours): 1-800-424-9300 International CHEMTREC (24 hours): +1-703-527-3887
Company Name (EU)	Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium
Emergency telephone number	International CHEMTREC (24 hours): +1-703-527-3887
Contact E-Mail	VMIPSrecords@zoetis.com

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, respiratory	Category 1A
	Sensitization, skin	Category 1A
	Germ cell mutagenicity	Category 2
	Carcinogenicity	Category 1A
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word

Danger

Hazard statement

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. May cause cancer.

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory protection.

Response

If exposed or concerned: Get medical advice/attention. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Aluminum hydroxide gel		21645-51-2	1-3
Formaldehyde		50-00-0	0.1-1
Clostridium chauvoei		NOT ASSIGNED	*
Clostridium novyi		NOT ASSIGNED	*
Clostridium perfringens type C		NOT ASSIGNED	*
Clostridium perfringens type D		NOT ASSIGNED	*
Clostridium septicum		NOT ASSIGNED	*
Clostridium sordellii		NOT ASSIGNED	*
Haemophilus somnus		NOT ASSIGNED	*

Composition comments

* Non-hazardous Ingredients

In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

4. First-aid measures

Inhalation

Move to fresh air. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. For breathing difficulties, oxygen may be necessary.

Skin contact

Remove contaminated clothing. In the case of skin contact, immediately wash the skin with plenty of soap and water. In the event of accidental self injection or needle stick injury, wash the injury thoroughly with clean running water. Get medical attention immediately. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Call a physician or poison control center immediately. Do not induce vomiting without advice from poison control center. Never give anything by mouth to a victim who is unconscious or is having convulsions.

Most important symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

For personal protection, see section 8 of the SDS. IF exposed or concerned: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Ventilate the contaminated area. Avoid inhalation of vapors or mists. Avoid contact with eyes, skin, and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Ensure adequate ventilation. Avoid release to the environment. Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Clean contaminated surface thoroughly. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid accidental injection. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash thoroughly after handling. When using, do not eat, drink or smoke. Avoid release to the environment.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Keep away from heat, sparks and open flame. Store in a well-ventilated place. Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze. Store away from incompatible materials (see Section 10 of the SDS). Keep out of the reach of children.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Components	Type	Value
Formaldehyde (CAS 50-00-0)	STEL	2 ppm
	TWA	0.75 ppm

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
Aluminum hydroxide gel (CAS 21645-51-2)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Aluminum hydroxide gel (CAS 21645-51-2)	TWA	1 mg/m3	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Formaldehyde (CAS 50-00-0)	Ceiling	0.3 ppm	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Formaldehyde (CAS 50-00-0)	Ceiling	0.1 ppm
	TWA	0.016 ppm

Biological limit values	No biological exposure limits noted for the ingredient(s).
Control banding approach	Not available.
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses or goggles if eye contact is possible.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear suitable protective clothing. Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and laboratory areas.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation, wear suitable respiratory equipment. If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.
Thermal hazards	Not applicable.
General hygiene considerations	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	Liquid solution
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
pH	6 - 8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	Non-flammable
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.

Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	0.8 - 1.2

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Heat, flames and sparks. Sunlight. Protect from freezing.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful.
Skin contact Formaldehyde	Causes skin irritation. May cause an allergic skin reaction. Species: Rabbit Severity: Moderate to Severe
Eye contact Formaldehyde	Causes serious eye irritation. Species: Rabbit Severity: Severe

Ingestion Health injuries are not known or expected under normal use.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Product	Species	Test Results
Ultrabac 7 / Somubac		
Acute		
Dermal		
ATE		> 10000 mg/kg
Inhalation		
ATE		48 mg/l/4h
Oral		
ATE		10000 mg/kg

Components	Species	Test Results
Aluminum hydroxide gel (CAS 21645-51-2)		
<u>Acute</u>		
Other		
LD50	Rat	150 mg/kg
Formaldehyde (CAS 50-00-0)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	270 mg/kg
Inhalation		
LC50	Mouse	0.414 mg/L, 4 hours
	Rat	0.48 mg/L, 4 hours
Oral		
LD50	Rat	100 mg/kg
<u>Chronic</u>		
Inhalation		
LOAEL	Mouse	15 ppm, 2 years Tumors
	Rat	15 ppm, 90 days Respiratory system
		6 ppm, 2 years Tumors
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Eye Contact		
Formaldehyde	Species: Rabbit	Severity: Severe
Respiratory or skin sensitization		
ACGIH sensitization		
FORMALDEHYDE (CAS 50-00-0)	Dermal sensitization	Respiratory sensitization
Respiratory sensitization	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
Skin sensitization	May cause an allergic skin reaction.	
Skin sensitization		
Formaldehyde	Species: Guinea Pig	Severity: Positive
Germ cell mutagenicity	Suspected of causing genetic defects.	
Mutagenicity		
Formaldehyde	In Vitro Bacterial Mutagenicity (Ames)	
	Result: Positive	
	Species: Bacteria	
	In Vitro Chromosome Aberration	
	Result: Positive	
	Species: Rodent	
	In Vitro Sister Chromatid Exchange	
	Result: Positive	
	Species: Rodent	
	In Vivo Chromosome Aberration	
	Result: Positive	
	Species: Not specified	
Carcinogenicity	May cause cancer.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
Formaldehyde (CAS 50-00-0)	1 Carcinogenic to humans.	

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0)

Cancer

US. National Toxicology Program (NTP) Report on Carcinogens

Formaldehyde (CAS 50-00-0)

Known To Be Human Carcinogen.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Developmental effects

Formaldehyde

185 mg/kg/day Embryo / Fetal Development, Not teratogenic
Maternal toxicity
Species: Mouse
Organ: Oral40 ppm Embryo / Fetal Development, Not Teratogenic
Maternal Toxicity
Species: Rat
Organ: Inhalation**Specific target organ toxicity - single exposure**

Not classified.

Specific target organ toxicity - repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Further information

In the event of accidental injection, an allergic reaction may occur. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms.

12. Ecological information**Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Avoid release to the environment.

Components		Species	Test Results
Formaldehyde (CAS 50-00-0)	EC50	Daphnia magna (Water Flea)	42 mg/L, 24 Hours
	LC50	Oncorhynchus mykiss (Rainbow Trout)	118 ppm, 96 Hours
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	4.3 - 7.8 mg/l, 48 hours
Fish	LC50	Striped bass (Morone saxatilis)	10.302 - 16.743 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available for this product.

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations**Disposal instructions**

Avoid release to the environment. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

None known.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Formaldehyde (CAS 50-00-0) Listed.

SARA 304 Emergency release notification

Formaldehyde (CAS 50-00-0) 100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0)
Cancer
Skin sensitization
Respiratory sensitization
Eye irritation
Skin irritation
respiratory tract irritation
Acute toxicity
Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
---------------	------------	------------------------------	--------------------------------------	---	---

Formaldehyde	50-00-0	100	500		
--------------	---------	-----	-----	--	--

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Formaldehyde	50-00-0	0.1-1

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Formaldehyde (CAS 50-00-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Formaldehyde (CAS 50-00-0)

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Formaldehyde (CAS 50-00-0) Listed: January 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Formaldehyde (CAS 50-00-0)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 06-16-2017

Version # 01

List of abbreviations ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).

Disclaimer Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information This document has undergone significant changes and should be reviewed in its entirety.