

## SAFETY DATA SHEETS

**This SDS packet was issued with item:**

078949672

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

078949668 078949670

# SAFETY DATA SHEET



## 1. Identification

<b>Product identifier</b>	<b>Stronghold Plus; Revolution Plus</b>
<b>Other means of identification</b>	
<b>Synonyms</b>	Selamectin / Sarolaner * TopCat
<b>Recommended use</b>	Veterinary product used as antiparasitic; endectocide
<b>Recommended restrictions</b>	Not for human use
<b>Manufacturer/Importer/Supplier/Distributor information</b>	
<b>Company Name (US)</b>	Zoetis Inc. 10 Sylvan Way Parsippany, New Jersey 07054 (USA)
<b>Rocky Mountain Poison and Drug Center</b>	1-866-531-8896
<b>Product Support/Technical Services</b>	1-800-366-5288
<b>Emergency telephone numbers</b>	CHEMTREC (24 hours): 1-800-424-9300  International CHEMTREC (24 hours): +1-703-527-3887
<b>Company Name (EU)</b>	Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium
<b>Emergency telephone number</b>	International CHEMTREC (24 hours): +1-703-527-3887
<b>Contact E-Mail</b>	VMIPSrecords@zoetis.com

## 2. Hazard(s) identification

<b>Physical hazards</b>	Flammable liquids	Category 2
<b>Health hazards</b>	Serious eye damage/eye irritation	Category 2A
	Reproductive toxicity	Category 2
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
<b>Environmental hazards</b>	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1
<b>OSHA defined hazards</b>	Not classified.	

### Label elements



<b>Signal word</b>	Danger
<b>Hazard statement</b>	Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of damaging fertility or the unborn child. Very toxic to aquatic life with long lasting effects.
<b>Precautionary statement</b>	
<b>Prevention</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing mist or vapor. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

<b>Response</b>	If exposed or concerned: Get medical advice/attention. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish. Collect spillage.
<b>Storage</b>	Store in a well-ventilated place. Keep cool. Store locked up.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.
<b>Supplemental information</b>	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Isopropyl alcohol		67-63-0	60-80
Dipropylene glycol methyl ether		34590-94-8	5-30
Selamectin		220119-17-5	6
Sarolaner	Isoxazoline	1398609-39-6	1
Butylated hydroxytoluene		128-37-0	##

<b>Composition comments</b>	## Trace In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.
-----------------------------	----------------------------------------------------------------------------------------------------------------------------------------

### 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a POISON CENTER or doctor/physician if you feel unwell. For breathing difficulties, oxygen may be necessary.
<b>Skin contact</b>	Take off immediately all contaminated clothing. Wash off with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
<b>Ingestion</b>	Rinse mouth. Call a physician or poison control center immediately. Do not induce vomiting without advice from poison control center. Never give anything by mouth to a victim who is unconscious or is having convulsions.
<b>Most important symptoms/effects, acute and delayed</b>	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause drowsiness and dizziness. Headache. Nausea, vomiting. May cause respiratory irritation. Mild skin irritation. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.
<b>General information</b>	IF exposed or concerned: Get medical advice/attention. For personal protection, see section 8 of the SDS. Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	Highly flammable. Vapors may ignite. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	Highly flammable liquid and vapor.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use appropriate containment to avoid environmental contamination. Local authorities should be advised if significant spillages cannot be contained.

### Methods and materials for containment and cleaning up

Ensure adequate ventilation. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Ground container and transfer equipment to eliminate static electric sparks. Take precautionary measures against static discharge. Use only non-sparking tools. Ventilate the contaminated area. Use water spray to disperse vapors and dilute spill to a nonflammable mixture. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Clean surface thoroughly to remove residual contamination.

Small Spills: Absorb spillage with non-combustible, absorbent material. Clean surface thoroughly to remove residual contamination.

### Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

## 7. Handling and storage

### Precautions for safe handling

Highly flammable. May be ignited by open flame. Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not taste or swallow. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Use only outdoors or in a well-ventilated area. Wear personal protective equipment. Observe good industrial hygiene practices. Wash thoroughly after handling. When using, do not eat, drink or smoke. Avoid release to the environment.

Also, Industrial use: Take precautionary measures against static discharges. Use only non-sparking tools. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Ground and bond containers when transferring material. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations.

### Conditions for safe storage, including any incompatibilities

Store locked up. Keep containers tightly closed in a cool, well-ventilated place. < 30C/86F. Protect from sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Keep away from food, drink and animal feedingstuffs. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

Also, Industrial use: Keep in an area equipped with sprinklers. This material can accumulate static charge which may cause spark and become an ignition source. Take measures to prevent the build up of electrostatic charge. Prevent electrostatic charge build-up by using common bonding and grounding techniques.

## 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### Zoetis

#### Components

	Type	Value
Sarolaner (CAS 1398609-39-6)	TWA	110 µg/m³
Selamectin (CAS 220119-17-5)	TWA	200 µg/m³

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value
Dipropylene glycol methyl ether (CAS 34590-94-8)	PEL	600 mg/m3 100 ppm
Isopropyl alcohol (CAS 67-63-0)	PEL	980 mg/m3 400 ppm

**US. ACGIH Threshold Limit Values**

Components	Type	Value	Form
Butylated hydroxytoluene (CAS 128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapor.
Dipropylene glycol methyl ether (CAS 34590-94-8)	STEL	150 ppm	
	TWA	100 ppm	
Isopropyl alcohol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value
Butylated hydroxytoluene (CAS 128-37-0)	TWA	10 mg/m3
Dipropylene glycol methyl ether (CAS 34590-94-8)	STEL	900 mg/m3 150 ppm
	TWA	600 mg/m3 100 ppm
Isopropyl alcohol (CAS 67-63-0)	STEL	1225 mg/m3 500 ppm
	TWA	980 mg/m3 400 ppm

**Biological limit values****ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
Isopropyl alcohol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

\* - For sampling details, please see the source document.

**Exposure guidelines****US - California OELs: Skin designation**

Dipropylene glycol methyl ether (CAS 34590-94-8) Can be absorbed through the skin.

**US - Tennessee OELs: Skin designation**

Dipropylene glycol methyl ether (CAS 34590-94-8) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation**

Dipropylene glycol methyl ether (CAS 34590-94-8) Can be absorbed through the skin.

**US NIOSH Pocket Guide to Chemical Hazards: Skin designation**

Dipropylene glycol methyl ether (CAS 34590-94-8) Can be absorbed through the skin.

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Dipropylene glycol methyl ether (CAS 34590-94-8) Can be absorbed through the skin.

**Control banding approach** Not available.

<b>Appropriate engineering controls</b>	General ventilation normally adequate.  Industrial use: Provide adequate general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Not normally needed. If contact is likely, safety glasses with side shields are recommended.  Industrial use: Wear safety glasses with side shields (or goggles).
<b>Skin protection</b>	
<b>Hand protection</b>	Wear protective gloves.  Industrial use: Wear appropriate chemical resistant gloves.
<b>Other</b>	Not normally needed.  Industrial use: Wear suitable protective clothing. Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations.
<b>Respiratory protection</b>	No personal respiratory protective equipment normally required.  Industrial use: In case of insufficient ventilation, wear suitable respiratory equipment. If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL. Chemical respirator with organic vapor cartridge and full facepiece.
<b>Thermal hazards</b>	Not applicable.
<b>General hygiene considerations</b>	Observe any medical surveillance requirements. When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Clear, colorless to pale yellow
<b>Odor</b>	Alcohol.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	381.2 °F (194 °C) estimated
<b>Initial boiling point and boiling range</b>	183.2 °F (84 °C) estimated
<b>Flash point</b>	66.2 °F (19.0 °C) estimated
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.

### Upper/lower flammability or explosive limits

<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.

<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Insoluble

<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Explosive properties</b>	Not explosive.
<b>Flammability class</b>	Flammable IB estimated
<b>Oxidizing properties</b>	Not oxidizing.
<b>Specific gravity</b>	0.82 - 0.85

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Contact with incompatible materials. Sunlight. Keep away from heat, spark, open flames and other sources of ignition.
<b>Incompatible materials</b>	Strong oxidizing agents. Combustible material. organic materials. Acids. Isocyanates. Chlorine.
<b>Hazardous decomposition products</b>	Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.
<b>Skin contact</b>	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Isopropyl alcohol	Result: Irritation Species: Rabbit Severity: Mild
Dipropylene glycol methyl ether	Species: Rabbit Severity: Mild
Selamectin	Species: Rabbit Severity: Minimal
Butylated hydroxytoluene	Species: Rabbit Severity: Moderate
Sarolaner	Species: Rabbit Severity: Non-irritating

<b>Eye contact</b>	Causes serious eye irritation.
Isopropyl alcohol	Result: Irritation Species: Rabbit Severity: Severe
Dipropylene glycol methyl ether	Species: Rabbit Severity: Mild
Selamectin	Species: Rabbit Severity: Mild
Sarolaner	Species: Rabbit Severity: Minimal
Butylated hydroxytoluene	Species: Rabbit Severity: Moderate

**Ingestion**

Health injuries are not known or expected under normal use. May be harmful if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.

**Symptoms related to the physical, chemical and toxicological characteristics**

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Behavioral changes. May cause respiratory irritation. Mild skin irritation. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Prolonged exposure may cause chronic effects.

**Information on toxicological effects**

**Acute toxicity** May be harmful if swallowed.

Components	Species	Test Results
Butylated hydroxytoluene (CAS 128-37-0)		
<b><u>Acute</u></b>		
<b>Intraperitoneal</b>		
LD50	Mouse	138 mg/kg
<b>Oral</b>		
LD50	Mouse	650 mg/kg
	Rat	1700 mg/kg
<b><u>Chronic</u></b>		
<b>Oral</b>		
LOAEL	Mouse	2000 mg/kg, 4 days Liver Kidney Ureter Bladder
	Rat	5185 mg/kg, 4 weeks Liver
Dipropylene glycol methyl ether (CAS 34590-94-8)		
<b><u>Acute</u></b>		
<b>Dermal</b>		
LD50	Rabbit	9510 mg/kg
<b>Inhalation</b>		
<i>Vapor</i>		
LC50	Rat	> 3.35 mg/l, 7 hours (No deaths)
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg
Isopropyl alcohol (CAS 67-63-0)		
<b><u>Acute</u></b>		
<b>Dermal</b>		
LD50	Rabbit	12800 mg/kg
<b>Inhalation</b>		
LC50	Rat	16000 ppm, 8 hours 30 mg/L
<b>Oral</b>		
LD50	Mouse	3600 mg/kg
	Rat	> 2000 mg/kg
<b><u>Chronic</u></b>		
<b>Inhalation</b>		
NOAEL	Rat	4000 ppm, 20 weeks (Liver, Central nervous system)
Sarolaner (CAS 1398609-39-6)		
<b><u>Acute</u></b>		
<b>Dermal</b>		
LD50	Rat	> 2020 mg/kg
<b>Oral</b>		
LD50	Rat	783 mg/kg



Components	Species	Test Results
<b><u>Subacute</u></b>		
<b>Oral</b> NOAEL	Rat	2.5 mg/kg/day, 14 days (Adrenal gland) 2.2 mg/kg/day, 30 days (Adrenal gland, Ovary, Liver)
<b><u>Subchronic</u></b>		
<b>Oral</b> NOAEL	Rat	25 mg/kg/day, 90 days (Adrenal gland, Ovary, Pancreas)
Selamectin (CAS 220119-17-5)		
<b><u>Acute</u></b>		
<b>Oral</b> LD50	Mouse	> 1600 mg/kg
	Rat	> 1600 mg/kg
<b><u>Subchronic</u></b>		
<b>Oral</b> NOAEL	Dog	40 mg/kg/day, 3 months [Target organ(s): None identified]
	Rat	5 mg/kg/day, 3 months [Target organ(s): Liver]
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.	
<b>Corrosivity</b>		
Isopropyl alcohol	Result: Irritation Species: Rabbit Severity: Mild	
Dipropylene glycol methyl ether	Species: Rabbit Severity: Mild	
Selamectin	Species: Rabbit Severity: Minimal	
<b>Irritation Corrosion - Skin</b>		
Sarolaner	Result: Non-irritant Species: Rabbit	
<b>Serious eye damage/eye irritation</b>	Causes serious eye irritation.	
<b>Eye Contact</b>		
Isopropyl alcohol	Result: Irritation Species: Rabbit Severity: Severe	
Dipropylene glycol methyl ether	Species: Rabbit Severity: Mild	
Selamectin	Species: Rabbit Severity: Mild	
Sarolaner	Species: Rabbit Severity: Minimal	
Butylated hydroxytoluene	Species: Rabbit Severity: Moderate	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.	

**Skin sensitization**

Selamectin

GPMT

Species: Guinea Pig

Severity: Negative

Sarolaner

LLNA

Species: Mouse

Severity: Negative

**Germ cell mutagenicity**

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Mutagenicity**

Sarolaner

Bacterial Mutagenicity (Ames)

Result: Negative

Species: Salmonella , E. coli

Isopropyl alcohol

Bacterial Mutagenicity (Ames)

Result: Negative

Species: Salmonella

Selamectin

Bacterial Mutagenicity (Ames)

Result: Negative

Species: Salmonella

Sarolaner

In Vitro Chromosome Aberration

Result: Negative

Species: Human Lymphocytes

Selamectin

In Vitro Cytogenetics

Result: Negative

Species: Human Lymphocytes

Sarolaner

In Vitro Micronucleus

Result: Negative

Species: Chinese Hamster Ovary (CHO) cells

Isopropyl alcohol

In Vitro Sister Chromatid Exchange

Result: Negative

Dipropylene glycol methyl ether

In vitro tests

Result: Negative

Selamectin

In Vivo Micronucleus

Result: Negative

Species: Mouse

Sarolaner

In Vivo Micronucleus

Result: Negative

Species: Rat

Selamectin

Mammalian Cell Mutagenicity

Result: Negative

Species: Chinese Hamster Ovary (CHO) cells HGPRT

Isopropyl alcohol

Mammalian Cell Mutagenicity

Result: Negative

Species: HGPRT Chinese Hamster Ovary (CHO) cells

**Carcinogenicity**

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Butylated hydroxytoluene (CAS 128-37-0)

3 Not classifiable as to carcinogenicity to humans.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)**

Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens**

Not listed.

**Reproductive toxicity**

Suspected of damaging fertility or the unborn child.

**Developmental effects**

Selamectin

10 mg/kg/day Prenatal & Postnatal Development,  
Developmental toxicity  
Result: NOAEL  
Species: Rat

Isopropyl alcohol

1200 mg/kg/day Prenatal & Postnatal Development, No  
effects at maximum dose  
Result: NOAEL  
Species: Rat  
Organ: Oral

Sarolaner

3 mg/kg/day Embryo / Fetal Development, Maternal Toxicity  
Not Teratogenic  
Result: NOAEL  
Species: Rabbit  
Organ: Oral

3.2 mg/kg/day Embryo / Fetal Development, Maternal toxicity  
Not teratogenic  
Result: NOAEL  
Species: Rat  
Organ: Oral

Selamectin

40 mg/kg/day Prenatal & Postnatal Development, Maternal  
Toxicity  
Result: NOAEL  
Species: Rat  
Organ: Oral

Butylated hydroxytoluene

6 g/kg Embryo / Fetal Development, Teratogenic  
Result: LOEL  
Species: Rat  
Organ: Oral

Isopropyl alcohol

7000 ppm Prenatal & Postnatal Development, Maternal  
toxicity, Fetotoxicity, Embryotoxicity  
Result: LOAEL  
Species: Rat  
Organ: Inhalation

Dipropylene glycol methyl ether

Not teratogenic

**Reproductivity**

Selamectin

10 mg/kg/day Reproductive & Fertility, Fetotoxicity  
Result: NOAEL  
Species: Rat

Isopropyl alcohol

1000 mg/kg/day 2 Generation Reproductive Toxicity,  
Maternal Toxicity, Fetal mortality  
Result: LOAEL  
Species: Rat  
Organ: Oral

**Specific target organ toxicity -  
single exposure**

May cause drowsiness and dizziness.

**Specific target organ toxicity -  
repeated exposure**

Not classified.

**Aspiration hazard**

Not an aspiration hazard.

**12. Ecological information****Ecotoxicity**

Very toxic to aquatic life with long lasting effects. Avoid release to the environment.

Components	Species		Test Results
Isopropyl alcohol (CAS 67-63-0)			
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours
Sarolaner (CAS 1398609-39-6)			
Aquatic			
Algae	EC50	Pseudokirchneriella subcapitata (Green Alga)	> 0.27 mg/L, 72 Hours (ErC50)
Crustacea	EC50	Daphnia magna (Water Flea)	0.27 mg/L, 48 Hours
Fish	LC50	Fish	> 0.54 mg/L, 96 Hours
Selamectin (CAS 220119-17-5)			
	EC50	Selenastrum capricornutum (Green Alga)	> 763 ug/L, 72 Hours
	LC50	Cyprinodon variegatus (Sheepshead Minnow)	> 28 ug/L, 48 Hours
		Mysidopsis bahia (Mysid Shrimp)	28 ng/L, 96 Hours
Aquatic			
Crustacea	EC50	Daphnia magna (Water Flea)	26 ng/L, 48 Hours
Fish	LC50	Oncorhynchus mykiss (Rainbow Trout)	266 ug/L, 96 Hours
Persistence and degradability	No data is available on the degradability of this product. As with other members of the avermectin family, selamectin is highly toxic to fish and certain aquatic organisms. However, once in contact with soil, it is tightly bound and does not readily desorb. It is unlikely to reach groundwater and is also biodegradable by soil microflora.		
Biodegradability			
Percent degradation (Aerobic biodegradation)			
Dipropylene glycol methyl ether		Result: Readily biodegradable	
Bioaccumulative potential	No data available for this product. Not expected to bioaccumulate.		
Partition coefficient n-octanol / water (log Kow)			
Sarolaner		3.25	
Selamectin		3.1, [Measured, Log P]	
Mobility in soil	No data available for this product.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal considerations			
Disposal instructions			
Avoid release to the environment. Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Dispose of contents/container in accordance with local/regional/national/international regulations.			
Industrial use: Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. Dispose of contents/container in accordance with local/regional/national/international regulations.			
Local disposal regulations			
Dispose in accordance with all applicable regulations.			
Hazardous waste code			
Industrial use: Waste of this product may qualify as a RCRA Hazardous Waste. Status should be confirmed by testing for RCRA hazardous characteristics (i.e. corrosivity, toxicity, reactivity, or ignitability). The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Waste from residues / unused products			
Industrial use: Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging			
Since emptied containers may retain product residue, follow label warnings even after container is emptied.			

## 14. Transport information

### DOT

**UN number** UN1219  
**UN proper shipping name** Isopropanol Solution, MARINE POLLUTANT (Selamectin, Isoxazoline)  
**Transport hazard class(es)**  
**Class** 3  
**Subsidiary risk** -  
**Packing group** II  
**Environmental hazards**  
**Marine pollutant** Yes  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.  
Other information: See "excepted quantity" provisions if applicable.

### IATA

**UN number** UN1219  
**UN proper shipping name** Isopropanol Solution  
**Transport hazard class(es)**  
**Class** 3  
**Subsidiary risk** -  
**Packing group** II  
**Environmental hazards** Yes (Selamectin, Isoxazoline) > 5L or 5 Kg  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.  
Other information: See "excepted quantity" provisions if applicable.

### IMDG

**UN number** UN1219  
**UN proper shipping name** Isopropanol Solution, MARINE POLLUTANT (Selamectin, Isoxazoline)  
**Transport hazard class(es)**  
**Class** 3  
**Subsidiary risk** -  
**Packing group** II  
**Environmental hazards**  
**Marine pollutant** Yes  
**EmS** F-E, S-D  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.  
Other information: See "excepted quantity" provisions if applicable.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.


### DOT



### IATA; IMDG



## Marine pollutant



### General information

For small quantities packed in combination packaging, exceptions may apply. See "excepted quantity" provisions if applicable. Marine pollutant requirements apply only to quantities >5 Liters for liquids / >5 Kilograms for solids (per inner package) when shipped as per IMDG or ADR (effective year 2015 or greater) regulations. Please refer to the applicable dangerous goods regulations for additional information. Transport according to the requirements of the appropriate regulatory body.

## 15. Regulatory information

### US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

Isopropyl alcohol (CAS 67-63-0) Listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

#### SARA 311/312 Hazardous chemical

Yes

##### Classified hazard categories

Flammable (gases, aerosols, liquids, or solids)  
Serious eye damage or eye irritation  
Reproductive toxicity  
Specific target organ toxicity (single or repeated exposure)

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Isopropyl alcohol	67-63-0	60-80

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

#### Safe Drinking Water Act (SDWA)

Not regulated.

#### FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Isopropyl alcohol (CAS 67-63-0) Low priority

### US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### California Proposition 65

##### US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Isopropyl alcohol (CAS 67-63-0)

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

**Issue date** 11-26-2018

**Version #** 01

**Disclaimer** Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently available.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.