# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

078026364

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078026331



## SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/7

# EqStim® (P. acnes Immunostimulant)

Revision 0 Revision date 2019-03-21

	Tovicion date 25 to 55 2
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	EqStim® (P. acnes Immunostimulant)
Product code	08890, 08891, 08892
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC29] Pharmaceuticals;
Description	Injectable for use in horses and dogs.
1.3. Details of the supplier of the	safety data sheet
Company	Neogen Corporation
Address	620 Lesher Place
	Lansing MI 48912 USA
Web	
	www.neogen.com
Telephone	517-372-9200/800-234-5333
Email	regulatorysupport@neogen.com
1.4. Emergency telephone numb	per
Emergency telephone number	1-800-234-5333
Further information	
Manufactured By:	Neogen Corporation CME Center of Microbiological Excellence
	Building 1614 E. Kalamazoo
	Lansing, MI 48913 U.S.A.
Hotline(s):	Medical: United States (1-800-498-5743), International (1-651-523-0318).

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**2.1.2. Classification - GHS** Flam. Liq. 3: H226;

### 2.2. Label elements

Hazard pictograms



Signal Word

Warning

Hazard Statement Flam. Lig. 3: H226 - Flammable liquid and vapour.

Spill/CHEMTREC: United States (1-800-424-9300), International (1-703-527-3887).

Revision 0 Revision date 2019-03-21

#### 2.2. Label elements

Precautionary Statement: Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  P233 - Keep container tightly closed.  P240 - Ground/bond container and receiving equipment.  P241 - Use explosion-proof electrical/ventilating/lighting// equipment.  P242 - Use only non-sparking tools.  P243 - Take precautionary measures against static discharge.  P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P370+P378 - In case of fire: Use media appropriate to the surrounding conditions to extinguish.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved waste disposal facility in accordance with local and national regulations.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol	603-002-00-5	64-17-5	200-578-6		10 - 20%	Flam. Liq. 2: H225;
Propionibacterium acnes (inactivated)					0.5 - 1%	

#### **Further information**

The exact percentage (concentration) of composition has been withheld as a trade secret.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	DO NOT INDUCE VOMITING unless advised to do so by a doctor. Seek medical attention if irritation or symptoms persist.

#### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	Causes serious eye irritation.
Skin contact	Causes skin irritation.
Ingestion	Ingestion may cause nausea and vomiting.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

Revision 0 Revision date 2019-03-21

<ul><li>.2. Special hazards arising fror</li></ul>	n the substance or mixture	
	Flammable liquid. Burning produces irritating,	toxic and obnoxious fumes.
.3. Advice for firefighters		
	In case of fire and/or explosion do not breathe necessary.	e fumes. Wear suitable respiratory equipment when
SECTION 6: Accidental rele	ase measures	
.1. Personal precautions, prote	ective equipment and emergency procedures	
	Ensure adequate ventilation of the working are contact with eyes and skin.	ea. Wear suitable protective equipment. Avoid
.2. Environmental precautions		
	Prevent further spillage if safe. Do not flush in subsoil.	to surface water. Do not let product contaminate
.3. Methods and material for co	ontainment and cleaning up	
	Absorb with inert, absorbent material. Sweep disposal. Clean spillage area thoroughly with	up. Transfer to suitable, labelled containers for plenty of water.
.4. Reference to other sections	3	
	See section 2, 8, and 13 for further informatio	n.
SECTION 7: Handling and s	torage	
.1. Precautions for safe handlir	ng	
	Avoid contact with eyes and skin. Ensure ade Manual Handling considerations when handlir	quate ventilation of the working area. Adopt best ng, carrying and dispensing.
.2. Conditions for safe storage	, including any incompatibilities	
	Flammable liquid. Avoid contact with: Heat, sp ventilated area. Keep containers tightly closed	parks and open flames. Keep in a cool, dry, well d. Store in correctly labelled containers.
.3. Specific end use(s)	-	
	See section 1.2 for further information.	
SECTION 8: Exposure contr	ols/personal protection	
.1. Control parameters	·	
<u> </u>		
xposure Limit Values		
Ethanol	ACGIH TLV TWA: 1000 ppm	ACGIH TLV STEL: -
	Notations: A4	OSHA PEL 8hr TWA ppm: 1000
	OSHA PEL 8hr TWA mg m3: 1900	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
		The state of the s

#### 8.2. Exposure controls







Revision 0 Revision date 2019-03-21

#### 8.2. Exposure controls

Appropriate engineering controls	Ensure adequate ventilation of the working area.
Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Wear eye/face protection.
Skin protection - Hand	Wear suitable gloves.
protection	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State	Liquid
Color	Clear
Odor	Odorless/Slight
Evaporation rate	No data available
Flammability limits	Not applicable.
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Odour threshold	No data available
Boiling point	No data available
Flash point	< 49 °C
pH	No data available
Melting point	No data available
Freezing Point	No data available
Solubility	Soluble in water

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

	Flammable liquid and vapour.	
10.2. Chemical stability		
	Stable under normal conditions.	
10.3. Possibility of hazardous reactions		
	No data available.	
10.4. Conditions to avoid		
	Keep away from sources of ignition - No smoking.	
10.5. Incompatible materials		
	Strong oxidizing agents.	
10.6. Hazardous decomposition	products	
	Carbon oxides.	

Revision 0 Revision date 2019-03-21

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity	No known adverse health effects.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause allergic reactions in susceptible people.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, Volumes 1-112.  Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens.  Not listed in the OSHA standard 1910.1003 Carcinogens.
Reproductive toxicity	No teratogenic effects reported.
STOT-single exposure	May cause irritation to respiratory system.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.

#### 11.1.4. Toxicological information

EqStim® (P. acnes	Oral Rat LD50: 3846	
Immunostimulant)		
Ethanol	Oral Rat LD50: 10470 mg/kg	Oral Mouse LD50: 3450 mg/kg
	Dermal Rabbit LD50: 15800 mg/kg	Inhalation Rat LC50/4 h: 30000 mg/kg

#### SECTION 12: Ecological information

#### 12.1. Toxicity

	•
Fathead minnows LC50/96h: 14200 mg/l	

#### 12.2. Persistence and degradability

No data available.

#### 12.3. Bioaccumulative potential

#### Partition coefficient

EqStim® (P. acnes No data available	Ethanol -0.349 log P
Immunostimulant)	

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Dispose of in compliance with all local and national regulations.

General information

cleaning of equipment or disposal of wastes.

# Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.

Dispose of in compliance with all local and national regulations. Do not contaminate water by

#### SECTION 14: Transport information

Revision 0 Revision date 2019-03-21

#### Hazard pictograms



#### 14.1. UN number

UN1170

#### 14.2. UN proper shipping name

ETHANOL SOLUTION

#### 14.3. Transport hazard class(es)

DOT	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

#### 14.4. Packing group

Pa	cking	group	)	Ш
	uning	group		

#### 14.5. Environmental hazards

Environmental hazards	
Marine pollutant	No

#### DOT

Hazard ID	30
Tunnel Category	(D/E)

#### **IMDG**

EmS Code	F-E S-D
----------	---------

#### **IATA**

Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	
Maximum quantity	60 L

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.
	All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.
	US State Regulations: New Jersey Right-to-Know Hazardous Substance List:

Revision 0 Revision date 2019-03-21

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Ethanol Pennsylvania Right-to-Know Hazardous Substance List: Ethanol. Rhode Island Right-to-Know Hazardous Substance List: Ethanol. **Inventories** Ingredient **TSCA** MA CALPROP65 **CWA307** CWA311 SARA302 **SARA304 SARA313 CAA112** Ethanol N SECTION 16: Other information Other information Text of Hazard Statements in Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Section 3 **Further information** DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use. Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed

resulting from the use of this product.