SAFETY DATA SHEETS

This SDS packet was issued with item:

078944707

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078944708 078944709 078944710

SAFETY DATA SHEET



1. Identification

Product identifier Tulathromycin-Ketoprofen Solution for Injection

Other means of identification

DRAXXIN KP * Draxxin KP Injectable Solution for Cattle * Draxxin KP (tulathromycin and **Synonyms**

ketoprofen injection) * DRAXXIN KP plus Ketoprofen Injectable Solution for Cattle

Veterinary antibiotic agent; non-steroidal, anti-inflammatory drug (nsaid) Recommended use

Recommended restrictions Not for human use Manufacturer/Importer/Supplier/Distributor information

Company Name (US) Zoetis Inc.

10 Sylvan Way

Parsippany, New Jersey 07054 (USA)

Rocky Mountain Poison

and Drug Center

1-866-531-8896

Product Support/Technical

1-800-366-5288

Services numbers

Emergency telephone

CHEMTREC (24 hours): 1-800-424-9300

International CHEMTREC (24 hours): +1-703-527-3887

Company Name (EU) Zoetis Belgium S.A.

> Mercuriusstraat 20 1930 Zaventem

Belgium

Emergency telephone

number

International CHEMTREC (24 hours): +1-703-527-3887

Contact E-Mail VMIPSrecords@zoetis.com

2. Hazard(s) identification

Physical hazards Not classified.

Category 4 **Health hazards** Acute toxicity, oral

> Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 1 Sensitization, skin Category 1

Specific target organ toxicity, repeated Category 2 (digestive system, kidney)

exposure

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious

eye damage. May cause damage to organs (digestive system, kidney) through prolonged or

repeated exposure.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when

using this product. Contaminated work clothing must not be allowed out of the workplace. Wear

eye protection/face protection. Wear protective gloves.

Response Get medical advice/attention if you feel unwell. If swallowed: Call a poison center/doctor if you feel

unwell. Rinse mouth. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take

off contaminated clothing and wash before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|------------------|--------------------------|-------------|-------|
| Propylene glycol | | 57-55-6 | 30-60 |
| Ketoprofen | | 22071-15-4 | 12 |
| Tulathromycin | | 217500-96-4 | 10 |
| 2-Pyrrolidone | | 616-45-5 | 5-10 |
| Citric Acid | | 77-92-9 | 1-5 |

Composition comments % = w/v

In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been

withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash off immediately with soap and plenty of water. If skin

irritation or rash occurs: Get medical advice/attention. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before

reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical advice/attention if you feel unwell. If ingestion of a large amount does

occur, call a poison control center immediately. Do not induce vomiting without advice from poison

control center. Never give anything by mouth to a victim who is unconscious or is having

convulsions.

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. Edema. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special

treatment needed
General information

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. For personal protection, see section 8 of the SDS. Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash

contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Alcohol resistant foam. Powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed. Combustible.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Combustible.

Version #: 02 Revision date: 01-07-2020 Issue date: 06-30-2017

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Ensure adequate ventilation. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Ensure adequate ventilation. Remove sources of ignition.

Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Avoid accidental injection. Wear personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash thoroughly after handling. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Store in original tightly closed container. Store in a well-ventilated place. @ 15-30°C (59-86°F). Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

| Cι | |
|--------|--|

| Components | Туре | Value | | |
|---------------------------------|-----------------------------|----------|----------|--|
| Ketoprofen (CAS 22071-15-4) | TWA | 75 μg/m3 | | |
| Tulathromycin (CAS 217500-96-4) | TWA | 1 mg/m3 | | |
| US. Workplace Environmental E | xposure Level (WEEL) Guides | | | |
| Components | Туре | Value | Form | |
| Propylene glycol (CAS 57-55-6) | TWA | 10 mg/m3 | Aerosol. | |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Control banding approach

Not available.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection

Do not get in eyes. Professional use: If contact is likely, safety glasses with side shields are recommended. Additionally, face shield recommended if splashing is possible. Industrial use: Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection

Wear appropriate chemical resistant gloves.

Other

Wear suitable protective clothing. Use protective clothing (uniforms, lab coats, disposable

coveralls, etc.) in both production and laboratory areas.

SDS US

No personal respiratory protective equipment normally required. In case of insufficient ventilation, Respiratory protection

wear suitable respiratory equipment. If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to

below the OEL.

Thermal hazards Not applicable.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance Sterile solution.

Physical state Liquid. Liquid. **Form**

Color Colorless - Yellow. Odor Not available. **Odor threshold** Not available. Not available. рH Not available. Melting point/freezing point Not available. Initial boiling point and boiling

range

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - upper

(%)

Not available.

Not available.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Not available. Vapor pressure Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

Other information

Not explosive. **Explosive properties** Not oxidizing. Oxidizing properties

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. Keep away from heat, sparks and open flame. Conditions to avoid

Strong oxidizing agents. Incompatible materials

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an

inhalation hazard.

Causes skin irritation. May cause an allergic skin reaction. Skin contact

Ketoprofen Severity: Irritant

Propylene glycol Species: Rabbit

Severity: Mild

Citric Acid Species: Rabbit

Severity: Non-irritating

Tulathromycin Species: Rabbit

Severity: Non-irritating

Eye contact Causes serious eye damage.

Ketoprofen Severity: Irritant

Citric Acid Species: Rabbit

Severity: Irritant

Species: Rabbit Propylene glycol

Severity: Mild

Tulathromycin Species: Rabbit

Severity: Positive

Harmful if swallowed. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Edema.

Information on toxicological effects

Harmful if swallowed. **Acute toxicity**

| Components | Species | Test Results |
|----------------------------|---------|--|
| 2-Pyrrolidone (CAS 616-45- | -5) | |
| <u>Acute</u> | | |
| Oral | | |
| LD50 | Rat | 6500 mg/kg |
| Citric Acid (CAS 77-92-9) | | |
| <u>Acute</u> | | |
| Oral | | |
| LD50 | Rat | 6730 mg/kg |
| Ketoprofen (CAS 22071-15- | -4) | |
| <u>Acute</u> | | |
| Oral | | |
| LD50 | Rat | 62.4 mg/kg |
| Chronic | | |
| Oral | | |
| LOAEL | Dog | 3 mg/kg/day, 3 months Gastrointestinal system |
| | Rat | 6 mg/kg/day, 3 months Gastrointestinal System Kidney Blood |

Components **Species Test Results** Propylene glycol (CAS 57-55-6) **Acute** Dermal LD50 Rabbit 20800 mg/kg Oral LD50 24900 mg/kg Mouse Rat 22000 mg/kg Tulathromycin (CAS 217500-96-4) **Acute** Dermal Rabbit > 2000 mg/kg LD50 Oral LD Rat > 2000 mg/kg (Minimum Lethal Dose) **Chronic** Oral NOAEL Dog 5 mg/kg/day, 1 years (Target organs: Liver, Male reproductive system) **Subacute** Oral **NOAEL** Dog 15 mg/kg/day, 1 months (Target organs: Liver) Rat 50 mg/kg/day, 1 months (Target organs: Liver, Blood) **Subchronic** Oral **NOAEL** Rat 15 mg/kg/day, 3 months (Target organs: Liver) **NOEL** Dog 5 mg/kg/day, 3 months (Target organs: Liver) Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye Causes serious eye damage. irritation **Eye Contact** Ketoprofen Severity: Irritant Citric Acid Species: Rabbit Severity: Irritant Propylene glycol Species: Rabbit Severity: Mild Tulathromycin Species: Rabbit Severity: Positive Respiratory or skin sensitization Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Skin sensitization Tulathromycin

Species: Guinea Pig Severity: Severe

GPMT

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Mutagenicity

Ketoprofen Bacterial Mutagenicity (Ames)

Result: Negative with activation, without activation

Species: Salmonella

Tulathromycin Bacterial Mutagenicity (Ames)

Result: Negative Species: Salmonella

In Vitro Chromosome Aberration

Result: Negative

Species: Chinese Hamster Ovary (CHO) cells

In Vitro Chromosome Aberration

Result: Negative

Species: Human Lymphocytes

In Vitro Mammalian Cell Mutagenicity

Result: Negative

Species: Chinese Hamster Ovary (CHO) cells

In Vivo Micronucleus Chromosome Aberration

Result: Negative Species: Rat

Ketoprofen Sister Chromatid Exchange

Result: Negative

Species: Human Lymphocytes

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Developmental effects

Tulathromycin 200 mg/kg/day Embryo / Fetal Development, No effects at

maximum dose Result: NOAEL Species: Rat Organ: Oral

50 mg/kg/day Embryo / Fetal Development, No effects at

maximum dose Result: NOAEL Species: Rabbit Organ: Oral

Reproductivity

Tulathromycin 50 mg/kg/day 2 Generation Reproductive Toxicity, Paternal

toxicity; No effects on reproductive parameters or neonatal

development at any dose level.

Result: NOAEL Species: Rat Organ: Oral

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure

May cause damage to organs (digestive system, kidney) through prolonged or repeated

exposure.

Aspiration hazard Not an aspiration hazard.

Further information Caution - Pharmaceutical agent.

Version #: 02 Revision date: 01-07-2020 Issue date: 06-30-2017

12. Ecological information

Ecotoxicity

Based on available data, the classification criteria are not met for hazardous to the aquatic environment. The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Avoid release to the environment.

| Components | | Species | Test Results |
|-----------------------|----------------|--|---------------------------|
| 2-Pyrrolidone (CAS 61 | 16-45-5) | | |
| Aquatic | | | |
| Crustacea | EC50 | Water flea (Daphnia pulex) | 13.21 mg/l, 48 hours |
| | LC50 | Daphnia magna (Water Flea) | 13.21 mg/L, 48 Hours |
| Propylene glycol (CAS | S 57-55-6) | | |
| Aquatic | | | |
| Crustacea | EC50 | Water flea (Daphnia magna) | > 10000 mg/l, 48 hours |
| Fish | LC50 | Fathead minnow (Pimephales promelas) | 710 mg/l, 96 hours |
| Tulathromycin (CAS 2 | 17500-96-4) | | |
| | EC50 | Selenastrum capricornutum (Green Alga) | 70 μg/l, 72 Hours (ErC50) |
| | IC50 | Polytox | 19 mg/L |
| Aquatic | | | |
| Crustacea | EC50 | Daphnia magna (Water Flea) | 64 mg/L, 48 Hours |
| | LC50 | Mysidopsis bahia (Mysid Shrimp) | 20 mg/L, 48 Hours |
| Fish | LC50 | Cyprinodon variegatus (Sheepshead Minnow) | 20 mg/L, 48 Hours |
| | | Oncorhynchus mykiss (Rainbow Trout) | > 982 mg/L, 96 Hours |
| | Luur Na data S | a svailable on the degradability of this product | |

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available for this product. Not expected to bioaccumulate.

Partition coefficient n-octanol / water (log Kow)

Tulathromycin

-1.41, (Measured Log P @ pH 7.0)

Mobility in soil No data available for this product.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Avoid release to the environment. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Yes

Classified hazard

Acute toxicity (any route of exposure)

categories Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | No |
| Canada | Domestic Substances List (DSL) | No |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | No |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | No |
| New Zealand | New Zealand Inventory | No |

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances No

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

 Issue date
 06-30-2017

 Revision date
 01-07-2020

Version # 02

Disclaimer Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while

it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently

available.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

Material name: Tulathromycin-Ketoprofen Solution for Injection

Version #: 02 Revision date: 01-07-2020 Issue date: 06-30-2017 10 / 10