

SAFETY DATA SHEETS

This SDS packet was issued with item:

078220107

N/A



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

SAFETY DATA SHEET

1. Identification

Product identifier

Product No.:	Product name:	Common name(s), synonym(s)
371073	BD E-Z Scrub™ surgical scrub brush impregnated with 4% CHG. Color code red.	No data available

Other means of identification

SDS number: 088100001710

Recommended use and restriction on use

Recommended use: Skin Antiseptic

Restrictions on use: None known.

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name: Becton Dickinson
Address: 9450 South State Street
Sandy, UT 84070 USA
Telephone: 1-801-565-2300 (US 24 hour)
Fax:
Contact Person: Regulatory Affairs

Emergency telephone number: CHEMTREC 1 800 424 9300

CHEMTREC +001-703-527-3887 (International)

2. Hazard(s) identification

Hazard Classification

Health Hazards

Serious Eye Damage/Eye Irritation	Category 1
Carcinogenicity	Category 2
Specific Target Organ Toxicity - Repeated Exposure	Category 2

Environmental Hazards

Acute hazards to the aquatic environment	Category 1
Chronic hazards to the aquatic environment	Category 2

Label Elements

Hazard Symbol:

Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com



Signal Word: Danger

Hazard Statement: H318: Causes serious eye damage.
H351: Suspected of causing cancer.
H373: May cause damage to organs through prolonged or repeated exposure.
H400: Very toxic to aquatic life.
H411: Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention: P280: Wear protective gloves/protective clothing/eye protection/face protection.
P201: Obtain special instructions before use.
P202: Do not handle until all safety precautions have been read and understood.
P281: Use personal protective equipment as required.
P260: Do not breathe dust/fume/gas/mist/vapors/spray.
P273: Avoid release to the environment.

Response: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER/doctor.
P391: Collect spillage.

Storage: P405: Store locked up.

Disposal: P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in GHS classification: -: EARS: CHG may cause permanent damage / deafness when instilled in the middle ear
-: May cause permanent damage if permitted to enter and remain in the ears or eyes for a long period of time

3. Composition/information on ingredients



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
D-Gluconic acid, compd. with N1,N14-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediiimidamide (2:1)		18472-51-0	4.34%
Diethanolamine		111-42-2	3.28%
N,N-BIS(2-HYDROXYETHYL)DODECANAMIDE		120-40-1	3.22%
Octadecanoic acid		57-11-4	0.165%
Sodium hydroxide (Na(OH))		1310-73-2	0.01%
Hydrochloric acid		7647-01-0	0.01%
1,4-Dioxane		123-91-1	0.01%
Oxirane		75-21-8	0.0001%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion:	If swallowed, do NOT induce vomiting. Give a glass of water. Wash out mouth with water, treat with gastric lavage, using milk, egg white or mild soap.
Inhalation:	Get medical attention if symptoms occur. Over exposure may cause headache, fatigue, dizziness, loss of coordination and unconsciousness. Vapor has anesthetic properties.
Skin Contact:	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.
Eye contact:	If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Not relevant.

5. Fire-fighting measures

General Fire Hazards: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.



Becton, Dickinson and
Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Water spray, dry powder or carbon dioxide.

Unsuitable extinguishing media: No data available.

Specific hazards arising from the chemical: Fire causes formation of toxic gases.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment.

Methods and material for containment and cleaning up: Absorb spillage with suitable absorbent material. Transfer to a container for disposal. Clean surface thoroughly to remove residual contamination.

Environmental Precautions: Do not release into the environment.

7. Handling and storage

Precautions for safe handling: No specific precautions.

Conditions for safe storage, including any incompatibilities: Store at room temperature (20-25°C). Avoid excessive heat (40°C). Store isolated from oxidizers, ignition sources, and explosives. Consult local fire codes for additional storage information.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Diethanolamine	TWA	3 ppm 15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

	TWA	3 ppm	15 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (06 2008)
	ST ESL		2 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
	AN ESL		0.2 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
	ST ESL		10 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
	AN ESL		1 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
	TWA PEL	0.46 ppm	2 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (08 2010)
Diethanolamine - Inhalable fraction and vapor.	TWA		1 mg/m3	US. ACGIH Threshold Limit Values, as amended (12 2010)
Diethanolamine	REL	3 ppm	15 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
Octadecanoic acid - Particulate.	AN ESL		5 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
Octadecanoic acid - Vapor.	ST ESL		1,000 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
Octadecanoic acid - Particulate.	ST ESL		50 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
Octadecanoic acid - Vapor.	AN ESL		100 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
Octadecanoic acid	TWA		10 mg/m3	US. ACGIH Threshold Limit Values, as amended (12 2010)
Sodium hydroxide (Na(OH))	Ceiling		2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	Ceiling		2 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (06 2008)
Sodium hydroxide (Na(OH)) - Particulate.	AN ESL		2 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (07 2011)
	ST ESL		20 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (07 2011)
Sodium hydroxide (Na(OH))	Ceiling		2 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (08 2010)
	Ceiling		2 mg/m3	US. ACGIH Threshold Limit Values, as amended (12 2010)
	Ceil_Time		2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	PEL		2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	IDLH		10 mg/m3	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended (10 2017)
Hydrochloric acid	Ceiling	5 ppm	7 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	Ceiling	5 ppm	7 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (06 2008)
	ST ESL		130 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

	AN ESL	5.7 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
	AN ESL	8.4 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
	ST ESL	190 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
	Ceiling	5 ppm 7 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (08 2010)
	Ceiling	2 ppm	US. ACGIH Threshold Limit Values, as amended (12 2010)
	Ceil_Time	5 ppm 7 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	Ceiling	5 ppm 7 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	IDLH	50 ppm	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended (10 2017)
1,4-Dioxane	TWA	25 ppm 90 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	25 ppm 90 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (06 2008)
	ST ESL	250 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
	AN ESL	25 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
	AN ESL	90 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
	ST ESL	900 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
	TWA PEL	0.28 ppm 1.0 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (08 2010)
	TWA	20 ppm	US. ACGIH Threshold Limit Values, as amended (12 2010)
	Ceil_Time	1 ppm 3.6 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	PEL	100 ppm 360 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	IDLH	500 ppm	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended (10 2017)
Oxirane	TWA	1 ppm	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	STEL	5 ppm	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	AN ESL	1 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
	ST ESL	10 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
	AN ESL	2 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (12 2010)
	ST ESL	20 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

			amended (12 2010)
	TWA PEL	1 ppm 2 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (08 2010)
	STEL	5 ppm	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (08 2010)
	TWA A LV	0.5 ppm	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (08 2010)
	TWA	1 ppm	US. ACGIH Threshold Limit Values, as amended (12 2010)
	Ceil_Time	5 ppm 9 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	REL	0.1 ppm 0.18 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	IDLH	800 ppm	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended (10 2017)
	STEL	5 ppm	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (02 2006)
	TWA	1 ppm	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (02 2006)
	OSHA_ACT	0.5 ppm	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (02 2006)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
Oxirane (S-(2-hydroxyethyl) mercapturic acid (HEMA): Sampling time: End of shift.)	5 µg/g (Creatinine in urine)	ACGIH BEI (03 2018)
Oxirane (N-(2-hydroxyethyl)-valine (HEV) hemoglobin adducts: Sampling time: Not critical.)	5000 pmol/g (Hemoglobin adducts)	ACGIH BEI (03 2018)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information:	Do not eat, drink or smoke when using the product.
Eye/face protection:	Wear goggles/face shield.
Skin Protection	
Hand Protection:	Hand protection not required.
Other:	No data available.
Respiratory Protection:	None should be needed.
Hygiene measures:	No data available.



Becton, Dickinson and
Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

9. Physical and chemical properties

Appearance

Physical state:	liquid
Form:	liquid
Color:	Clear, Pink, Red
Odor:	Mild
Odor threshold:	No data available.
pH:	6 - 7.5
Melting point/freezing point:	Similar to water
Initial boiling point and boiling range:	≥ 100 °C Similar to water
Flash Point:	Not applicable
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	0.99 - 1.10
Solubility(ies)	
Solubility in water:	Completely soluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	1,000 mm ² /s (25 °C)

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Not known.
Conditions to avoid:	No data available.
Incompatible Materials:	Avoid contact with oxidizers or reducing agents.



Becton, Dickinson and
Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

**Hazardous Decomposition
Products:**

Carbon Dioxide. Carbon Monoxide. Hydrogen chloride gas. Nitrogen
oxides. Ammonia.

11. Toxicological information

General information:

EARS: CHG may cause permanent damage / deafness when instilled in
the middle ear May cause permanent damage if permitted to enter and
remain in the ears or eyes for a long period of time

Information on likely routes of exposure

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: Severely irritating, and may seriously damage eye tissue.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 10,998.44 mg/kg

Dermal

Product: No data available.

Inhalation

Product: ATEmix: 66.83 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Diethanolamine

LOAEL (Mouse(Female), Oral, 13 Weeks): 142 mg/kg Oral Experimental
result, Key study
NOAEL (Rat(Female, Male), Inhalation): 15 mg/m3 Inhalation Experimental
result, Key study
LOAEL (Rat(Male), Oral, 13 Weeks): 25 mg/kg Oral Experimental result,



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

	Key study LOAEL (Rat(Female), Oral, 13 Weeks): 160 ppm(m) Oral Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation): 3 mg/m3 Inhalation Experimental result, Key study
N,N-BIS(2-HYDROXYETHYL)DODECAN AMIDE	NOAEL (Rat(Female, Male), Oral, 28 d): > 750 mg/kg Oral Read-across from supporting substance (structural analogue or surrogate), Key study NOAEL (Rat(Female, Male), Oral, 90 d): 50 mg/kg Oral Experimental result, Key study LOAEL (Rat(Female, Male), Dermal, 104 - 105 Weeks): 50 mg/kg Dermal Experimental result, Key study NOAEL (Rat(Female, Male), Dermal, 104 - 105 Weeks): 100 mg/kg Dermal Experimental result, Key study NOAEL (Rat(Female, Male), Dermal, 14 Weeks): 100 mg/kg Dermal Experimental result, Key study
Octadecanoic acid	NOAEL (Rat(Female, Male), Oral, 42 d): 1,000 mg/kg Oral Read-across based on grouping of substances (category approach), Key study NOAEL (Rat(Male), Oral, 18 Weeks): 10 %(m) Oral Read-across based on grouping of substances (category approach), Supporting study NOAEL (Rat(Male), Oral, 18 Weeks): 10,000 mg/kg Oral Read-across based on grouping of substances (category approach), Supporting study
Hydrochloric acid	NOAEL (Mouse(Female, Male), Inhalation, 4 - 91 d): 20 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, 4 - 91 d): 20 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, 4 - 91 d): 10 ppm(m) Inhalation Experimental result, Key study LOAEL (Mouse(Female, Male), Inhalation, 4 - 91 d): 50 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, 4 - 91 d): 50 ppm(m) Inhalation Experimental result, Key study
1,4-Dioxane	LOAEL (Rat(Female, Male), Inhalation, 13 Weeks): 100 ppm(m) Inhalation Experimental result, Not specified NOAEL (Rat(Female), Oral, 716 d): 19 mg/kg Oral Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation): > 400 mg/m3 Inhalation Experimental result, Key study NOAEL (Mouse(Female), Oral, 13 Weeks): <= 640 ppm(m) Oral Experimental result, Supporting study LOAEL (Rat(Female, Male), Inhalation): 360 mg/m3 Inhalation Experimental result, Not specified
Oxirane	NOAEL (Rat(Female, Male), Inhalation, 2 yr): 10 ppm(m) Inhalation Experimental result, Weight of Evidence study NOAEL (Mouse(Female, Male), Inhalation, 10 - 11 Weeks): 10 ppm(m) Inhalation Experimental result, Weight of Evidence study

Skin Corrosion/Irritation



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

Product: May cause skin irritation in susceptible persons.

Serious Eye Damage/Eye Irritation

Product: No data available.

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

Diethanolamine Skin sensitization:, in vivo (Guinea pig): Non sensitising

Octadecanoic acid Skin sensitization:, in vivo (Guinea pig): Non sensitising

1,4-Dioxane Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Diethanolamine Overall evaluation: 2B. Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: Low toxicity to sewage microorganisms

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

D-Gluconic acid, compd.
with N1,N14-bis(4-
chlorophenyl)-3,12-
diimino-2,4,11,13-
tetraazatetradecanediimi
damide (2:1)

EC 100 (Daphnia magna, 48 h): 0.12 mg/l Experimental result, Key study
EC 50 (Daphnia magna, 48 h): 0.087 mg/l Experimental result, Key study
ED 0 (Daphnia magna, 48 h): 0.04 mg/l Experimental result, Key study
EC 50 (Daphnia magna, 48 h): 0.05 - 0.1 mg/l Experimental result, Not
specified

Diethanolamine

NOAEL (Daphnia magna, 48 h): < 24 mg/l Experimental result, Supporting
study
EC 50 (Ceriodaphnia dubia, 48 h): 89.9 mg/l Experimental result, Key study
EC 50 (Daphnia magna, 48 h): 171 mg/l Experimental result, Supporting
study
EC 50 (Daphnia magna, 48 h): 55 mg/l Experimental result, Supporting
study
EC 50 (Ceriodaphnia dubia, 48 h): 30.1 mg/l Experimental result, Key study

N,N-BIS(2-
HYDROXYETHYL)DODE
CAN AMIDE

EC 100 (Daphnia magna, 24 h): 5.6 mg/l Read-across from supporting
substance (structural analogue or surrogate), Supporting study
NOAEL (Daphnia magna, 48 h): +/- +/- 1 mg/l Read-across from supporting
substance (structural analogue or surrogate), Key study
LOAEL (Daphnia magna, 48 h): +/- +/- 2 mg/l Read-across from supporting
substance (structural analogue or surrogate), Key study
EC 50 (Daphnia magna, 24 h): 3.3 mg/l Read-across from supporting
substance (structural analogue or surrogate), Supporting study
ED 0 (Daphnia magna, 24 h): 2 mg/l Read-across from supporting
substance (structural analogue or surrogate), Supporting study

Octadecanoic acid

EC 50 (Daphnia magna, 47 h): > 32 mg/l Experimental result, Weight of
Evidence study
NOAEL (Daphnia magna, 48 h): > 4.8 mg/l Read-across based on grouping
of substances (category approach), Weight of Evidence study
EC 50 (Daphnia magna, 48 h): > 4.8 mg/l Read-across based on grouping of
substances (category approach), Weight of Evidence study
LC 50 (Artemia salina, 48 h): > 20 mg/l Experimental result, Weight of



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

	Evidence study
Sodium hydroxide (Na(OH))	LOAEL (Daphnia magna): 40 - 240 mg/l Experimental result, Supporting study LC 50 (Ophryotrocha diadema, 48 h): 33 - 100 mg/l Experimental result, Supporting study LC 50 (Saltwater Shrimp, 48 h): 30 - 100 mg/l Experimental result, Supporting study LC (Bulinus truncatus, 96 h): 150 mg/l Experimental result, Supporting study LD (Freshwater insect larvae): 125 - 1,000 mg/l Not specified, Supporting study
Hydrochloric acid	LC 50 (Green or European shore crab (Carcinus maenas), 48 h): 240 mg/l Mortality LC 50 (Common shrimp, sand shrimp (Crangon crangon), 48 h): 260 mg/l Mortality
1,4-Dioxane	EC 50 (Daphnia magna, 24 h): 4,700 mg/l Experimental result, Supporting study EC 100 (Daphnia magna, 24 h): 10,000 mg/l Experimental result, Supporting study EC 50 (Daphnia magna, 48 h): > 1,000 mg/l Experimental result, Key study ED 0 (Daphnia magna, 24 h): 2,070 mg/l Experimental result, Supporting study LC 50 (Scud (Gammarus pseudolimnaeus), 96 h): 1,800 - 2,872 mg/l Mortality
Oxirane	LC 50 (Water flea (Daphnia magna), 24 h): 260 mg/l Mortality LC 50 (Water flea (Daphnia magna), 48 h): 300 mg/l Mortality LC 50 (Brine shrimp (Artemia sp.), 24 h): 570 mg/l Mortality LC 50 (Water flea (Daphnia magna), 24 h): > 300 mg/l Mortality LC 50 (Brine shrimp (Artemia sp.), 24 h): > 500 mg/l Mortality

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Diethanolamine	NOAEL (Various): > 1 mg/l Estimated by calculation, Supporting study
N,N-BIS(2-HYDROXYETHYL)DODECAN AMIDE	LC 100 (Oncorhynchus mykiss, 24 h): 3.2 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study LOAEL (Oncorhynchus mykiss, 28 d): 1 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study NOAEL (Oncorhynchus mykiss, 28 d): 0.32 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study
1,4-Dioxane	NOAEL (Pimephales promelas, 32 d): > 103 mg/l Experimental result, Key study



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

Aquatic Invertebrates

Product:

No data available.

Specified substance(s):

D-Gluconic acid, compd. with N1,N14-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediimide (2:1)

NOAEL (Daphnia magna, 21 d): 20.6 µg/l Experimental result, Key study
EC 50 (Daphnia magna, 21 d): 35.8 µg/l Experimental result, Key study
LOAEL (Daphnia magna, 21 d): 61.8 µg/l Experimental result, Key study
EC 100 (Daphnia magna, 21 d): 61.8 µg/l Experimental result, Key study

Diethanolamine

LOAEL (Daphnia magna, 21 d): 1.56 mg/l Experimental result, Key study
NOAEL (Daphnia magna, 21 d): 0.78 mg/l Experimental result, Key study
LC 0 (Daphnia magna, 21 d): 3.13 mg/l Experimental result, Key study

N,N-BIS(2-HYDROXYETHYL)DODECAN AMIDE

NOAEL (Daphnia magna, 21 d): 0.07 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study
LOAEL (Daphnia magna, 21 d): 0.24 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study

Octadecanoic acid

NOAEL (Daphnia magna, 21 d): > 0.22 mg/l Read-across based on grouping of substances (category approach), Key study
EC 50 (Daphnia magna, 21 d): > 0.22 mg/l Read-across based on grouping of substances (category approach), Key study
LOAEL (Daphnia magna, 21 d): > 0.22 mg/l Read-across based on grouping of substances (category approach), Key study

1,4-Dioxane

NOAEL (Daphnia magna, 21 d): 1,000 mg/l Experimental result, Key study

Toxicity to Aquatic Plants

Product:

No data available.

Persistence and Degradability

Biodegradation

Product:

No data available.

Specified substance(s):

D-Gluconic acid, compd. with N1,N14-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediimide (2:1)

52 % Detected in water. Experimental result, Key study
100 % Detected in water. Experimental result, Not specified
79 % Detected in water. Experimental result, Key study
71 % Detected in water. Experimental result, Key study
90 % (28 d) Detected in water. Experimental result, Not specified



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

Diethanolamine	96 % (10 d) Detected in water. Experimental result, Supporting study 93 % (28 d) Detected in water. Experimental result, Key study 96 % (10 d) Detected in water. Experimental result, Supporting study 93 % (28 d) Detected in water. Experimental result, Supporting study 97 % (28 d) Detected in water. Experimental result, Supporting study
Oxirane	69 % (20 d) Detected in water. Experimental result, Supporting study > 50 % (20 d) Detected in water. Not specified, Supporting study 96 % Detected in water. Experimental result, Key study 93 - 98 % (28 d) Detected in water. Experimental result, Supporting study 100 % Detected in water. Experimental result, Key study

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

D-Gluconic acid, compd. with N1,N14-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediiimidamide (2:1)	Leuciscus idus, Bioconcentration Factor (BCF): 42 Aquatic sediment Experimental result, Key study Leuciscus idus, Bioconcentration Factor (BCF): 40 Aquatic sediment Experimental result, Key study Green algae (Chlorella fusca vacuolata), Bioconcentration Factor (BCF): 2,560 (Static) Carp (Leuciscus idus melanotus), Bioconcentration Factor (BCF): 42 (Renewal)
--	--

Diethanolamine	Bioconcentration Factor (BCF): 0.89 Aquatic sediment Estimated by calculation, Weight of Evidence study Various, Bioconcentration Factor (BCF): 1.43 Aquatic sediment QSAR, Weight of Evidence study Various, Bioconcentration Factor (BCF): 1.34 Aquatic sediment QSAR, Weight of Evidence study Various, Bioconcentration Factor (BCF): 0.15 Aquatic sediment QSAR, Weight of Evidence study Various, Bioconcentration Factor (BCF): 1.65 Aquatic sediment QSAR, Weight of Evidence study
----------------	---

Octadecanoic acid	Danio rerio, Bioconcentration Factor (BCF): 236 - 282 Aquatic sediment Read-across from supporting substance (structural analogue or surrogate), Key study Danio rerio, Bioconcentration Factor (BCF): 234 - 249 Aquatic sediment Read-across from supporting substance (structural analogue or surrogate), Key study Danio rerio, Bioconcentration Factor (BCF): 238 - 288 Aquatic sediment Read-across from supporting substance (structural analogue or surrogate), Key study
-------------------	---



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

1,4-Dioxane

Cyprinus carpio, Bioconcentration Factor (BCF): 0.3 - 0.7 Aquatic sediment
Experimental result, Key study
Cyprinus carpio, Bioconcentration Factor (BCF): 0.2 - 0.6 Aquatic sediment
Experimental result, Key study

Partition Coefficient n-octanol / water (log Kow)

Product: Log Kow: Not applicable

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

D-Gluconic acid, compd. No data available.

with N1,N14-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediimide (2:1)

Diethanolamine No data available.

N,N-BIS(2-HYDROXYETHYL)DODECAN AMIDE
No data available.

Octadecanoic acid No data available.

Sodium hydroxide (Na(OH)) No data available.

Hydrochloric acid No data available.

1,4-Dioxane No data available.

Oxirane No data available.

Other adverse effects: No data available.

13. Disposal considerations

Disposal instructions: Dispose of waste and residues in accordance with local authority requirements.

Contaminated Packaging: Water, if necessary with cleansing agents.

14. Transport information

DOTUN Number: Not regulated.

UN Proper Shipping Name: Not regulated.

Transport Hazard Class(es)

Class: Not regulated.

Label(s): Not regulated.

Packing Group: Not regulated.

Marine Pollutant: Not regulated.

Limited quantity Not regulated.

Excepted quantity Not regulated.

Special precautions for user: Not regulated.



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

IMDG

UN Number:	Not regulated.
UN Proper Shipping Name:	Not regulated.
Transport Hazard Class(es)	
Class:	Not regulated.
Subsidiary risk:	Not regulated.
EmS No.:	Not regulated.
Packing Group:	Not regulated.
Environmental Hazards	
Marine Pollutant:	Not regulated.
Special precautions for user:	Not regulated.

IATA

UN Number:	Not regulated.
Proper Shipping Name:	Not regulated.
Transport Hazard Class(es):	
Class:	Not regulated.
Subsidiary risk:	Not regulated.
Packing Group:	Not regulated.
Environmental Hazards	
Marine pollutant:	Not regulated.
Special precautions for user:	Not regulated.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

Chemical Identity

Oxirane

OSHA hazard(s)

Mutagenicity
Cancer
Skin irritation
Reproductive toxicity
Flammability
respiratory tract irritation
Central nervous system
Acute toxicity
Skin sensitization
Eye irritation



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Diethanolamine	100 lbs.
Sodium hydroxide (Na(OH))	1000 lbs.
Hydrochloric acid	5000 lbs.
1,4-Dioxane	100 lbs.
Oxirane	10 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards
Delayed (Chronic) Health Hazard
Serious eye damage or eye irritation
Carcinogenicity
Specific target organ toxicity (single or repeated exposure)

SARA 302 Extremely Hazardous Substance

<u>Chemical Identity</u>	<u>Reportable quantity</u>	<u>Threshold Planning Quantity</u>
Hydrochloric acid	5000 lbs.	500 lbs.
Oxirane	10 lbs.	1000 lbs.

SARA 304 Emergency Release Notification

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Diethanolamine	100 lbs.
Sodium hydroxide (Na(OH))	1000 lbs.
Hydrochloric acid	5000 lbs.
1,4-Dioxane	100 lbs.
Oxirane	10 lbs.



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Hydrochloric acid	500lbs
Oxirane	500lbs
D-Gluconic acid, compd. with N1,N14-bis(4- chlorophenyl)-3,12- diimino-2,4,11,13- tetraazatetradecanediimid amide (2:1)	10000 lbs
Diethanolamine	10000 lbs
N,N-BIS(2- HYDROXYETHYL)DODE CAN AMIDE	10000 lbs
Octadecanoic acid	10000 lbs
Sodium hydroxide (Na(OH))	10000 lbs
1,4-Dioxane	10000 lbs

SARA 313 (TRI Reporting)

<u>Chemical Identity</u>	<u>Reporting threshold for other users</u>	<u>Reporting threshold for manufacturing and processing</u>
Diethanolamine	10000 lbs	25000 lbs.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Sodium hydroxide (Na(OH))	Reportable quantity: 1000 lbs.
Hydrochloric acid	Reportable quantity: 5000 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): none

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Hydrochloric acid	15000 lbs
Hydrochloric acid	5000 lbs
Oxirane	10000 lbs

US State Regulations

US. California Proposition 65

WARNING: This product can expose you to chemicals including, Oxirane, which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm.
For more information go to www.P65Warnings.ca.gov.

US. New Jersey Worker and Community Right-to-Know Act

<u>Chemical Identity</u>
Diethanolamine



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

US. Massachusetts RTK - Substance List

Chemical Identity

Diethanolamine
Hydrochloric acid
1,4-Dioxane
Oxirane

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Diethanolamine

US. Rhode Island RTK

Chemical Identity

Diethanolamine

16. Other information, including date of preparation or last revision
--

Issue Date: 04/14/2020

Version #: 5.2

Revision Information:

Further Information: No data available.

Disclaimer: Disclaimer:
The information contained herein has been obtained from various sources and is believed to be correct as of the date issued. However, neither BD nor any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability for a particular use of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. BD provides SDS in electronic form so the information may be more easily accessed. Due to the possibility of errors during transmission, BD makes no representations as to the completeness or accuracy of the information.