
This SDS packet was issued with item:

078948990

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078948987 078948988 078948989

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

Date of last issue: 10.12.2019 Version **Revision Date:** SDS Number: 26.05.2020 00000053699 Date of first issue: 28.10.2019 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : NexGard® Combo, transdermal solution (finished product)

Cat Combo, spot-on solution for cats; PRAZIQUANTEL 8.3% / Synonyms

EPRINOMECTIN 0.4% / ESAFOXOLANER 1.2%

TRANSDERMAL SOLUTION

with active ingredient: Esafoxolaner, Praziquantel, Eprinomec-

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mix-

ture

: Pharmaceutical

Recommended restrictions

on use

Safety Data Sheet only for the professional user.

1.3 Details of the supplier of the safety data sheet

Boehringer Ing. Pharma GmbH & Co.KG Company

Binger Straße 173 55216 Ingelheim

Germany

Telephone +498007790900

sponsible for the SDS

E-mail address of person re- : EHS-Services@Boehringer-Ingelheim.com

1.4 Emergency telephone number

Int. Emergency Telephone number: +1 703-527-3887 Chemtrec 24-hours

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1 H318: Causes serious eye damage.

Reproductive toxicity, Category 2 H361fd: Suspected of damaging fertility. Suspected

of damaging the unborn child.

Effects on or via lactation H362: May cause harm to breast-fed children.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

Long-term (chronic) aquatic hazard , Category 1

H410: Very toxic to aquatic life with long lasting ef-

fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :







Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

H361fd Suspected of damaging fertility. Suspected of damag-

ing the unborn child.

H362 May cause harm to breast-fed children.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P263 Avoid contact during pregnancy and while nursing.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor. P391 Collect spillage.

Hazardous components which must be listed on the label:

Glycerol formal Eprinomectin

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

This drug is not subject to the labelling requirements under the Globally Harmonized System (GHS)

The pharmacological effect of the medicament has to be considered (see package leaflet).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : organic

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Glycerol formal	Not Assigned	Eye Irrit. 2; H319 Repr. 2; H361fd	>= 20 - < 30
Praziquantel	55268-74-1 259-559-6	Aquatic Chronic 3; H412	>= 2,5 - < 10
Eprinomectin	123997-26-2	Acute Tox. 3; H301 Repr. 2; H361 Lact.H362 STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1.000 M-Factor (Chronic aquatic toxicity): 1.000	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately (show the label where possible).

First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Remove from exposure, lie down.

Take off immediately all contaminated clothing.

Victim to lie down in the recovery position, cover and keep him

warm.

If inhaled : Move to fresh air.

In case of skin contact : Wash off immediately with plenty of water.

In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.

Keep eye wide open while rinsing.


If swallowed : Rinse mouth.

Drink plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye damage.

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

Suspected of damaging fertility. Suspected of damaging the

unborn child.

May cause harm to breast-fed children.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Observe the summary of product characteristics of proprietary

medicinal products

Symptomatic treatment (decontamination, vital functions).

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Water

Dry chemical

Foam

Carbon dioxide (CO2)

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

In case of fire and/or explosion do not breathe fumes.

Can be released in case of fire:

Carbon oxides

Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

complete suit protecting against chemicals

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear personal protective equipment.

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.


6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

Revision Date: Date of last issue: 10.12.2019 Version SDS Number: 26.05.2020 00000053699 Date of first issue: 28.10.2019 1.2

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Provide sufficient air exchange and/or exhaust in work rooms.

Advice on protection against

fire and explosion

No special protective measures against fire required. The

product is not flammable.

General industrial hygiene practice. Wash hands and face be-Hygiene measures

fore breaks and immediately after handling the product. Keep

working clothes separately.

7.2 Conditions for safe storage, including any incompatibilities

eas and containers

Requirements for storage ar- : No special storage conditions required.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Observe joint storage prohibition.

: 10, Combustible liquids not in Storage Class 3 Storage class (TRGS 510)

7.3 Specific end use(s)

Specific use(s) Consult the technical guidelines for the use of this sub-

stance/mixture.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Praziquantel	55268-74-1	OEL-8h	0,850 mg/m3	Sanofi OEL

Contains no substances with occupational exposure limit values.

Components	Basis	Category	Values	Remark
Eprinomectin 123997-26-2	BIEL	3A	10 μg/m3	
	BIPC	1b		

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

Version Revision Date: SDS Number: Date of last issue: 10.12.2019
1.2 26.05.2020 000000053699 Date of first issue: 28.10.2019

Abbreviations:

BIEL = Boehringer Ingelheim Exposure Limit (internal value)

BI-STEL = Boehringer Ingelheim Short-Term Exposure Limit (Excursion limit)

BIPC = Boehringer Ingelheim Pregnancy Category

BIPC 1b: No risk of harm to the unborn is to be expected, when the exposure does not exceed the BIEL value. There is evidence in animals and/or humans that this material has the potential to cause harm to the unborn at exposure levels exceeding the BIEL value.

Components	Basis	Category	Values	Remark
Esafoxolaner 1096103-99-9	BIEL	3A	80 μg/m3	
	BIPC	1b		

Abbreviations:

BIEL = Boehringer Ingelheim Exposure Limit (internal value)

BI-STEL = Boehringer Ingelheim Short-Term Exposure Limit (Excursion limit)

BIPC = Boehringer Ingelheim Pregnancy Category

BIPC 1b: No risk of harm to the unborn is to be expected, when the exposure does not exceed the BIEL value. There is evidence in animals and/or humans that this material has the potential to cause harm to the unborn at exposure levels exceeding the BIEL value.

8.2 Exposure controls

Engineering measures

Local exhaust

Emergency sprinkling nozzle

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber Glove thickness : 0,43 mm

Directive : Protective gloves against chemicals and micro-organisms


Protective index : Class 6

Remarks : The break through time depends amongst other things on the

material, the thickness and the type of glove and therefore

has to be measured for each case.

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

Skin and body protection : Laboratory: laboratory coat; Factory: disposable Overall.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Breathing apparatus needed only when aerosol or mist is

formed.

Respiratory protection

ABEK2

Protective measures : Handle in accordance with good industrial hygiene and safety

practice.

Avoid contact with skin, eyes and clothing.

Only use protective equipment in accordance with national/international regulations. Follow the national regulations about wearing personal protective equipment and the warranty

given by the manufacturer for the safe function.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/range : Not applicable

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower


flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

Relative density : No data available

Bulk density : Not applicable

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-oc-

tanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Explosive properties : Not tested

Oxidizing properties : No data available

9.2 Other information

Self-ignition : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.


10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No data available

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

Version 1.2

Revision Date: 26.05.2020

SDS Number: 000000053699

Date of last issue: 10.12.2019 Date of first issue: 28.10.2019

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Acute dermal toxicity : (Rabbit): Method: OECD Test Guideline 404

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Components:

Glycerol formal:

Acute oral toxicity : LD50 (Rat): > 3.000 mg/kg

LD50 (Mouse): 8.000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Assessment: Toxic effects cannot be excluded

Praziquantel:

Acute oral toxicity : LD50 (Rat): 2.249 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Assessment: Toxic effects cannot be excluded

Eprinomectin:


Acute oral toxicity : LD50 (Mouse): 70 mg/kg

LD50 (Rat): 55 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

Skin corrosion/irritation

Not classified based on available information.

Components:

Glycerol formal:

Remarks : May cause skin irritation.

Praziquantel:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Eprinomectin:

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species : Rabbit

Method : OECD Test Guideline 405
Result : Risk of serious damage to eyes.

GLP : yes

Components:

Glycerol formal:

Result : Irritating to eyes.

Praziquantel:

Remarks : No data available

Eprinomectin:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation


Not classified based on available information.

Components:

Glycerol formal:

Remarks : No data available

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

Version Revision Date: SDS Number: Date of last issue: 10.12.2019
1.2 26.05.2020 000000053699 Date of first issue: 28.10.2019

Praziquantel:

Test Type : modified Buehler test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Remarks : No data available

Eprinomectin:

Test Type : Mouse Local Lymph Node Assay (LLNA)

Species : Guinea pig

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

Glycerol formal:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Test Type: Micronucleus test

Result: negative

Praziquantel:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Eprinomectin:

Genotoxicity in vitro : Test Type: Ames test

Test system: S. typhimurium and E. coli

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: V79 cells (Chinese hamster)

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

Components:

Glycerol formal:

Remarks : No data available

Praziquantel:

Remarks : No data available

Carcinogenicity - Assess-

ment

Did not show carcinogenic effects in animal experiments.

Eprinomectin:

Remarks : The chemical structure does not suggest such an effect.

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

May cause harm to breast-fed children.

Components:

Glycerol formal:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

nent

Remarks: No data available

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

Some evidence of adverse effects on sexual function and fer-

tility, based on animal experiments.

Praziquantel:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

Reproductive toxicity - As-

sessment

Animal testing did not show any effects on fertility.

Eprinomectin:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment


Test Type: Two-generation study

Species: Rat

Application Route: Ingestion Dose: 0, 1, 2,5-3, 6 mg/kg /day

General Toxicity Maternal: NOEL: 1 mg/kg body weight

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

Developmental Toxicity: NOEL: 1 mg/kg body weight Remarks: Did not show teratogenic effects in animal experi-

ments

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Oral Dose: 0,5 to 8 mg/kg/day

General Toxicity Maternal: NOEL: 0,5 mg/kg body weight Embryo-foetal toxicity: NOAEL: 0,5 mg/kg body weight Remarks: Did not show teratogenic effects in animal experi-

ments

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.,

Effects on or via lactation

STOT - single exposure

Not classified based on available information.

Components:

Glycerol formal:

Remarks : No data available

Praziquantel:

Remarks : No data available

Eprinomectin:

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.

STOT - repeated exposure

Not classified based on available information.

Components:

Glycerol formal:

Remarks : No data available

Praziquantel:

Remarks : No data available

Eprinomectin:


Exposure routes : Ingestion

Target Organs : Central nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

Repeated dose toxicity

Components:

Eprinomectin:

Species : Rabbit
NOEL : 1,5 mg/kg
Application Route : Oral
Exposure time : 28-day

Dose : 1,5 - 25 mg/kg/day

Species : Rat
NOEL : 5 mg/kg
Application Route : Oral

Dose : 1 - 30 mg/kg/day

Species : Rat
NOEL : 10 mg/kg
Application Route : Oral
Exposure time : 28-day

Dose : 0,5 - 60 mg/kg/day

Aspiration toxicity

Not classified based on available information.

Components:

Glycerol formal:

No data available

Praziquantel:

No data available

Eprinomectin:

No data available

Further information

Components:

Praziquantel:

Remarks : May be harmful by inhalation, ingestion, skin absorption.

Eprinomectin:

Remarks : Neurotoxic effect.

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

SECTION 12: Ecological information

12.1 Toxicity

Components:

Glycerol formal:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

Toxicity to fish (Chronic tox-

icity)

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

(Chronic toxicity)

Remarks: No data available

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

Praziquantel:

Toxicity to fish : LC50 (Fish): 13,4 mg/l

Exposure time: 24 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 35 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

Toxicity to fish (Chronic tox-

icity)


Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

Remarks: No data available

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

Version **Revision Date:** SDS Number: Date of last issue: 10.12.2019 26.05.2020 00000053699 Date of first issue: 28.10.2019 1.2

Ecotoxicology Assessment

Acute aquatic toxicity Toxic effects cannot be excluded

Toxic effects cannot be excluded Chronic aquatic toxicity

Eprinomectin:

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,37 mg/l

Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 1,2 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,00045 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

The value is given in analogy to the following substances: Avermectin A1a, 4"-(acetylamino)-5-O-demethyl-4"-deoxy-,

(4"R)-

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (algae)): 3,4 mg/l

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

1.000

Toxicity to microorganisms

Remarks: No data available

Toxicity to fish (Chronic tox-

icity)

Remarks: No data available

Toxicity to daphnia and other : NOEC: 0,000028 mg/l

aquatic invertebrates

(Chronic toxicity)

End point: reproduction rate

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

1.000

Toxicity to soil dwelling or-

ganisms

NOEC: 19 mg/kg

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222

NOEC: 0,00034 mg/l Sediment toxicity

Species: Chironomus riparius (Midge larvae)


Method: OECD Test Guideline 218

12.2 Persistence and degradability

Components:

Glycerol formal:

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

Biodegradability : Result: Readily biodegradable.

Praziquantel:

Biodegradability : Result: Not readily biodegradable.

Eprinomectin:

Biodegradability : Inoculum: Soil

Result: Persistent substance with a half life of more than 60

days.

Method: OECD Test Guideline 307

Inoculum: Sediment

Result: Persistent substance with a half life of more than 60

days.

Method: OECD Test Guideline 308

12.3 Bioaccumulative potential

Components:

Glycerol formal:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log

P(o/w) < 1).

Partition coefficient: n-oc-

tanol/water

log Pow: -0,99

Praziquantel:

Bioaccumulation : Remarks: No appreciable bioaccumulation potential is to be

expected (log P(o/w) 1-3).

Partition coefficient: n-oc-

tanol/water

log Pow: 2,42

Eprinomectin:

Bioaccumulation : Remarks: An appreciable bioaccumulation potential is to be

expected (log P(o/w) > 3).

Species: Fish


Method: OECD Test Guideline 305 Remarks: Does not bioaccumulate.

Partition coefficient: n-oc-

tanol/water

Pow: 5,4

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

12.4 Mobility in soil

Components:

Praziquantel:

Distribution among environmental compartments

Remarks: No data available

Eprinomectin:

Distribution among environmental compartments Medium: Soil Koc: 1000 Kd: 15,7

Method: Adsorption/Desorption

Medium: Soil Koc: 9208 Kd: 133,5

Method: Adsorption/Desorption

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher..

Components:

Eprinomectin:

Assessment : Persistent and Toxic.

 This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very

persistent and very bioaccumulative (vPvB)..

12.6 Other adverse effects

Components:

Glycerol formal:

Additional ecological infor-

: No data available

mation

Praziquantel:


Additional ecological infor-

mation

: No data available

Eprinomectin:

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

Additional ecological infor-

mation

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

Contaminated packaging : Packs that cannot be cleaned should be disposed of in the

same manner as the contents.

Uncontaminated packaging can be recycled.

SECTION 14: Transport information

14.1 UN number

ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Eprinomectin)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Eprinomectin)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Eprinomectin)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Eprinomectin)

14.3 Transport hazard class(es)

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9


 IATA
 : 9

14.4 Packing group

ADR

Packing group : III
Classification Code : M6

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

Hazard Identification Number : 90 Labels : 9 Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes


14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

REACH - List of substances subject to authorisation (An: :

nex XIV)

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

Eprinomectin

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

E1 ENVIRONMENTAL

HAZARDS

Water contaminating class

(Germany)

WGK 3 highly hazardous to water

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : Total dust:

Not applicable

Inorganic substances in powdered form:

Not applicable

Inorganic substances in vapour or gaseous form:

Not applicable Organic Substances:

portion Class 1: 0,08 %


Carcinogenic substances:

Not applicable Mutagenic: Not applicable

Toxic to reproduction:

Not applicable

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

The components of this product are reported in the following inventories:

REACH : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Esafoxolaner Eprinomectin Praziquantel

1,4:3,6-dianhydro-2,5-di-O-methyl-D-glucitol

Glycerol formal

AICS : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory

TSCA : Substance(s) not listed on TSCA inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information


Full text of H-Statements

H301 : Toxic if swallowed.

H319 : Causes serious eye irritation.

H361 : Suspected of damaging fertility or the unborn child.

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

Version Revision Date: SDS Number: Date of last issue: 10.12.2019
1.2 26.05.2020 000000053699 Date of first issue: 28.10.2019

H361fd : Suspected of damaging fertility. Suspected of damaging the

unborn child.

H362 : May cause harm to breast-fed children.

H372 : Causes damage to organs through prolonged or repeated ex-

posure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

Lact. : Effects on or via lactation Repr. : Reproductive toxicity


STOT RE : Specific target organ toxicity - repeated exposure

Sanofi OEL : Sanofi

Sanofi OEL / OEL-8h : Occupational exposure limit value (8h)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB -Very Persistent and Very Bioaccumulative

according to Regulation (EC) No. 1907/2006



NexGard® Combo, transdermal solution (finished product)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.12.2019

 1.2
 26.05.2020
 000000053699
 Date of first issue: 28.10.2019

Further information

Training advice : Provide adequate information, instruction and training for op-

erators.

Other information : Vertical lines in the left hand margin indicate an amendment

from the previous version.

Sources of key data used to

Classification of the mixture:

compile the Safety Data Sheet The specifications are based on own tests and/or literature

data.

Classification procedure:

Eye Dam. 1 H318 Based on product data or assess-

ment

Repr. 2 H361fd Calculation method
Lact. H362 Calculation method
Aquatic Acute 1 H400 Calculation method
Aquatic Chronic 1 H410 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN