

SAFETY DATA SHEETS

This SDS packet was issued with item:

078943049

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078359776 078359784 078359966 078431483 078490180 078595778 078595786 078600847 078684385 078692475

078714526 078908137 078914913 078943312 078946470 078946472

Safety Data Sheet

Revision Date: 11/30/2020

SEC. 1. PRODUCT & COMPANY IDENTIFICATION

Product Name: Verruca-Freeze®

Product Use: Cryosurgical Treatment

Synonyms: Mixture of Tetrafluoroethane, Pentafluoroethane, Trifluoroethane

Manufacturer: CryoSurgery, Inc.

5829 Old Harding Pike, Nashville, TN 37205

Emergency Contact: INFOTRAC

1-800-535-5053 (US & Canada)

1-352-323-3500 (International)

SEC. 2. HAZARDS IDENTIFICATION

GHS Classification: Non-Flammable Aerosol

Signal Word: Danger

Hazard Statement: H229: Pressurized Container

Pictogram:



Precautionary Statements:

P251: Do not pierce or burn, even after use
P410 + P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C / 120°F

Potential Health Effects

Skin: Contact with liquid or refrigerated gas can cause frostbite. May also cause skin irritation, discomfort, itching, redness, or swelling.

Eyes: Contact with liquid or refrigerated gas can cause cold burns and frostbite. May also cause eye irritation, tearing, redness, or discomfort.

Inhalation: Symptoms potentially related to misuse or intentional inhalation abuse of components in large quantities include: anaesthetic effects, light-headedness, dizziness, confusion, incoordination, drowsiness, unconsciousness, irregular heartbeat with a strange sensation in the chest, heart thumping, apprehension, feeling of fainting, dizziness or weakness.

This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

Carcinogenicity: None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

SEC. 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number
1,1,1-Trifluoroethane	420-46-2
Pentafluoroethane	354-33-6
1,1,1,2-Tetrafluoroethane	811-97-2

SEC. 4. FIRST AID MEASURES

Skin Contact: Flush area with lukewarm water. If frostbite has occurred, call a physician.

Eye Contact: Immediately flush eyes with water for at least 15 minutes. Call a physician.

Inhalation: Remove from exposure, lie down. Artificial respiration and/or oxygen may be necessary. Call a physician.

SEC. 5. FIREFIGHTING MEASURES

Flammable Properties

Flash Point: Does not flash

Lower Explosion Limit:

Method: None per ASTM E681

Upper Explosion Limit:

Method: None per ASTM E681

Fire and Explosion Hazard: Cylinders are equipped with pressure and temperature relief devices, but may still rupture under fire conditions. Decomposition may occur. This substance is not flammable in air at temperatures up to 100°C (212°F) at atmospheric pressure. However, mixtures of this substance with high concentrations of air at elevated pressure and/or temperature can become combustible in the presence of an ignition source.

Suitable Extinguishing Media: Extinguishant for other burning material in area is sufficient.

Firefighting Instructions: Use water spray or fog to protect the firefighters.

SEC. 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review **FIRE FIGHTING MEASURES** and **HANDLING (PERSONNEL)** sections before proceeding with cleanup. Use appropriate personal protective equipment during cleanup.

Safeguards (Personnel): Ventilate area, especially low or enclosed places where heavy vapors might collect.

Accidental Release Measures: Avoid open flames and high temperatures.

SEC. 7. HANDLING AND STORAGE

Handling (Personnel): This product is considered safe under normal and anticipated handling conditions of temperatures and pressure. Avoid breathing vapors and contact with eyes. For personal protection, see section 8. Handle in accordance with good industrial hygiene and safety practice.

Storage: Store canister away from sunlight in a cool, dry, well-ventilated location. Do not expose to direct sunlight or temperatures above 50°C (122°F) or store near heat or open flame.

SEC. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Local exhaust should be used when large amounts are released. Mechanical ventilation should be used in low or enclosed places.

Personal Protective Equipment

Respiratory Protection: Under normal manufacturing conditions, no respiratory protection is required when using this product.

Hand Protection: Impervious gloves may be worn to protect hands from possible splashing.

Eye Protection: Wear safety glasses with side shields. Additionally, wear a face shield where the possibility exists for face contact due to splashing, spraying or airborne contact with this material.

Protective Measures: Self-contained breathing apparatus (SCBA) for large release.

Exposure Guidelines

Exposure Limit Values:

1,1,1-Trifluoroethane AEL*
1,000 ppm 8 & 12 hr. TWA
Pentafluoroethane AEL*
1,000 ppm 8 & 12 hr. TWA
1,1,1,2-Tetrafluoroethane AEL*
1,000 ppm 8 & 12 hr. TWA

AEL is CryoSurgery's **Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.*

SEC. 9. PHYSICAL & CHEMICAL PROPERTIES

Form: Liquefied gas
Color: Colorless
Odor: Slight, ether-like
Melting Point: Not available for this mixture
Boiling Point: -46.2°C (-51.2°F)
% Volatile: 100%
Vapor Pressure: 12,546 hPa at 25°C (77°F)
Specific Gravity: 1.05 at 25°C (77°F)
Water Solubility: Not determined
Vapor Density: 3.4 at 25°C (77°F) and 1013 hPa (Air = 1.0)
Evaporation Rate: > 1 (CCL4 = 1.0)

SEC. 10. STABILITY & REACTIVITY

Stability: Stable at normal temperatures and storage conditions.
Conditions to Avoid: Avoid open flames and high temperatures.
Incompatibility: Alkali metals, alkaline earth metals, powdered metals, powdered metal salts
Hazardous Decomposition Products:
Decomposition products are hazardous. This material can be decomposed by high temperatures (open flames, glowing metal surfaces, etc.) forming hydrofluoric acid and possibly carbonyl fluoride. These materials are toxic and irritating. Avoid contact with decomposition products.
Hazardous Reactions: Polymerization will not occur.

SEC. 11. TOXICOLOGICAL INFORMATION

NOTE: This product is considered safe under normal conditions. Toxicological information is based on exposure in large quantities.
Dermal: Not applicable
Oral: No data available
Inhalation 4 h LC50: > 500000 ppm; rat; test substance 1,1,1,2-tetrafluoroethane
Skin Irritation: Not expected to cause skin irritation based on expert review of the properties of the substance.
Eye Irritation: Not expected to cause eye irritation based on expert review of the properties of the substance.
Respiratory or Skin Sensitization: Not expected to cause sensitization based on expert review of the properties of the substance. There are no reports of human respiratory sensitization.
Repeated Dose Toxicity: Inhalation, rat; no toxicologically significant effects were found.
Carcinogenicity: Animal testing did not show any carcinogenic effects.
Mutagenicity: Not mutagenic in AMES Test
Cardiac Sensitisation Threshold Limit: dog; 1,1,1-trifluoroethane >250000 ppm; pentafluoroethane 75000 ppm; 1,1,1,2-tetrafluoroethane 80000 ppm
Other Information: Avoid skin contact with leaking liquid (danger of frostbite).

SEC. 12. ECOLOGICAL INFORMATION

Aquatic Toxicity: No data available
Biodegradability: Not readily biodegradable

SEC. 13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of contents/ container in accordance with Federal, State/ Provincial, and Local Regulations. Never puncture or incinerate containers.

SEC. 14. TRANSPORT INFORMATION
DOT

UN Number: 3163
Proper Shipping Name: Liquefied Gas, N.O.S. > Non-Flammable
Class: 2.2
Labeling Number: 2.2
Special Permit: 12187, 12783

IATA_C

UN Number: 3163
Proper Shipping Name: Liquefied Gas, N.O.S. > Non-Flammable
Class: 2.2
Labeling Number: 2.2
IMDG
UN Number: 3163
Proper Shipping Name: Liquefied Gas, N.O.S. > Non-Flammable
Class: 2.2
Labeling Number: 2.2

SEC. 15. REGULATORY INFORMATION

SARA 313 Regulated Chemical(s): This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65: Chemicals known to the State of California to cause cancer, birth defects or any other harm: none known

SEC. 16. OTHER INFORMATION

Revision Date: 11/30/2020
The information provided in this Safety Data Sheet is correct to the best of our knowledge. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.
This Safety Data Sheet document has been formatted for inclusion in all Verruca-Freeze® Kits and Replacement Canisters.