

SAFETY DATA SHEETS

This SDS packet was issued with item:

078937235

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078937236

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.20.2015

Page 1 of 13

Revision date: 03.25.2021

Vetameg® (Flunixin Meglumine) Injectable Solution

SECTION 1: Identification

Product identifier

Product name: Vetameg® (Flunixin Meglumine) Injectable Solution

Product code: 21291631, 21291632

Recommended use of the product and restriction on use

Relevant identified uses: Veterinary Anti-inflammatory and antipyretic.

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Supplier:

United States

Aspen Veterinary Resources Ltd
3155 W. Heartland Drive
Liberty, MO 64068
1-800-792-1238

Emergency telephone number:

United States

CHEMTREC

Within USA and Canada: 1-800-424-9300 (24 hours)

Outside USA and Canada: +1-703-527-3887 (24 hours)

SECTION 2: Hazard(s) identification

GHS classification:

Skin irritation, category 2

Eye irritation, category 2A

Reproductive toxicity, category 2

Acute toxicity (inhalation), category 3

Acute toxicity (oral), category 4

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H315 Causes skin irritation

H319 Causes serious eye irritation

H361 Suspected of damaging fertility or the unborn child

H331 Toxic if inhaled

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.20.2015

Page 2 of 13

Revision date: 03.25.2021

Vetameg® (Flunixin Meglumine) Injectable Solution

H302 Harmful if swallowed

Precautionary statements:

P264 Wash hands thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P271 Use only outdoors or in a well-ventilated area

P270 Do not eat, drink or smoke when using this product

P302+P352 IF ON SKIN: Wash with plenty of water/soap

P362 Take off contaminated clothing and wash it before reuse

P321 Specific treatment (see supplemental first aid instructions on this label)

P332+P313 If skin irritation occurs: Get medical advice/attention

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice/attention

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P311 Call a POISON CENTER/doctor/...

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P330 Rinse mouth

P308+P313 IF exposed or concerned: Get medical advice/attention

P405 Store locked up

P403+P233 Store in a well-ventilated place. Keep container tightly closed

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified: None

Supplemental label elements:

1 percent of the mixture consists of ingredient(s) of unknown acute oral toxicity

22 percent of the mixture consists of ingredient(s) of unknown acute inhalation toxicity

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 57-55-6	Propane-1,2-diol	20.72
CAS number: 42461-84-7	1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	8.3
CAS number: 7647-01-0	Hydrogen chloride	<1
CAS number: 108-95-2	Phenol	0.5
CAS number: 111-42-2	2,2'-iminodiethanol	0.4
CAS number: 149-44-0	Sodium hydroxymethanesulphinate	0.22

Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.20.2015

Page 3 of 13

Revision date: 03.25.2021

Vetameg® (Flunixin Meglumine) Injectable Solution

§1910.1200).

SECTION 4: First aid measures

Description of first aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance. This product is toxic by one or more routes of exposure (inhalation, ingestion, skin contact). Take precautions to ensure your own safety before attempting rescue. Wear appropriate safety eyewear, gloves, protective clothing and respiratory protection to prevent exposure. See Section 8 of this SDS for personal protective equipment recommendations. Do not use the mouth to mouth method if victim has ingested or inhaled the product. Give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper device.

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After eye contact:

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

Acute inhalation exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

Acute oral exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

Long term exposure may affect fertility. Symptoms include, but are not limited to: menstrual problems, altered sexual behavior/fertility/ and pregnancy outcome. Long term exposure may also affect development of the unborn child. Symptoms include, but are not limited to: intrauterine growth retardation, pre-term birth, birth defects and postnatal death.

Symptoms of exposure may be delayed.

Immediate medical attention and special treatment

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.20.2015

Page 4 of 13

Revision date: 03.25.2021

Vetameg® (Flunixin Meglumine) Injectable Solution

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable extinguishing media:

Do not use water jet.

Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel and prevent entry. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing with proper techniques in order to prevent contact with skin or eyes. Place contaminated clothing in a sealed container for future disposal.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and material for containment and cleaning up:

Toxic if inhaled and harmful if swallowed. Put on appropriate personal protective equipment, including a self-contained breathing apparatus (see Section 8) before entering area of spill or leak. Avoid breathing dust, mist, fumes, vapors or spray. Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage

Precautions for safe handling:

Toxic if inhaled. Do not handle material unless wearing appropriate personal protective equipment, including respiratory protection (see Section 8). Use only with adequate ventilation. Do not breathe mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.20.2015

Page 5 of 13

Revision date: 03.25.2021

Vetameg® (Flunixin Meglumine) Injectable Solution

substances. Open container slowly to prevent dispersal of material into the air. Prevent contact with skin, eyes and clothing. Handle with caution. Do not handle broken or punctured containers. Immediately report spills, leaks or problems with hazard control measures. Wash thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight and away from exit paths. Inspect containers and storage area regularly for signs of leak and damage. Store containers at a convenient height for handling, below eye level if possible. High shelving increases the risk of dropping containers, personal injury and exposure. Ensure that appropriate fire fighting and spill-clean up equipment is readily available. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Store separately. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
WEEL	Propane-1,2-diol	57-55-6	8-Hour TWA: 10 mg/m ³
ACGIH	Hydrogen chloride	7647-01-0	Ceiling Limit: 2 ppm
	Phenol	108-95-2	TWA: 5 ppm (TWA [skin])
	2,2'-iminodiethanol	111-42-2	8-Hour TWA: 1 mg/m ³
OSHA	Hydrogen chloride	7647-01-0	Ceiling Limit: 5 ppm
	Hydrogen chloride	7647-01-0	Ceiling Limit: 7 mg/m ³
	Phenol	108-95-2	PEL: 5 ppm (TWA)
	Phenol	108-95-2	PEL: 19 mg/m ³ ([skin])
	2,2'-iminodiethanol	111-42-2	TWA: 15 mg/m ³ (3 ppm)
NIOSH	Hydrogen chloride	7647-01-0	Ceiling Limit: 5 ppm
	Hydrogen chloride	7647-01-0	Ceiling Limit: 7 mg/m ³
	Hydrogen chloride	7647-01-0	IDLH: 50 ppm
	Phenol	108-95-2	REL: 19 mg/m ³ (TWA skin)
	Phenol	108-95-2	REL: 15 ppm (C TWA [15-minute] [skin])
	Phenol	108-95-2	REL: 60 mg/m ³ (C [15-minute] [skin])
	Phenol	108-95-2	REL: 5 ppm (TWA [skin])
	2,2'-iminodiethanol	111-42-2	REL: 15 mg/m ³ (3 ppm [for up to a 10-hour workday during a 40-hour workweek])
United States(California)	2,2'-iminodiethanol	111-42-2	PEL: 2 mg/m ³ (0.46 ppm)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.20.2015

Page 6 of 13

Revision date: 03.25.2021

Vetameg® (Flunixin Meglumine) Injectable Solution

Toxic if inhaled. Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal protection equipment

Eye and face protection:

Use safety glasses with side shields or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear, straw to yellow colored liquid
Odor	Not determined or not available.
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.20.2015

Page 7 of 13

Revision date: 03.25.2021

Vetameg® (Flunixin Meglumine) Injectable Solution

Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical stability:

Stable under recommended handling and storage conditions.

Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to avoid:

Avoid confined spaces, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible materials:

Strong acids, strong bases, strong oxidizers.

Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity

Assessment:

Toxic if inhaled.

Harmful if swallowed.

Product data: No data available.

Substance data:

Name	Route	Result
Propane-1,2-diol	oral	LD50 Rat: 21000 - 33700 mg/kg
	dermal	LD50 Rabbit: >2000 mg/kg
	inhalation	LC50 Rat: >317 mg/L (2 hr)
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	Oral ATE	LD50 Rat: 100 mg/kg
	Inhalation ATE	LC50 Rat: 0.05 mg/L
Hydrogen chloride	inhalation	LC50 Rat: 4701 ppmV (30 mins.)
	dermal	LD50 Rabbit: >5000 mg/m ³
Phenol	oral	LD50 Mouse: 270 mg/kg
	dermal	LD50 Rabbit: 630 mg/kg
	inhalation	LC50 Rat: 0.316 mg/L
2,2'-iminodiethanol	oral	LD50 Rat: 710 mg/kg
	dermal	LD50 Rabbit: 8100 - 12200 mg/kg

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.20.2015

Page 8 of 13

Revision date: 03.25.2021

Vetameg® (Flunixin Meglumine) Injectable Solution

Name	Route	Result
Sodium hydroxymethanesulphinate	oral	LD50 Rat: > 2000 mg/kg

Skin corrosion/irritation

Assessment:

Causes skin irritation.

Product data:

No data available.

Substance data:

Name	Result
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	Causes skin irritation.
Hydrogen chloride	Causes severe skin burns.
Phenol	Causes severe skin burns.
2,2'-iminodiethanol	Causes skin irritation.

Serious eye damage/irritation

Assessment:

Causes serious eye irritation.

Product data:

No data available.

Substance data:

Name	Result
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	Causes serious eye irritation.
Hydrogen chloride	Causes serious eye damage.
Phenol	Causes serious eye damage.
2,2'-iminodiethanol	Causes serious eye damage.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Hydrogen chloride	Group 3
Phenol	Group 3

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.20.2015

Page 9 of 13

Revision date: 03.25.2021

Vetameg® (Flunixin Meglumine) Injectable Solution

Name	Classification
2,2'-iminodiethanol	Group 2B

National Toxicology Program (NTP): None of the ingredients are listed.

OSHA Carcinogens: Not applicable

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
Phenol	Suspected of causing genetic defects.
Sodium hydroxymethanesulphinate	Suspected of causing genetic defects.

Reproductive toxicity

Assessment:

Suspected of damaging fertility or the unborn child.

Product data:

No data available.

Substance data:

Name	Result
Sodium hydroxymethanesulphinate	Suspected of damaging fertility or the unborn child.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	May cause respiratory irritation.
Hydrogen chloride	May cause respiratory irritation.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
Phenol	May cause damage to organs through prolonged or repeated exposure.
2,2'-iminodiethanol	May cause damage to liver, blood and kidney through prolonged or repeated oral exposure.

Aspiration toxicity

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.20.2015

Page 10 of 13

Revision date: 03.25.2021

Vetameg® (Flunixin Meglumine) Injectable Solution

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

Skin contact, eye contact, inhalation and ingestion.

Symptoms related to the physical, chemical and toxicological characteristics:

See section 4 of this SDS.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Propane-1,2-diol	EC50 Daphnia magna: 43500 mg/L (48 hr)
	LC50 Oncorhynchus mykiss: 40613 mg/L (96 hr)
Phenol	LC50 Bluegill Sunfish: > 67.5 mg/L (96H)
	LC50 Daphnia magna: > 54500 mg/L (48 H)
	EC50 Green Algae: 229 mg/L (72H)
	EC50 Green Algae: > 370 mg/L (96H)

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Propane-1,2-diol	EC50 Selenastrum capricornutum: 18100 mg/L (14 days)

Persistence and degradability

Product data: No data available.

Substance data:

Name	Result
Propane-1,2-diol	Readily biodegradable (80% degradation in 28 days).
2,2'-iminodiethanol	The substance is readily biodegradable (93% degradation in 28 days).

Bioaccumulative potential

Product data: No data available.

Substance data:

Name	Result
Propane-1,2-diol	Low potential for bioaccumulation (BCF: 0.09).
2,2'-iminodiethanol	The substance is not expected to bioaccumulate (Log kow: -2.46).

Mobility in soil

Product data: No data available.

Substance data: No data available.

Results of PBT and vPvB assessment

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.20.2015

Page 11 of 13

Revision date: 03.25.2021

Vetameg® (Flunixin Meglumine) Injectable Solution

Product data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance data:

PBT assessment:

Propane-1,2-diol	The substance is not PBT.
Hydrogen chloride	The substance is not PBT.
2,2'-iminodiethanol	The substance is not PBT.

vPvB assessment:

Propane-1,2-diol	The substance is not vPvB.
Hydrogen chloride	The substance is not vPvB.
2,2'-iminodiethanol	The substance is not vPvB.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:


It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Contaminated packages:


Not determined or not applicable.

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	1851
UN proper shipping name	Medicine, liquid, toxic, n.o.s. (1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate)
UN transport hazard class(es)	6.1 
Packing group	III
Environmental hazards	None
Special precautions for user	None
Passenger air/rail	60 L
Cargo aircraft only	220 L
Stowage category	C. Clear of living quarters.

International Maritime Dangerous Goods (IMDG)

UN number	1851
UN proper shipping name	Medicine, liquid, toxic, n.o.s. (1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate)
UN transport hazard class(es)	6.1 
Packing group	III
Environmental hazards	None

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.20.2015


Page 12 of 13

Revision date: 03.25.2021

Vetameg® (Flunixin Meglumine) Injectable Solution

Special precautions for user	None
EMS number	F-A, S-A
Stowage category	C. Clear of living quarters.
Excepted quantities	E1
Limited quantity	5L

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	1851
UN proper shipping name	Medicine, liquid, toxic, n.o.s. (1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate)
UN transport hazard class(es)	6.1 
Packing group	III
Environmental hazards	None
Special precautions for user	None
ERG code	6L
Excepted quantities	E1
Passenger and cargo	60 L
Cargo aircraft only	220 L
Limited quantity	2 L

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 extremely hazardous substances:

7647-01-0	Hydrogen chloride	Listed
108-95-2	Phenol	Listed

SARA Section 313 toxic chemicals:

7647-01-0	Hydrogen chloride	Listed
108-95-2	Phenol	Listed
111-42-2	2,2'-iminodiethanol	Listed

CERCLA:

7647-01-0	Hydrogen chloride	Listed	5,000
108-95-2	Phenol	Listed	1000
111-42-2	2,2'-iminodiethanol	Listed	100 lbs

RCRA:

108-95-2	Phenol	Listed	U188
----------	--------	--------	------

Section 112(r) of the Clean Air Act (CAA):

7647-01-0	Hydrogen chloride	Listed
-----------	-------------------	--------

Massachusetts Right to Know:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.20.2015

Page 13 of 13

Revision date: 03.25.2021

Vetameg® (Flunixin Meglumine) Injectable Solution

7647-01-0	Hydrogen chloride	Listed
108-95-2	Phenol	Listed
111-42-2	2,2'-iminodiethanol	Listed

New Jersey Right to Know:

57-55-6	Propane-1,2-diol	Listed
7647-01-0	Hydrogen chloride	Listed
108-95-2	Phenol	Listed
111-42-2	2,2'-iminodiethanol	Listed


New York Right to Know:

7647-01-0	Hydrogen chloride	Listed
108-95-2	Phenol	Listed
111-42-2	2,2'-iminodiethanol	Listed

Pennsylvania Right to Know:

57-55-6	Propane-1,2-diol	Listed
7647-01-0	Hydrogen chloride	Listed
108-95-2	Phenol	Listed
111-42-2	2,2'-iminodiethanol	Listed

California Proposition 65:

 **WARNING:** This product can expose you to 2,2'-iminodiethanol; which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 2-0-0

HMIS: 2*-0-0

Initial preparation date: 11.20.2015

Revision date: 03.25.2021

Revision Notes:

Revision Date	Notes
2021-03-25	Revision 2.

End of Safety Data Sheet