This SDS packet was issued with item:

078936225

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078936209





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/10/2020

 1.1
 05/28/2021
 000000049546
 Date of first issue: 06/10/2020

SECTION 1. IDENTIFICATION

Product name : Ivomec® Pour On

Synonyms : Ivomec® Pour-On, Ivomec® Pour-On for cattle, Ivomec®

Pour-On Lösung zum Auftragen auf die Haut für Tiere, Ivomec® Pour-On 5 MG/ML VET. LIUOS, Ivomec® Pour-On bovin, solution cutanée pour depot, Ivomec® Pour-On cattle, Ivomec® Pour-On for cattle, Ivomec® Pour-On for cattle and deer, Ivomec® Pour-On sol. ad us. Vet, Ivomec® Pour-On voor rundvee, molemec pour-on solution, Molemec Pour on

with API: Ivermectin

Manufacturer or supplier's details

Company name of supplier : Boehringer Ing. Pharmaceuticals, Inc

Address : Ridgebury Road 900

Ridgefield CT 06877-0368

USA

Telephone : (203) 778-7759

Prepared by : EHS-Services@Boehringer-Ingelheim.com

Emergency telephone num- : Int. Emergency Telephone number: +1 703-527-3887

er Chemtrec 24-hours

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Safety Data Sheet only for the professional user.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 2

Eye irritation : Category 2A

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Effects on or via lactation

Specific target organ toxicity : Category

- single exposure

Category 3 (Central nervous system)

GHS label elements

Hazard pictograms :











 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/10/2020

 1.1
 05/28/2021
 000000049546
 Date of first issue: 06/10/2020

Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H362 May cause harm to breast-fed children.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting equip-

ment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P263 Avoid contact during pregnancy/ while nursing.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/10/2020

 1.1
 05/28/2021
 000000049546
 Date of first issue: 06/10/2020

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

This drug is not subject to the labelling requirements under the Globally Harmonized System (GHS)

The pharmacological effect of the medicament has to be considered (see package leaflet).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Isopropyl alcohol, IPA	67-63-0	>= 50 - < 70
Ivermectin	70288-86-7	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately (show the label where possible).

First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Remove from exposure, lie down.

Take off immediately all contaminated clothing.

Victim to lie down in the recovery position, cover and keep him

warm.

If inhaled : Move to fresh air.

In case of skin contact : Wash off immediately with plenty of water.

In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.

Keep eye wide open while rinsing.

If swallowed : Rinse mouth.

Drink plenty of water.

Most important symptoms and effects, both acute and

delayed

Causes serious eye irritation.

May cause drowsiness or dizziness. May cause an allergic skin reaction.

Causes serious eye irritation. May cause drowsiness or dizziness.

Suspected of damaging fertility or the unborn child.

May cause harm to breast-fed children.

Notes to physician : Observe the summary of product characteristics of proprietary

medicinal products

Symptomatic treatment (decontamination, vital functions).

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Water mist Dry chemical





Revision Date: SDS Number: Date of last issue: 06/10/2020 Version 000000049546 Date of first issue: 06/10/2020 1.1 05/28/2021

Foam

Carbon dioxide (CO2) High volume water jet

Unsuitable extinguishing

media

Specific hazards during fire-

fighting

In case of fire and/or explosion do not breathe fumes.

Can be released in case of fire:

Carbon oxides

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Complete suit protecting against chemicals

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Wear personal protective equipment.

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

Environmental precautions Do not flush into surface water or sanitary sewer system.

Methods and materials for

containment and cleaning up

Pick up and transfer to properly labelled containers.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Keep away from heat and sources of ignition.

Advice on safe handling

Conditions for safe storage

Provide sufficient air exchange and/or exhaust in work rooms.

Protect from heat and direct sunlight.

Materials to avoid

Keep away from food, drink and animal feedingstuffs.

Observe joint storage prohibition.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	Basis	Category	Values	Remark
Ivermectin 70288-86-7	BIEL	3A	10 μg/m3	
	BIPC	3		

Abbreviations:

BIEL = Boehringer Ingelheim Exposure Limit (internal value)

BI-STEL = Boehringer Ingelheim Short-Term Exposure Limit (Excursion limit)

BIPC = Boehringer Ingelheim Pregnancy Category

BIPC 3: There is evidence in animals and/or humans or the mechanism of actions indicates that the compound has the potential to cause harm to the unborn. Harm to the unborn can occur even if exposure does not exceed the BIEL value.

Engineering measures Local exhaust

Emergency sprinkling nozzle





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/10/2020

 1.1
 05/28/2021
 000000049546
 Date of first issue: 06/10/2020

Personal protective equipment

Respiratory protection

Hand protection

Use NIOSH approved respiratory protection.

Material : Nitrile rubber Glove thickness : 0.43 mm

Directive : Protective gloves against chemicals and micro-organisms

Protective index : Class 6

Remarks : The break through time depends amongst other things on the

material, the thickness and the type of glove and therefore

has to be measured for each case.

Eye protection : Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Safety glasses with side-shields

Skin and body protection

Protective measures

Protective work clothing

Handle in accordance with good industrial hygiene and safety

practice.

Avoid contact with skin, eyes and clothing.

Only use protective equipment in accordance with national/international regulations. Follow the national regulations about wearing personal protective equipment and the warran-

ty given by the manufacturer for the safe function.

Hygiene measures : General industrial hygiene practice.

Wash hands and face before breaks and immediately after

handling the product.

Keep working clothes separately.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : blue

Odour : alcohol-like

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : 180 °F / 82 °C

(related to the solvent(s))

Flash point : $57 \,^{\circ}\text{F} / 14 \,^{\circ}\text{C}$

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Self-ignition : No data available

Upper explosion limit / Upper : 12 %(V)



Ivomec® Pour On

Version Revision Date: SDS Number: Date of last issue: 06/10/2020 05/28/2021 000000049546 Date of first issue: 06/10/2020 1.1

flammability limit (related to the solvent(s))

Lower explosion limit / Lower : 2 %(V)

flammability limit (related to the solvent(s))

Vapour pressure : 43 hPa (68 °F / 20 °C)

Relative vapour density No data available

Relative density No data available

Bulk density Not applicable

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature No data available

Decomposition temperature No decomposition if used as directed.

Explosive properties Not classified due to lack of data.

Oxidizing properties No data available

SECTION 10. STABILITY AND REACTIVITY

No dangerous reaction known under conditions of normal use. Reactivity

Chemical stability No decomposition if stored and applied as directed.

Possibility of hazardous reac- : No data available

tions

Conditions to avoid : No data available : No data available Incompatible materials : No data available Hazardous decomposition

products

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute toxicity estimate: > 5,000 mg/kg Acute oral toxicity

Method: Calculation method

Acute toxicity estimate: 3,173 mg/kg Acute dermal toxicity

Method: Calculation method

Components:

Isopropyl alcohol, IPA:

Acute oral toxicity : LD50 (Rat): 5,840 mg/kg



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/10/2020

 1.1
 05/28/2021
 000000049546
 Date of first issue: 06/10/2020

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 10,000 mg/l

Exposure time: 6 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Ivermectin:

Acute oral toxicity : LD50 (Rat, male): = 42.8 mg/kg

LD50 (Rat, female): = 44.3 mg/kg

LD50 (Mouse, male): = 11.6 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5.11 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit, male and female): = 406 mg/kg

Skin corrosion/irritation

Components:

Isopropyl alcohol, IPA:

Result : No skin irritation

Ivermectin:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Isopropyl alcohol, IPA:

Species : Rabbit Result : irritating

Method : OECD Test Guideline 405

Ivermectin:

Species : Rabbit

Result : Slightly irritating.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/10/2020

 1.1
 05/28/2021
 000000049546
 Date of first issue: 06/10/2020

Components:

Isopropyl alcohol, IPA:

Assessment : Does not cause skin sensitisation.

Ivermectin:

Test Type : Buehler test Species : Guinea pig

Result : May cause sensitisation by skin contact.

Test Type : Mouse Local Lymph Node Assay (LLNA)

Species : Mouse

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Components:

Isopropyl alcohol, IPA:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Remarks: No mutagenic effects reported.

Ivermectin:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Concentration: 2000 µg/plate

Result: negative

Test Type: Mouse lymphoma assay

Concentration: 1000 µg/ml

Result: negative

Test Type: Unscheduled DNA synthesis

Test system: fibroblast cell line Concentration: 1000 µg/ml

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Rat

Application Route: Oral Dose: 20 mg/kg/day Result: negative

Carcinogenicity

Components:

Isopropyl alcohol, IPA:

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/10/2020

 1.1
 05/28/2021
 000000049546
 Date of first issue: 06/10/2020

Ivermectin:

Species : Mouse Exposure time : 2 Years Dose : 10 mg/kg/day

Remarks : Did not show carcinogenic effects in animal experiments.

Species : Rat, male
Application Route : Oral
Exposure time : 2 Years
Dose : 9 mg/kg/day

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.

Species : Rat, female
Application Route : Oral
Exposure time : 2 Years
Dose : 9 mg/kg/day

Remarks : Did not show carcinogenic effects in animal experiments.

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

May cause harm to breast-fed children.

Components:

Isopropyl alcohol, IPA:

Effects on fertility : Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Effects on foetal develop-

ment

Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Ivermectin:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Oral Dose: 0.1, 1, 9 mg/kg/day

General Toxicity - Parent: NOEL: 1 mg/kg body weight

Fertility: NOEL: 1 mg/kg body weight

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Oral

Dose: 0.1; 0.2; 0.4; 0.8 mg/kg/day

General Toxicity Maternal: NOEL: 0.1 mg/kg body weight





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/10/2020

 1.1
 05/28/2021
 000000049546
 Date of first issue: 06/10/2020

Embryo-foetal toxicity: NOEL: 0.2 mg/kg body weight

Result: Teratogenic effects

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral Dose: 1.5; 4; 12 mg/kg/day

General Toxicity Maternal: NOAEL: 4 mg/kg body weight Embryo-foetal toxicity: NOAEL: 4 mg/kg body weight

Result: Teratogenic effects

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Oral Dose: 1.5; 3; 6 mg/kg/day

General Toxicity Maternal: NOEL: 3 mg/kg body weight Embryo-foetal toxicity: NOEL: 1.5 mg/kg body weight

Result: Teratogenic effects

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

Effects on or via lactation

STOT - single exposure

May cause drowsiness or dizziness.

Components:

Isopropyl alcohol, IPA:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with narcotic effects.

Ivermectin:

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.

STOT - repeated exposure

Components:

Isopropyl alcohol, IPA:

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.

Ivermectin:

Exposure routes : Ingestion

Target Organs : Central nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/10/2020

 1.1
 05/28/2021
 000000049546
 Date of first issue: 06/10/2020

Repeated dose toxicity

Components:

Ivermectin:

Species : Mouse
NOAEL : 10 mg/kg
Application Route : Dermal
Exposure time : 13 weeks

Dose : 1, 3, 10 mg/kg/day

Remarks : No significant adverse effects were reported

Species : Rat
NOAEL : 3 mg/kg
Application Route : Oral
Exposure time : 13 weeks

Dose : 0.1, 0.3, 1.0, 3.0 mg/kg/day

Species : Dog
NOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 13 weeks

Dose : 0.1, 0.25, 0.5, 1.5 mg/kg/day

Aspiration toxicity

Components:

Isopropyl alcohol, IPA:

No data available

Ivermectin:

No data available

Further information

Components:

Ivermectin:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Isopropyl alcohol, IPA:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l



Ivomec® Pour On

Version Revision Date: SDS Number: Date of last issue: 06/10/2020 05/28/2021 000000049546 Date of first issue: 06/10/2020 1.1

aquatic invertebrates Exposure time: 24 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Toxicity to fish (Chronic tox-

icity)

Remarks: No data available Remarks: No data available

Toxicity to daphnia and other : aquatic invertebrates (Chron-

Toxicity to microorganisms

ic toxicity)

(Pseudomonas putida): 1,050 mg/l Exposure time: 16 h

Ivermectin:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.003 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.0053 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 0.000013 mg/l

End point: Immobilization Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 4

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

Lowest Observed Effect Concentration (Pseudokirchneriella

subcapitata (green algae)): 1.25 mg/l

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.391

End point: Growth rate Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to fish (Chronic tox-

icity)

Remarks: No data available

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC50 (Hyalella azteca (Amphipod)): 0.0017 mg/l

Exposure time: 10 d

NOEC (Hyalella azteca (Amphipod)): 0.00021 mg/l

Exposure time: 10 d

M-Factor (Chronic aquatic

toxicity)

: 100



Ivomec® Pour On

Version Revision Date: SDS Number: Date of last issue: 06/10/2020 05/28/2021 000000049546 Date of first issue: 06/10/2020 1.1

Toxicity to microorganisms Remarks: No data available

Toxicity to soil dwelling or-

ganisms

Test Type: artificial soil

EC50 (Eisenia fetida (earthworms)): 5.3 mg/kg

Exposure time: 56 d

Method: OECD Test Guideline 222

Test Type: artificial soil

NOEC (Eisenia fetida (earthworms)): 2.5 mg/kg

Exposure time: 56 d

Method: OECD Test Guideline 222

Persistence and degradability

Components:

Isopropyl alcohol, IPA:

Biodegradability Result: Readily biodegradable.

Ivermectin:

Biodegradability Result: Persistent substance with a half life of more than 60

days.

Bioaccumulative potential

Components:

Isopropyl alcohol, IPA:

Partition coefficient: n-

octanol/water

: log Pow: 0.05 (77 °F / 25 °C)

Ivermectin:

Bioaccumulation Species: Danio rerio (zebra fish)

> Bioconcentration factor (BCF): 63 - 111 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: log Pow: 3.22 (68 °F / 20 °C)

Mobility in soil

Components:

Ivermectin:

Distribution among environ-

mental compartments

: log Koc: 3.6 - 4.4

Other adverse effects

Product:

Ozone-Depletion Potential Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S.





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/10/2020

 1.1
 05/28/2021
 000000049546
 Date of first issue: 06/10/2020

Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Components:

Ivermectin:

Results of PBT and vPvB : Persistent and Toxic

assessment

Additional ecological infor- : No data available

mation

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Packs that cannot be cleaned should be disposed of in the

same manner as the contents.

Uncontaminated packaging can be recycled.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 1993

Proper shipping name : Flammable liquid, n.o.s.

(Isopropanol, Ivermectin)

Class : 3 Packing group : II

Labels : Flammable Liquids

Packing instruction (cargo : 364

aircraft)

Packing instruction (passen-

: 353

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Isopropanol, Ivermectin)

 Class
 : 3

 Packing group
 : II

 Labels
 : 3

 EmS Code
 : F-E, S-E

 Marine pollutant
 : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number : UN 1993

Proper shipping name : Flammable liquids, n.o.s.

(Isopropanol, Ivermectin)

Class : 3



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/10/2020

 1.1
 05/28/2021
 000000049546
 Date of first issue: 06/10/2020

Packing group : II

Labels : FLAMMABLE LIQUID

ERG Code : 128 Marine pollutant : yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Respiratory or skin sensitisation

Reproductive toxicity

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

| Isopropyl alcohol, 67-63-0 | >= 50 - < 70 %

IPA

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Isopropyl alcohol, IPA 67-63-0 >= 50 - < 70 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/10/2020

 1.1
 05/28/2021
 000000049546
 Date of first issue: 06/10/2020

US State Regulations

Massachusetts Right To Know

Isopropyl alcohol, IPA 67-63-0

Pennsylvania Right To Know

Isopropyl alcohol, IPA 67-63-0 Crodamol CAP Not Assigned

Maine Chemicals of High Concern

This product does not contain any chemicals that are listed as Maine Chemicals of

High Concern.

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California List of Hazardous Substances

Isopropyl alcohol, IPA 67-63-0

California Permissible Exposure Limits for Chemical Contaminants

Isopropyl alcohol, IPA 67-63-0

The components of this product are reported in the following inventories:

REACH : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Crodamol CAP

AICS : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI: Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory

TSCA : Substance(s) not listed on TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/10/2020


 1.1
 05/28/2021
 000000049546
 Date of first issue: 06/10/2020

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and



Ivomec® Pour On

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/10/2020

 1.1
 05/28/2021
 000000049546
 Date of first issue: 06/10/2020

Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Vertical lines in the left hand margin indicate an amendment from the previous version.

Sources of key data used to

: The specifications are based on own tests and/or literature

compile the Safety Data

data.

Sheet

Revision Date : 05/28/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN