


SAFETY DATA SHEETS

This SDS packet was issued with item:

078948307

N/A

SECTION 1: IDENTIFICATION	
1.1 Product identifier	
Product name	Atopivet Skin Care Collar for dogs and cats
Chemical name	Not applicable
Synonyms	Not available
Chemical formula	Not applicable
Other means of identification	Not available
1.2 Relevant identified uses of the substances or mixture and uses advised against	
Recommended uses	Helps maintain a healthy skin barrier by hydrating and nourishing the skin of dogs and cats. For dogs and cats less than 22 lbs (10 kg).
Uses advised against	Not for human use
1.3 Details of the supplier of the substance or mixture	
Registered company name (US)	Dechra Veterinary Products
Address	7015 College Blvd, Suite 525 Overland Park, KS 66211 USA
Telephone	866-933-2472
Fax	Not available
Email	Not available
1.4 Emergency telephone numbers	
Dechra (US)	866-933-2472

SECTION 2: HAZARD(S) IDENTIFICATION	
2.1 Classification of the substance or mixture	
NFPA 704 diamond	
 <p>Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)</p>	
Classification	Aerosols Category 1, Serious Eye Damage/Eye Irritation Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 3
2.2 Label elements	
Hazard pictogram(s)	Not applicable
Signal word	Not applicable
Hazard statement(s)	
H412	Harmful to aquatic life with long lasting effects.
Hazard(s) not otherwise classified	
Not Applicable	
Precautionary statement(s) Prevention	
P273	Avoid release to the environment.
Precautionary statement(s) Response	
Not Applicable	
Precautionary statement(s) Storage	
Not Applicable	
Precautionary statement(s) Disposal	
P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3: COMPOSITION/INFORMATION ON THE INGREDIENTS

3.1 Substances

See section below for composition of Mixtures

3.2 Mixtures

CAS No	% [weight]	Name
Not Available	>60	collar of micronized polyurethan thermoplastic polymer
1241-94-7	10-30	<u>2-ethylhexyldiphenyl phosphate</u>
1065336-91-5	<5	<u>Light Stabilizer 508</u>
90063-37-9	<5	<u>lavender extract</u>
78-70-6	<5	<u>linalool</u>
1309-38-2	<5	<u>magnetite</u>
100403-19-8	<5	<u>ceramides</u>
Not Available	<1	stabilizer

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

Eye contact	Rinse thoroughly with plenty of water keeping the eyelids open and consult a physician if irritation persist.
Skin contact	Wash off with soap and plenty of water. Remove contaminated clothing. Consult a physician if irritation persist.
Inhalation	Take the injured person outdoors and keep them at rest and warm and get medical attention if symptoms persist.
Ingestion	Do not induce vomiting. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Use alcohol stable foam, dry chemical powder, BCF (where regulations permit) or carbon dioxide and water spray or fog for large fires only

5.2 Special hazards arising from the substance or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result.
-----------------------------	---

5.3 Special protective equipment and precautions for fire-fighters

Fire Fighting	A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke. In the event of a fire, may form carbon monoxide and carbon dioxide.
Fire/Explosion Hazard	The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Decomposes on heating and may emit toxic fumes.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

See Section 8

6.2 Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal. Prevent any material from entering drains or waterways. Also see Section 12

6.3 Methods and material for containment and cleaning up

Minor spills	Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Shut off all possible sources of ignition and increase ventilation. Wipe up. Place in a suitable, labelled container for waste disposal.
Major spills	Clear area of personnel and move upwind. Alert Fire Brigade about the hazard. May be violently or explosively reactive. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. No smoking, naked lights or ignition sources. Stop leak if safe to do so. Absorb or cover spill with sand, earth, inert materials or vermiculite. Collect recoverable product into labelled containers for disposal.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Safe handling Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. **When handling DO NOT eat, drink or smoke.** Always wash hands with soap and water after handling. Avoid physical damage to containers. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS.

Other information Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

7.2 Conditions for safe storage, including any incompatibilities

Suitable container Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.

Storage incompatibility Avoid reaction with oxidising agents

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limits (OEL)

Ingredient data

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Limits (PELs) Table Z-3	magnetite	Inert or Nuisance Dust: Total Dust	15 mg/m ³ / 50 mppcf	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	magnetite	Inert or Nuisance Dust: Respirable fraction	5 mg/m ³ / 15 mppcf	Not Available	Not Available	Not Available

US OSHA Permissible Exposure Limits (PELs) Table Z-1	magnetite	Particulates Not Otherwise Regulated (PNOR)- Respirable fraction	5 mg/m ³	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-1	magnetite	PNOR - Total dust	15 mg/m ³	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	magnetite	PNOR	Not Available	Not Available	Not Available	See Appendix D
US OSHA Permissible Exposure Limits (PELs) Table Z-3	ceramides	Inert or Nuisance Dust: Respirable fraction	5 mg/m ³ / 15 mppcf	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	ceramides	Inert or Nuisance Dust: Total Dust	15 mg/m ³ / 50 mppcf	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-1	ceramides	PNOR - Total dust	15 mg/m ³	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-1	ceramides	PNOR - Respirable fraction	5 mg/m ³	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	ceramides	PNOR	Not Available	Not Available	Not Available	See Appendix D

Emergency limits

Ingredient	TEEL-1	TEEL-2	TEEL-3
Atopivet Skin Care Collar for dogs	Not Available	Not Available	Not Available
Ingredient	Original IDLH	Revised IDLH	
2-ethylhexyldiphenyl phosphate	Not Available	Not Available	
Light Stabilizer 508	Not Available	Not Available	
lavender extract	Not Available	Not Available	
linalool	Not Available	Not Available	
magnetite	Not Available	Not Available	
ceramides	Not Available	Not Available	


Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
2-ethylhexyldiphenyl phosphate	E	≤ 0.1 ppm
Light Stabilizer 508	D	> 0.1 to ≤ 1 ppm
lavender extract	E	≤ 0.1 ppm
linalool	E	≤ 0.1 ppm

Notes Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.

MATERIAL DATA

8.2 Exposure controls

Appropriate engineering controls	Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.
Personal protection	
Eye and face protection	No special equipment for minor exposure i.e. when handling small quantities. OTHERWISE: Safety glasses with side shields. Avoid contact with eyes. Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.
Skin protection	See Hand protection below
Hands/feet protection	No special equipment needed when handling small quantities. Otherwise, wear chemical protective gloves, e.g. PVC.

Body protection	See Other protection below
Other protection	No special equipment needed when handling small quantities. Otherwise, use overalls, skin cleansing cream, eyewash unit.
Respiratory protection	Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance: Black collar with Atopivet logo (skin barrier) with characteristic lipid and lavender odour; mixes with water. Physical state: Fluid liquid Odor: Not Available Odor threshold: NA pH (as supplied): NA Melting point / freezing point (degrees C): NA Initial boiling point and boiling range: 100°C Flash point: NA Evaporation rate: NA Flammability: NA Upper / lower flammability or explosive limits: NA Vapor pressure: NA Relative density (at degrees C): 1 Solubility in water and solvents (mg/l): Miscible	Vapor density: NA Auto ignition temperature (degrees C): NA Decomposition temperature (degrees C): NA Viscosity (degrees C): NA Explosive properties: NA Oxidizing properties: NA Partition coefficient: NA Molecular weight: NA Taste: NA Surface tension: NA Volatile component: NA Gas group: NA pH as a solution: NA VOC g/L: NA Specific gravity @ 20 degrees C (water = 1): NA
---	---

10: REACTIVITY AND STABILITY

10.1 Reactivity	See section 7
10.2 Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur
10.3 Possibility of hazardous reactions	See section 7
10.4 Conditions to avoid	Avoid frost. Also see section 7
10.5 Incompatible materials	See section 7
10.6 Hazardous decomposition products	See section 5

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Inhaled	The material is not thought to produce respiratory irritation (as classified by EC Directives using animal models). Nevertheless inhalation of vapours, fumes or aerosols, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress.
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual.
Skin Contact	Open cuts, abraded or irritated skin should not be exposed to this material. Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. Not considered to cause discomfort through normal use.

Eye	Limited evidence exists, or practical experience suggests, that the material may cause eye irritation in a substantial number of individuals and/or is expected to produce significant ocular lesions which are present 24 hours or more after instillation into the eye(s) of experimental animals.	
Chronic	No adverse effects anticipated from normal use. Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems.	
Atopivet Skin Care Collar for dogs	TOXICITY	IRRITATION
	Not Available	Not Available
2-ethylhexyldiphenyl phosphate	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: >7900 mg/kg ^[2] Oral (Rabbit) LD50; 218 mg/kg ^[2]	Dermal (rabbit) >7900 mg/kg Skin (rabbit) (-) Mild
Light stabilizer 508	TOXICITY	IRRITATION
	dermal (rat) LD50: >2170 mg/kg ^[2] Oral (Rat) LD50; 3230 mg/kg ^[2]	Not Available
lavender extract	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: >5000 mg/kg ^[1] Oral (Rat) LD50; >4100<5900 mg/kg ^[1]	Eye: adverse effect observed (irritating) ^[1] Skin: no adverse effect observed (not irritating) ^[1]
linalool	TOXICITY	IRRITATION
	dermal (rat) LD50: 5610 mg/kg ^[2] Oral (Rat) LD50; 2790 mg/kg ^[2]	Skin (guinea pig): 100mg/24h-mild Skin (man): 16 mg/48h-mild Skin (rabbit): 100 mg/24h-SEVERE Skin (rabbit): 500 mg/24h - mild
magnetite	TOXICITY	IRRITATION
	Oral (Rat) LD50; >10000 mg/kg ^[2]	Not Available
ceramides	TOXICITY	IRRITATION
	Not Available	Not Available
Legend	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances	
Acute Toxicity		Carcinogenicity
Skin Irritation/Corrosion		Reproductivity
Serious Eye Damage/Irritation		STOT - Single Exposure
Respiratory or Skin sensitisation		STOT - Repeated Exposure
Mutagenicity		Aspiration Hazard
Legend	x - Data either not available or does not fill the criteria for classification ✓ - Data available to make classification	

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Atopivet Skin Care Collar for dogs	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
2-ethylhexyldiphenyl phosphate	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	48	Crustacea	0.1mg/l	1
	BCF	134	Fish	194-426mg/l	7
	LC50	96	Fish	1.3mg/l	2
	EC50	72	Algae or other aquatic plants	0.2mg/l	1
	EC50	48	Crustacea	0.15mg/l	1
Light Stabilizer 508	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	96	Fish	0.22mg/l	2
	LC50	96	Fish	0.9mg/l	2
lavender extract	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50(ECx)	72	Algae or other aquatic plants	0.5mg/l	2
	EC50	72	Algae or other aquatic plants	0.5mg/l	2

linalool	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	96	Fish	<3.5mg/l	1
	LC50	96	Fish	<19.9mg/l	1
	EC50	48	Crustacea	20mg/l	1
	EC50	96	Algae or other aquatic plants	88.3mg/l	1
magnetite	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	168h	Fish	43.9mg/l	4
ceramides	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
Legend	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.					
DO NOT discharge into sewer or waterways.					
12.2 Persistence and degradability					
Ingredient		Persistence: Water/Soil		Persistence: Air	
2-ethylhexyldiphenyl phosphate		HIGH		HIGH	
linalool		HIGH		HIGH	
12.3 Bioaccumulative potential					
Ingredient		Bioaccumulation			
2-ethylhexyldiphenyl phosphate		MEDIUM (BCF = 934)			
linalool		LOW (LogKOW = 2.97)			
12.4 Mobility in soil					
Ingredient		Mobility			
2-ethylhexyldiphenyl phosphate		LOW (KOC = 242800)			
linalool		LOW (KOC = 56.32)			

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product/Packaging disposal	Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Authority for disposal. Bury or incinerate residue at an approved site. Recycle containers if possible, or dispose of in an authorised landfill.
-----------------------------------	--

SECTION 14: TRANSPORT INFORMATION

Labels required
Marine pollutant No
Land transport (US: DOT) Not regulated for transport of dangerous goods
Air transport (ICAO-IATA / DGR) Not regulated for transport of dangerous goods
Sea transport IMDG-Code / GGVSee) Not regulated for transport of dangerous goods
Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable
Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code Not Available for any ingredient
Transport in bulk in accordance with the ICG Code Not Available for any ingredient

SECTION 15: REGULATORY INFORMATION	
15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture	
2-ethylhexyldiphenyl phosphate is found on the following regulatory lists US - California - Biomonitoring - Priority Chemicals, US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances	
Light Stabilizer 508 is found on the following regulatory lists Not Applicable	
lavender extract is found on the following regulatory lists Not Applicable	
linalool is found on the following regulatory lists US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) Rule, US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances	
magnetite is found on the following regulatory lists International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS), US Alaska Air Quality Control - Concentrations Triggering Air Quality Episode for Air Pollutants Other Than PM-2.5, US NIOSH Recommended Exposure Limits (RELs), US OSHA Permissible Exposure Limits (PELs) Table Z-1, US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances	
ceramides is found on the following regulatory lists MNMS, US Alaska Air Quality Control - Concentrations Triggering Air Quality Episode for Air Pollutants Other Than PM-2.5, US NIOSH RELs, US OSHA PELs Table Z-1	
15.2 Federal regulations	
Superfund Amendments and Reauthorization Act of 1986 (SARA) Section 311/312 hazard categories	
Flammable (Gases, Aerosols, Liquids, or Solids)	No
Gas under pressure	No
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No
Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No
Organic Peroxide	No
Self-reactive	No
In contact with water emits flammable gas	No
Combustible Dust	No
Carcinogenicity	No
Acute toxicity (any route of exposure)	No
Reproductive toxicity	No
Skin Corrosion or Irritation	No
Respiratory or Skin Sensitization	No
Serious eye damage or eye irritation	No
Specific target organ toxicity (single or repeated exposure)	No
Aspiration Hazard	No
Germ cell mutagenicity	No
Simple Asphyxiant	No
Hazards Not Otherwise Classified	No
US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4) None Reported	

State Regulations	
US. California Proposition 65	
None Reported	
National Inventory Status	
National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	No (Light Stabilizer 508; ceramides)
Canada - DSL	No (Light Stabilizer 508; ceramides)
Canada - NDSL	No (2-ethylhexyldiphenyl phosphate; Light Stabilizer 508; lavender extract; linalool; magnetite; ceramides)
China - IECSC	No (Light Stabilizer 508)
Europe - EINEC / ELINCS / NLP	No (Light Stabilizer 508)
Japan - ENCS	No (Light Stabilizer 508; lavender extract; ceramides)
Korea - KECI	No (Light Stabilizer 508; lavender extract; ceramides)
New Zealand - NZIoC	Yes
Philippines - PICCS	No (Light Stabilizer 508; ceramides)
USA - TSCA	No (Light Stabilizer 508; lavender extract; ceramides)
Taiwan - TCSI	No (Light Stabilizer 508)
Mexico - INSQ	No (Light Stabilizer 508; lavender extract; magnetite; ceramides)
Vietnam - NCI	No (Light Stabilizer 508)
Russia - FBEPH	No (Light Stabilizer 508; lavender extract; magnetite; ceramides)
Legend:	Yes = All CAS declared ingredients are on the inventory, No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16: OTHER INFORMATION

Classification of the preparation and its individual components has drawn on an independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

ACGIH: American Conference of Governmental Industrial Hygienists
TEEL: Temporary Emergency Exposure Limit.
IDLH: Immediately Dangerous to Life or Health Concentrations
TLV: Threshold Limit Value
BCF: BioConcentration Factors
AIIC: Australian Inventory of Industrial Chemicals
DSL: Domestic Substances List
NDSL: Non-Domestic Substances List
IECSC: Inventory of Existing Chemical Substance in China
EINECS: European INventory of Existing Commercial chemical Substances
ELINCS: European List of Notified Chemical Substances
NLP: No-Longer Polymers
ENCS: Existing and New Chemical Substances Inventory
KECI: Korea Existing Chemicals Inventory
NZIoC: New Zealand Inventory of Chemicals
PICCS: Philippine Inventory of Chemicals and Chemical Substances
TSCA: Toxic Substances Control Act
TCSI: Taiwan Chemical Substance Inventory

INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory
FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

The information provided in this Safety Data Sheet has been compiled by Dechra Veterinary Products LLC, and is correct to the best of its knowledge, information and belief as of the date of its publication. However, Dechra Veterinary Products LLC makes no warranties, express or implied, in relation to the information set out in this SDS, including, without limitation, as to its accuracy/completeness. The information provided is not a quality specification, and is prepared by way of guidance as to the safe handling, use, processing, storage, transportation, disposal and release of the relevant products referred to. The user is responsible for determining whether or not the product is fit for any particular purpose and/or suitable for the user's proposed method of use and application.

Copyright, 2022 Dechra Veterinary Products LLC. All rights reserved.

Copying and/or downloading of this information for the purpose of properly utilizing Dechra Veterinary Products LLC products is permitted provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained Dechra Veterinary Products LLC, and (2) neither the copy nor the original is resold or otherwise distributed for the purposes of making a profit thereon.