## **SAFETY DATA SHEETS**

# This SDS packet was issued with item: 078950723

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078950722 078950725 078950727 078950730



# **SAFETY DATA SHEET**

K9 Advantix® II

# Section 1. Identification

GHS product identifier	: K9 Advantix® II
Product code	: 122000003695
Other means of identification	: Not available.

Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Bíocide.	
Uses advised against	None known.	
Company Name	Elanco US Inc. 2500 Innovation Way Greenfield IN, US 46140	
Telephone number	1-877 Elanco1 (1-877-352-6261)	
Emergency telephone number	Elanco Product Technical Support / Human or Animal Exposure Reporting: 1-888-545-5973	
Email	elanco_sds@elancoah.com	
Transportation Emergency telephone number	CHEMTREC: 1-800-424-9300 (Outside U.S. CHEMTREC International: 00 1-703-527-3887)	

# Section 2. Hazards identification

ŝ

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: ACUTE TOXICITY (inhalation) - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A TOXIC TO REPRODUCTION - Category 1B SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3

<b>GHS</b>	label	elements

Hazard pictograms



Signal word	Danger	
Hazard statements	H315 - Causes skin irritation. H319 - Causes serious eye irritation. H332 - Harmful if inhaled. H335 - May cause respiratory irritation. H360 - May damage fertility or the unborn child.	
Precautionary statements		
Prevention	<ul> <li>P201 - Obtain special instructions before use.</li> <li>P202 - Do not handle until all safety precautions have been read and under</li> <li>P280 - Wear protective gloves, protective clothing and eye or face protectio</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P261 - Avoid breathing vapor.</li> <li>P264 - Wash thoroughly after handling.</li> </ul>	

# Section 2. Hazards identification

Response	<ul> <li>P308 + P313 - IF exposed or concerned: Get medical advice or attention.</li> <li>P304 + P340, P312 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.</li> <li>P362 + P364 - Take off contaminated clothing and wash it before reuse.</li> <li>P302 + P352 - IF ON SKIN: Wash with plenty of water.</li> <li>P332 + P313 - If skin irritation occurs: Get medical advice or attention.</li> <li>P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337 + P313 - If eye irritation persists: Get medical advice or attention.</li> </ul>
Storage	<ul> <li>P405 - Store locked up.</li> <li>P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.</li> </ul>
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: None known.
Hazards not otherwise classified	: None known.

## Section 3. Composition/information on ingredients

Substance/mixture : Mixture		
Ingredient name	%	CAS number
permethrin (ISO)	≥25 - ≤50	52645-53-1
N-methyl-2-pyrrolidone	≥25 - ≤50	872-50-4
imidacloprid (ISO)	≤10	138261-41-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

Description of necessary fir	aid measures
Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

# Section 4. First aid measures

Section 4. First a	
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Most important symptoms/	
Potential acute health effe Eye contact	
Inhalation	: Causes serious eye irritation.
Skin contact	<ul> <li>Harmful if inhaled. May cause respiratory irritation.</li> <li>Causes skin irritation.</li> </ul>
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sym	
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	: Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.

# Section 5. Fire-fighting measures

Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# Section 7. Handling and storage

Conditions for safe storage,	
including any	
incompatibilities	

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits			
K9 Advantix® II	Elanco OEL (ELANCO).			
	TWA: 0.61 mg/m <sup>3</sup> 480 minutes.			
	Supplier OEL (ELANCO).			
	TWA: 10 mg/m <sup>3</sup> 480 minutes.			
permethrin (ISO)	None.			
N-methyl-2-pyrrolidone	OARS WEEL (United States, 1/2021). Absorbed through skin.			
	TWA: 15 ppm 8 hours.			
	STEL: 120 mg/m <sup>3</sup> 15 minutes.			
	STEL: 30 ppm 15 minutes.			
	TWA: 60 mg/m <sup>3</sup> 8 hours.			
imidacloprid (ISO)	None.			

#### **Biological exposure indices**

Ingredient name	Exposure indices
N-methyl-2-pyrrolidone	ACGIH BEI (United States, 1/2022) BEI: 100 mg/l, 5-hydroxy-N-methyl- 2-pyrrolidone [in urine]. Sampling time: end of shift.

Appropriate engineering controls	:	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measu	<u>res</u>	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		

# Section 8. Exposure controls/personal protection

Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>			
Physical state	: 1	Liquid.	
Color	: 1	Tan.	
Odor	: 1	Not available.	
Odor threshold	: 1	Not available.	
рН	: :	3 to 5.5 [Conc. (% w/	w): 100%]
Melting point/freezing point	: 1	Not available.	
Boiling point, initial boiling point, and boiling range	: 1	195°C (383°F)	
Flash point	: (	Closed cup: >93.3°C	(>199.9°F)
Evaporation rate	: 1	Not available.	
Flammability	: 1	Not available.	
Lower and upper explosion limit/flammability limit	: 1	Not available.	
Vapor pressure	: [		Vapor Pres

Vapor pressure	:	Vapo	r Pressui	re at 20°C	Vap	or press	ure at 50°C
	Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
	N-methyl-2-pyrrolidone	0.24	0.032				
	permethrin (ISO)	<0.075	<0.01				
	2,6-di-tert-butyl-p-cresol	0.01	0.0013				
	2-(1-methyl-2- (4-phenoxyphenoxy) ethoxy)pyridine	0.0000022	0.00000029				
	citric acid	0.00000017	0.000000023				
	Glycerides, mixed decanoyl and octanoyl	0	0				
Relative vapor density	: Not available.						
Relative density	: Not available.						
Solubility(ies)	: Not available.						
Solubility in water	: Not available.						

# Section 9. Physical and chemical properties and safety characteristics

Miscible with water	:	No.			
Partition coefficient: n- octanol/water	:	Not applicable.			
Auto-ignition temperature	:	Ingredient name	°C	°F	Method
		N-methyl-2-pyrrolidone	245	473	
		citric acid	1010	1850	
Decomposition temperature	:	Not available.	·	·	
Viscosity	:	Not available.			
Flow time (ISO 2431)	:	Not available.			
Particle characteristics					
Median particle size	:	Not applicable.			

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
K9 Advantix® II	LC50 Inhalation Dusts and mists	Rat	2.86 mg/l	4 hours
	LD50 Dermal	Rat	>5000 mg/kg	-
	LD50 Oral	Rat - Female	>2000 mg/kg	-
permethrin (ISO)	LC50 Inhalation Dusts and mists	Rat	2.3 mg/l	4 hours
	LD50 Dermal	Rat	>2500 mg/kg	-
	LD50 Oral	Rat	383 mg/kg	-
N-methyl-2-pyrrolidone	LC50 Inhalation Dusts and mists	Rat	>5.1 mg/l	4 hours
	LD50 Dermal	Rabbit	8 g/kg	-
	LD50 Dermal	Rat	>5000 mg/kg	-
	LD50 Oral	Rat	3914 mg/kg	-
imidacloprid (ISO)	LC50 Inhalation Dusts and mists	Rat	>5.323 mg/l	4 hours
· · · · ·	LD50 Dermal	Rat	>5000 mg/kg	-
	LD50 Oral	Mouse - Male	130 mg/kg	-
	LD50 Oral	Rat	410 mg/kg	-

Irritation/Corrosion

Section 11. Toxicological information						
Product/ingredient name	Result	Species	Score	Exposure	Observation	
K9 Advantix® II	Eyes - Moderate irritant	Rabbit	-	-	-	
	Skin - Moderate irritant	Rabbit	-	-	-	
permethrin (ISO)	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-	
N-methyl-2-pyrrolidone	Eyes - Moderate irritant	Rabbit	-	100 mg	-	
5 15	Skin - Irritant	Rabbit	-	-	-	

#### Sensitization

•••••	Route of exposure	Species	Result
K9 Advantix® II	skin	Guinea pig	Not sensitizing

#### **Mutagenicity**

Not available.

#### **Carcinogenicity**

Not available.

#### **Classification**

Product/ingredient	name	OSHA	IARC	NTP
permethrin (ISO)		-	3	-

#### Reproductive toxicity

Product/ingredient name	Maternal toxicity	Fertility	Development toxin	Species	Dose	Exposure
N-methyl-2-pyrrolidone	-	Positive	-	Rat	Oral: 350 mg/kg	-

#### **Teratogenicity**

Product/ingredient name	Result	Species	Dose	Exposure
N-methyl-2-pyrrolidone	Positive - Oral	Rat	160 mg/kg	-

#### Specific target organ toxicity (single exposure)

Name		Route of exposure	Target organs
N-methyl-2-pyrrolidone	Category 3	-	Respiratory tract irritation

#### Specific target organ toxicity (repeated exposure) Not available.

**Aspiration hazard** 

Not available.

#### Information on the likely : Not available. routes of exposure

#### Potential acute health effects

Eye contact	:	Causes serious eye irritation.
Inhalation	:	Harmful if inhaled. May cause respiratory irritation.
Skin contact	:	Causes skin irritation.
Ingestion	:	No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

# Section 11. Toxicological information

Eye contact       : Adverse symptoms may include the following: pain or irritation watering redness         Inhalation       : Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations         Skin contact       : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations         Ingestion       : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations         Ingestion       : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations         Ingestion       : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations         Ingestion       : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations         Delayed and immediate effects and also chronic effects from short and long term exposure		
respiratory tract irritation         coughing         reduced fetal weight         increase in fetal deaths         skeletal malformations         Skin contact         : Adverse symptoms may include the following:         irritation         reduced fetal weight         increase in fetal deaths         skeletal malformations         Ingestion         : Adverse symptoms may include the following:         reduced fetal weight         increase in fetal deaths         skeletal malformations         : Adverse symptoms may include the following:         reduced fetal weight         increase in fetal deaths         skeletal malformations         : Adverse symptoms may include the following:         reduced fetal weight         increase in fetal deaths         skeletal malformations	Eye contact	pain or irritation watering
irritation redness reduced fetal weight increase in fetal deaths skeletal malformations : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations	Inhalation	respiratory tract irritation coughing reduced fetal weight increase in fetal deaths
reduced fetal weight increase in fetal deaths skeletal malformations	Skin contact	irritation redness reduced fetal weight increase in fetal deaths
Delayed and immediate effects and also chronic effects from short and long term exposure	Ingestion	reduced fetal weight increase in fetal deaths
	Delayed and immediate effect	and also chronic effects from short and long term exposure

# Short term exposure Potential immediate : Not available. effects Potential delayed effects : Not available. Long term exposure Potential immediate : Not available. effects

#### Potential delayed effects : Not available.

#### Potential chronic health effects

Not available.

General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: May damage fertility or the unborn child.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	(gases)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
K9 Advantix® II	2500	N/A	N/A	N/A	2.86
permethrin (ISO)	383	2500	N/A	N/A	2.3
N-methyl-2-pyrrolidone	3914	N/A	N/A	N/A	N/A
imidacloprid (ISO)	131	N/A	N/A	N/A	N/A

# Section 12. Ecological information

#### <u>Toxicity</u>

Product/ingredient name	Result	Species	Exposure
permethrin (ISO)	EC50 0.497 mg/l	Algae	72 hours
	Acute EC50 68 µg/l Marine water	Algae - Skeletonema costatum - Exponential growth phase	96 hours
	Acute EC50 0.11 µg/l Fresh water	Crustaceans - Orconectes	48 hours
	Acute EC50 0.151 ppb Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 0.62 µg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic NOEC 0.039 ppb Fresh water	Daphnia - Daphnia magna	21 days
	Chronic NOEC 0.3 ppb Fresh water	Fish - Pimephales promelas	246 days
N-methyl-2-pyrrolidone	Acute EC50 600.5 mg/l	Algae	72 hours
	Acute LC50 1.23 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 832 ppm Fresh water	Fish - Lepomis macrochirus	96 hours
	Chronic NOEC 12.5 mg/l	Daphnia - Daphnia magna	21 days
imidacloprid (ISO)	Acute EC50 1 µg/l Fresh water	Crustaceans - Cypretta seurati	48 hours
	Acute IC50 389 mg/l Fresh water	Algae - Desmodesmus subspicatus	72 hours
	Acute LC50 1.09 µg/l Fresh water	Daphnia - Daphnia pulex - Neonate	48 hours
	Acute LC50 10.16 µg/l Fresh water	Fish - Clarias gariepinus - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
	Chronic NOEC 10 ppm Fresh water	Algae - Desmodesmus subspicatus	4 days
	Chronic NOEC 5.2 µg/l Marine water	Crustaceans - Penaeus monodon - Adult	21 days
	Chronic NOEC 71.8 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	21 days
	Chronic NOEC 4 µg/l Fresh water	Fish - Clarias gariepinus - Juvenile (Fledgling, Hatchling, Weanling)	28 days

#### Persistence and degradability

#### Not available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
permethrin (ISO) N-methyl-2-pyrrolidone imidacloprid (ISO)	6.5 -0.46 0.57	- - -	high Iow Iow
Mahilitu in anil	-	·	

#### Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Other adverse effects	: No known significant effects or critical hazards.

# Section 13. Disposal considerations

Disposal methods
 The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

Section 14. Transport Information						
	DOT Classific		TDG Classification	Mexico Classification	IMDG	ΙΑΤΑ
UN number	UN3082		UN3082	UN3082	UN3082	UN3082
UN proper shipping name	ENVIRONME HAZARDOU SUBSTANC LIQUID, N.C	JS E,	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (permethrin (ISO), 2-Imidazolidinimine, 1-[(6-chloro- 3-pyridinyl)methyl]- N-nitro-, (2E)-)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (permethrin (ISO), 2-Imidazolidinimine, 1-[(6-chloro- 3-pyridinyl)methyl]- N-nitro-, (2E)-)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (permethrin (ISO), 2-Imidazolidinimine, 1-[(6-chloro- 3-pyridinyl)methyl]- N-nitro-, (2E)-, N- methyl- 2-pyrrolidone)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (permethrin (ISO), 2-Imidazolidinimine, 1-[(6-chloro- 3-pyridinyl)methyl]- N-nitro-, (2E)-, N- methyl- 2-pyrrolidone)
Transport hazard class(es)	9	¥2	9	9	9	9
Packing group	111		III	III	111	III
Environmental hazards	Yes.		Yes.	Yes.	Yes.	Yes.
Additional inform	<u>ation</u>					
DOT Classificat	ion	trans wher	bulk packages of this ported by inland wate transported in sizes sions of §§ 173.24 ar	erway. This product i of ≤5 L or ≤5 kg, pro	s not regulated as a l	hazardous material
TDG Classificat	<ul> <li>Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2.45 (Class 9), 2.7 (Marine pollutant mark).</li> <li>Non-bulk packages of this product are not regulated as dangerous goods when transported by road or rail.</li> </ul>					
Mexico Classific	cation		environmentally haza s of ≤5 L or ≤5 kg.	rdous substance mai	rk is not required whe	en transported in
IMDG		≤5 kg	product is not regulat g, provided the packa .4 to 4.1.1.8.			
ΙΑΤΑ			product is not regulat g, provided the packa .8.			
Special precautio	ns for user	uprig	sport within user's ht and secure. Ensur t of an accident or sp	e that persons transp		
Transport in bulk to IMO instrumen		: Not a	available.			

# Section 15. Regulatory information

J.S. Federal regulations	: TSCA 5(a)2 proposed	significant new use rules: N-methyl-2-pyrrolidone
	TSCA 8(a) CDR Exem	<pre>npt/Partial exemption: Not determined</pre>
	TSCA 12(b) one-time	export: N-methyl-2-pyrrolidone
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed	
Clean Air Act Section 602 Class I Substances	: Not listed	
Clean Air Act Section 602 Class II Substances	: Not listed	
DEA List I Chemicals (Precursor Chemicals)	: Not listed	
DEA List II Chemicals (Essential Chemicals)	: Not listed	
SARA 302/304		
Composition/information	<u>on ingredients</u>	
No products were found.		
SARA 304 RQ	: Not applicable.	
SARA 311/312		
Classification	: ACUTE TOXICITY (inha SKIN IRRITATION - Ca EYE IRRITATION - Cat TOXIC TO REPRODUC SPECIFIC TARGET OF irritation) - Category 3	tegory 2 egory 2A
Composition/information	on ingredients	
Name	%	Classification

Name	%	Classification
permethrin (ISO)	≥25 - ≤50	ACUTE TOXICITY (oral) - Category 4
		ACUTE TOXICITY (inhalation) - Category 4
		SKIN SENSITIZATION - Category 1
N-methyl-2-pyrrolidone	≥25 - ≤50	FLAMMABLE LIQUIDS - Category 4
		SKIN IRRITATION - Category 2
		EYE IRRITATION - Category 2A
		TOXIC TO REPRODUCTION - Category 1B
		SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)
		(Respiratory tract irritation) - Category 3
imidacloprid (ISO)	≤10	COMBUSTIBLE DUSTS
		ACUTE TOXICITY (oral) - Category 3

#### SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	permethrin (ISO)	52645-53-1	≥25 - ≤50
	N-methyl-2-pyrrolidone	872-50-4	≥25 - ≤50
Supplier notification	permethrin (ISO)	52645-53-1	≥25 - ≤50
	N-methyl-2-pyrrolidone	872-50-4	≥25 - ≤50

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### State regulations

otate regulations	
Massachusetts	: The following components are listed: PERMETHRIN; 1-METHYL-2-PYRROLIDONE
New York	: The following components are listed: Pyrethrins
New Jersey	: The following components are listed: PERMETHRIN; 1-METHYL-2-PYRROLIDONE
Pennsylvania	: The following components are listed: 2-PYRROLIDINONE, 1-METHYL-

# Section 15. Regulatory information

#### California Prop. 65

WARNING: This product can expose you to N-methylpyrrolidone, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
N-methylpyrrolidone	-	Yes.
nventory list		

United States

: Not determined.

# Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 12/13/2022
Date of previous issue	: 12/13/2022
Version	: 0.02
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations
References	: Not available.

Indicates information that has changed from previously issued version.

#### Notice to reader

As of the date of issuance, we are providing available information relevant to the handling of this material in the workplace. All information contained herein is offered with the good faith belief that it is accurate. THIS SAFETY DATA SHEET SHALL NOT BE DEEMED TO CREATE ANY WARRANTY OF ANY KIND (INCLUDING WARRANTY OF MERCHANT ABILITY OR FITNESS FOR A PARTICULAR PURPOSE). In the event of an adverse incident associated with this material, this safety data sheet is not intended to be a substitute for consultation with appropriately trained personnel. Nor is this safety data sheet intended to be a substitute for product literature which may accompany the finished product.

For additional information contact: Elanco Animal Health 0011+1-877-352-6261 0011+1-800-428-4441