SAFETY DATA SHEETS

This SDS packet was issued with item:

078950401

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078928778 078936858 078937198 078937224 078938015 078944764 078944769 078944797 078945422 078945455 078945456 078945457 078950117

SDS according to OSHA HazCom Standard (2012) requirements (GHS.USA)



SECTION 1: IDENTIFICATION				
1.1 Product identifier				
Product name	Clavacillin® (amoxicillin and clavulanate potassium tablets), USP Veterinary Tablets			
Chemical name	Not Applicable			
Synonyms	Amoxicillin and clavulanate potassium tablets			
Chemical formula	Not Applicable			
Other means ofidentification	Not Available			
1.2 Recommended use of the che	mical and restrictions on use			
Relevant identified uses Oral tablet / antibiotic. For professional use only. Not for human use.				
1.3 Details of the supplier of the su	bstance or mixture			
Registered company name (US)	Dechra Veterinary Products			
Address	7015 College Blvd, Suite 525, Overland Park, KS 66211 USA			
Telephone	866-933-2472			
Fax	Not Available			
Email	Not Available			
1.4 Emergency telephone numbers				
Dechra (US)	866-933-2472			

SECTION 2: HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification

Skin Corrosion/Irritation Category 2, Sensitization (Skin) Category 1, Serious Eye Damage/Eye Irritation Category 2A, Sensitization (Respiratory) Category 1, Specific Target Organ Toxicity - Single Exposure (Respiratory Tract Irritation) Category 3, Carcinogenicity Category 1A, Specific Target Organ Toxicity -Repeated Exposure Category 2

2.2 Label elements

Hazard
pictogram(s)






Signal word	Danger
Hazard statement(s	3)
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
Hazard(s) not other	rwise classified

H373	May cause damage to organs through prolonged or repeated exposure.		
Hazard(s) not other	rwise classified		
Not Applica	ble		
Precautionary state	ement(s) Prevention		
P201	Obtain special instructions before use.		
P260	Do not breathe dust/fume.		
P261	Avoid breathing dust/fumes.		
P271	Use only outdoors or in a well-ventilated area.		
P280	Wear protective gloves, protective clothing, eye protection and face protection.		
P284	[In case of inadequate ventilation] wear respiratory protection.		
P202	Do not handle until all safety precautions have been read and understood.		
P264	Wash all exposed external body areas thoroughly after handling.		
P272	Contaminated work clothing must not be allowed out of the workplace.		
Precautionary state	ement(s) Response		
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P308+P313	IF exposed or concerned: Get medical advice/ attention.		
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician/first aider.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy		
	to do. Continue rinsing.		
P312	Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.		
P314	Get medical advice/attention if you feel unwell.		
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.		
P337+P313	If eye irritation persists: Get medical advice/attention.		
P302+P352	IF ON SKIN: Wash with plenty of water.		
P332+P313	If skin irritation occurs: Get medical advice/attention.		
D000 - D004	Table off a set assignated aboth in a seed considering the force server.		

P362+P364 Take off contaminated clothing and wash it before reuse.

Precautionary statement(s) storage

P405 Store locked up.



Treat symptomatically.

Version No: 1

SDS according to OSHA HazCom Standard (2012) requirements (GHS.USA)



P403+P233	Store in a well-ventilated place. Keep container tightly closed.			
Precautionary state	ement(s) disposal			
P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance			
	with any local regulation			

3.1 Substances	s on below for composition of Mixtures.				
3.2 Mixtures	The composition of whiteres.				
CAS No.	% [weight]	Name			
61336-70-7	30-60	amoxycillin trihydrate			
9004-34-6	30-60	microcrystalline cellulose			
61177-45-5	10-30	potassium clavulanate			
9063-38-1	1-10	sodium starch glycolate			
557-04-0	1-10	magnesium stearate			
9004-65-3	<1	hydroxypropyl methylcellulose			
7631-86-9	<1	colloidal silicon dioxide			
13463-67-7	<1	titanium dioxide			
25322-68-3	<1	polyethylene glycol 6000			
14807-96-6	<1	talc			
51274-00-1	<1	iron oxide yellow			
The exact percent	(act percentage (concentration) of composition has been withheld as a trade secret.				
	IRST AID MEASURES of first aid measures				
Eye contact					
Skin contact					
Inhalation	If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay.				
Ingestion	If swallowed do NOT induce vomiting. If	f vomiting occurs, lean patient forward or place on left side (head-down rway and prevent aspiration. Observe the patient carefully. Never give			
iiigesiioii	liquid to a person showing signs of bein	ng sleepy or with reduced awareness; i.e. becoming unconscious. Give liquid slowly and as much as casualty can comfortably drink. Seek			

SECTION 5: FIRE F	IGHTING MEASURES				
5.1 Extinguishing me	5.1 Extinguishing media				
There is no res	There is no restriction on the type of extinguisher which may be used. Use extinguishing media appropriate for				
surrounding fire.					
5.2 Special hazards a	arising from the substance or mixture				
Fire incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine				
	etc. as ignition may result.				
5.3 Special protective	e actions for fire-fighters:				
Firefighting	Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective				
	gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water				
	courses. Use firefighting procedures suitable for surrounding area. DO NOT approach containers				
	suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to				
	do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.				
Fire / explosion	Solid which exhibits difficult combustion or is difficult to ignite. Avoid generating dust, particularly clouds				
hazard	of dust in a confined or unventilated space as dusts may form an explosive mixture with air, and any				
	source of ignition, i.e. flame or spark, will cause fire or explosion. Explosion may emit poisonous/corrosive				
	fumes. When heated to extreme temperatures. (>1700°C) amorphous silica can fuse.				

SECTION 6: ACCIDENTAL RELEASE MEASURES 6.1 Personal precautions, protective equipment and emergency procedures See section 8. 6.2 Environmental precautions See Section 12.



6.3 Methods and mate	erial for containment and cleaning up					
Minor spills	Clean up waste regularly and abnormal spills immediately. Avoid breathing dust and contact with skin					
	and eyes. Wear protective clothing, gloves, safety glasses and dust respirator. Use dry clean up					
	procedures and avoid generating dust. Vacuum up or sweep up. NOTE: Vacuum cleaner must be fitted					
	with an exhaust micro filter (H-Class HEPA type) (consider explosion-proof machines designed to be					
	grounded during storage and use). H-Class HEPA filtered industrial vacuum cleaners should NOT be					
	used on wet materials or surfaces. Dampen with water to prevent dusting before sweeping. Place in					
	suitable containers for disposal.					
Major spills	Moderate hazard.					
	CAUTION : Advise personnel in area. Alert Emergency Services and tell them location and nature of					
	hazard. Control personal contact by wearing protective clothing. Prevent, by any means available,					
	spillage from entering drains or water courses. Recover product wherever possible.					
	IF DRY: Use dry clean up procedures and avoid generating dust. Collect residues and place in sealed					
	plastic bags or other containers for disposal. IF WET: Vacuum/shovel up and place in labelled containers					
	for disposal. ALWAYS: Wash area down with large amounts of water and prevent runoff into drains.					
	If contamination of drains or waterways occurs, advise Emergency Services.					
Personal Protective E	quipment advice is contained in Section 8 of the SDS.					

SECTION 7: HAN	DLING AND STORAGE
7.1 Precautions fo	r safe handling
Safe handling	Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Launder contaminated clothing before re-use. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS.
Other information	Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. For major quantities: Consider storage in bunded areas - ensure storage areas are isolated from sources of community water (including stormwater, ground water, lakes and streams). Ensure that accidental discharge to air or water is the subject of a contingency disaster management plan; this may require consultation with local authorities.
7.2 Conditions for	safe storage, including any incompatibilities
Suitable container	Tablets are packaged in foil strip packs. Glass container is suitable for laboratory quantities Polyethylene or polypropylene container. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	Protect from direct sunlight. Do not freeze. Store at 20° to 25°C (68° to 77°F), excursions permitted between 15° and 30°C (between 59° and 86°F). Avoid strong acids, bases and oxidizing agents.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION						
8.1 Control parameters						
Occupational Exposure Limits (OEL)						
INGREDIENT DATA						
Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Limits (PELs)Table Z-3		Inert or Nuisance Dust: Respirable fraction	5 mg/m³ / 15 mppcf	Not Available	Not Available	Not Available
US OSHA PELs Table Z-3		Inert or Nuisance Dust: Total Dust	15 mg/m ³ / 50 mppcf	Not Available	Not Available	Not Available
US OSHA PELs Table Z-1		Cellulose- Total dust	15 mg/m ³	Not Available	Not Available	Not Available
US OSHA PELs Table Z-1	microcrystalline cellulose	Cellulose- Respirable fraction	5 mg/m ³	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)		Cellulose - total	10 mg/m ³	Not Available	Not Available	Not Available
US NIOSH RELs		Cellulose - respirable	5 mg/m ³	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)		Cellulose	10 mg/m ³	Not Available	Not Available	Not Available
US OSHA PELs Table Z-3		Inert or Nuisance Dust: Respirable fraction	5 mg/m ³ / 15 mppcf	Not Available	Not Available	Not Available
US OSHA PELs Table Z-3	magnesium	Inert or Nuisance Dust: Total Dust	15 mg/m ³ / 50 mppcf	Not Available	Not Available	Not Available
US OSHA PELs Table Z-1	stearate	Particulates Not Otherwise Regulated(PNOR)- Total dust	15 mg/m ³	Not Available	Not Available	Not Available
US OSHA PELs Table Z-1		PNOR - Respirable fraction	5 mg/m ³	Not Available	Not Available	Not Available



US NIOSH (RELs		PNOR		Not Available	Not Availat		Not Available	See Appendix D
US ACGIH TLV		Stearates (Inhalat	ole	10 mg/m ³	Not	1	Not	A4
OS ACCITTEV		particulate matter Stearates (Respira			Availat Not		Available Not	
US ACGIH TLV		particulate matter)	abic .	3 mg/m ³	Availat		Available	A4
US OSHA PELs Table Z-3		Amorphous, including diatomaceous ear		80 (%SiO ₂) mg/m ³ / 20 mppcf	Not Availat		Not Available	Not Available
US OSHA PELs Table Z-1	colloidal silicon dioxide	PNOR - Respirab	le fraction	5 mg/m ³	Not Availat	ole /	Not Available	Not Available
US OSHA PELs Table Z-1	dioxide	PNOR - Total dus	PNOR - Total dust		Not Availat		Not Available	Not Available
US NIOSH RELs		Silica, amorphous	;	6 mg/m ³	Not Availat		Not Available	Not Available
US OSHA PELs Table Z-3		Inert or Nuisance Dust	Dust: Total	15 mg/m ³ / 50 mppcf	Not Availat		Not Available	Not Available
US OSHA PELs Table Z-3		Inert or Nuisance Respirable fraction		5 mg/m ³ / 15 mppcf	Not Availat		Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs)Table Z-1	titanium dioxid	•		15 mg/m ³	Not Availat	1	Not Available	Not Available
US NIOSH RELs		Titanium dioxide		Not Available	Not Availat		Not Available	Ca; See Appendix A
US ACGIH TLV		Titanium dioxide		10 mg/m ³	Not Availat	1	Not Available	(A4)
US OSHA PELs Table Z-3		Silicates (less that crystallinesilica):		20 mppcf	Not Availat	1	Not Available	Not Available
US OSHA PELs Table Z-3		Silicates (less that crystallinesilica): (containing asbest	n 1% Falc	Not Available	Not Availat	١	Not Available	Use asbestos limit
US OSHA PELs Table Z-3		Silicates (less that crystalline silica): containing asbesto	n 1% Talc (not	20 mppcf	Not Availat		Not Available	Not Available
US OSHA PELs Table Z-1	A a l a	,		5 mg/m ³	Not Available		Not Available	Not Available
US OSHA PELs Table Z-1	talc	PNOR - Total dust		15 mg/m ³	Not Availat	1	Not Available	Not Available
US NIOSH RELS		Talc (containing no asbestos and lessthan 1% quartz) - respirable		2 mg/m ³			Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)		Talc: Containing asbestos		Not Available	Not Availat		Not Available	A1
US ACGIH TLV			Talc: Containing no asbestos fibers(Respirable particulate matter)		Not Availat	1	Not Available	A4
US OSHA PELs Table Z-3		Inert or Nuisance Respirable fraction		5 mg/m ³ / 15 mppcf	Not Availat		Not Available	Not Available
US OSHA PELs Table Z-3		Inert or Nuisance Dust		15 mg/m ³ / 50 mppcf	Not Availab	1	Not Available	Not Available
US OSHA PELs Table Z-1		PNOR - Total dust		15 mg/m ³	Not	1	Not	Not
US OSHA PELs Table Z-1	iron oxide yello	PNOR - Respirab		5 mg/m ³	Availat Not	1	Available Not	Available Not
CO COLINTI ELS TADIO 2-1		THOR TROOPING		Not	Availat Not		Available Not	Available See
US NIOSH RELS		PNOR		Available	Availat		Not Available	Appendix D
Emergency Limits								
Ingredient	TEEL-1		TEEL-2				L-3	
	18 mg/m ³		200 mg/m ³				00 mg/m ³	
	18 mg/m ³		100 mg/m ³	3		630	mg/m ³	
colloidal silicon dioxide	120 mg/m ³		1,300 mg/n	า°		7,90	00 mg/m ³	
	45 mg/m ³		500 mg/m ³				00 mg/m ³	
18 mg/m ³			740 mg/m ³				500 mg/m ³	
titanium dioxide	30 mg/m ³		330 mg/m ³		2,00		00 mg/m ³	
polyethylene glycol 6000	30 mg/m ³		1,300 mg/n				00 mg/m ³	
Ingredient		Original IDLH		Revis	ed IDLF	1		
amoxicillin trihydrate		Not Available		Not Av	/ailable		<u> </u>	
microcrystalline cellulose		Not Available		Not Av	Not Available			
potassium clavulanate		Not Available			ot Available			
		lot Available lot Available			Not Available			
magnesium stearate		Not Available			Not Available			
hypromellose E5		Not Available			/ailable			
,				110071				

Respiratory protection

Version No: 1

SDS according to OSHA HazCom Standard (2012) requirements (GHS.USA)



colloidal silicon dioxide	oidal silicon dioxide 3,000 mg/m3 Not Availab			
titanium dioxide		5,000 mg/m3	Not Available	
polyethylene glycol 6000		Not Available	Not Available	
talc		1,000 mg/m ³	Not Available	
iron oxide yellow		Not Available	Not Available	
Occupational Exposure Band	ding		<u> </u>	
Ingredient		Occupational Exposure Band Occupational Exposure Band		
		Rating		
amoxicillin trihydrate		E	≤ 0.01 mg/m³	
potassium clavulanate		E	≤ 0.01 mg/m³	
chemical's potency and the	adverse heal	th outcomes associated with expo	pecific categories or bands based on a sure. The output of this process is an oncentrations that are expected to protect	
Appropriate engineering controls	Avoid creating or spreading dust. Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.			
Personal protection				
Eye and face protection	When handling very small quantities of the material eye protection may not be required. For laboratory, larger scale or bulk handling or where regular exposure in an occupational setting occurs wear chemical goggles with side-shields. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use,			
Skin and body protection	Wear suitable protective clothing if skin contact with drug product is possible. See Hand protection above.			
Hand/feet protection	The material may produce skin sensitization in predisposed individuals. Care must be taken, when removing gloves and otherprotective equipment, to avoid all possible skin contact. Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed. Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent).			
Other protection	For up to 500 g a laboratory coat may be suitable. For up to 1 kg a disposable laboratory coat or coverall of low permeability is recommended. Coveralls should be buttoned at collar and cuffs. For over 1 kg and manufacturing operations, wear disposable coverall of low permeability and disposable shoe covers. Eye wash unit and ready access to an emergency shower. For Emergencies: Vinyl suit			

9.1 Information on basic physical and chemical properties		
Appearance: Yellowish tablets	Vapor density: Not Available	
Physical state: Solid	Auto ignition temperature (°C): Not Available	
Odor: Not Available	Decomposition temperature (°C): Not Available	
Odor threshold: Not Available	Viscosity (°C): Not Available	
pH (as supplied): Not Available	Explosive properties: Not Available	
Melting point / freezing point (°C): Not Available	Oxidizing properties: Not Available	
Initial boiling point and boiling range: Not Available	Partition coefficient: Not Available	
Flash point (°C): Not Available	Molecular weight: Not Available	
Evaporation rate: Not Available	Taste: Not Available	
Flammability: Not Available	Surface tension: Not Available	
Upper/lower flammability or explosive limits: Not Available	Volatile component (%vol): Not Available	
Vapor pressure: Not Available	Gas group: Not Available	
Relative density (Water = 1): Not Available	pH as a solution: Not Available	
Solubility in water (mg/l): Immiscible	VOC g/L: Not Available	
	Specific gravity @ 20°C (water = 1): Not Available	

ventilation and excavation may be required.

Type -P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent). If exposure limits are exceeded or irritation is experienced,

SECTION 10: STABILITY AND REACTIVITY		
Reactivity See Section 7		
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable.	
	Hazardous polymerization will not occur.	
Possibility of hazardous reactions	See Section 7	
Conditions to avoid	See Section 7	
Incompatible materials	See Section 7	
Hazardous composition	See Section 5	



SECTION 11: TOXICOLOGICAL INFORMATION				
11.1 Information on toxicological effects				
Inhaled	Inhalation of vapors or aerosols (mists, fumes), generated by the material during the course of			
Ingestion	normal handling, may be damaging to the health of the individual. Accidental ingestion of the material may be damaging to individual's health.			
Ingestion Skin contact				
Skiii Contact	The liquid may be miscible with fats or oils and may degrease the skin, producing a skin react described as non-allergic contact dermatitis. The material is unlikely to produce an irrit			
			es Open cuts, abraded or irritated skin should not be	
	exposed to this material. Entry into the blood-stream through, for example, cuts, abrasions,			
			ce systemic injury with harmful effects.	
Eye			ience predicts, that the material either produces	
			al number of individuals following direct contact, and/or	
Chronic			n applied to the healthy intact skin of animals. e predicts, that the material may cause eye irritation ir	
Cilionic			/or may produce significant ocular lesions.	
Clavacillin (amoxicillin	Toxicity		Irritation	
and clavulanate				
potassium tablets) USP	Not Available		Not Available	
Veterinary Tablets	Toxicity		Irritation	
amoxycillin trihydrate	Toxicity Dermal(rat) LD ₅₀ >20	00 ma/ka ^[1]	Imation	
amoxyemm amyarate	Oral(rat) LD ₅₀ >2000		Not Available	
	Toxicity	3 3	Irritation	
microcrystalline cellulose	Dermal(rabbit) LD ₅₀ >			
microci ystamne centiose	Inhalation(rat) LC ₅₀ >		Not Available	
	Oral(rat) LD ₅₀ >5000	mg/kg ^[2]		
potassium clavulanate	Toxicity	26 ma/ka[2]	Irritation	
	Oral(mouse) LD ₅₀ : 4526 mg/kg ^[2] Toxicity		Not Available Irritation	
magnesium stearate	Oral(rat) LD ₅₀ >10000 mg/kg ^[2]		Not Available	
	Toxicity		Irritation	
hypromellose E5	Oral(rat) LD ₅₀ >10000 mg/kg ^[2]		Not Available	
	Toxicity		Irritation	
	Dermal(rat) LD ₅₀ >2000 mg/kg ^[1]		Eye(rabbit): non-irritating*	
colloidal silicon dioxide	Inhalation(rat) LC ₅₀ > 0.139 mg/L4h ^[1]		Eye: no adverse effect observed (not irritating) ^[1]	
	Oral(rat) LD ₅₀ > 1000 mg/kg ^[1]		Skin(rabbit): non-irritating* Skin: no adverse effect observed (not irritating) ^[1]	
	Toxicity		Irritation	
titomium diavida	Dermal (hamster) LD ₅₀ >=10000 mg/kg ^[2]			
titanium dioxide	Inhalation(rat) LC ₅₀ >2.28 mg/l4h ^[1]		Skin(human): 0.3 mg/3D (int)-mild*	
	Oral(rat) LD ₅₀ >=2000 mg/kg ^[1]		Skin: no adverse effect observed (not irritating) ^[1]	
	Toxicity		Irritation	
polyethylene glycol 6000	Dermal (rat) LD ₅₀ >2000 mg/kg ^[1]		Eye(rabbit): 500 mg/24h –mild Eye: no adverse effect observed (not irritating) ^[1]	
polyethylene grycor 0000	Oral(rat) LD ₅₀ ; 600 mg/kg ^[2]		Skin(rabbit): 500mg (open) mild.	
	3 3		Skin: no adverse effect observed (not irritating) ^[1]	
	Toxicity		Irritation	
talc	Dermal (rat) LD ₅₀ >20	000 mg/kg ^[1]	Eye: no adverse effect observed (not irritating) ^[1]	
	Inhalation(rat) LC50;	>2.1 mg/l4h ^[1]	Skin(human): 0.3 mg/3d-l mild	
	Oral(rat) LD ₅₀ >5000 Toxicity	mg/kg ^c [,]	Skin: no adverse effect observed (not irritating)[1] Irritation	
iron oxide yellow		[2]	Not Available	
1 Value obtained from Furor	Oral(rat) LD ₅₀ >5000	ilig/Kg ubstances - Acute		
	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances.			
Acute Toxicity * Carcinogenicity ✓				
Skin	Irritation/Corrosion	✓	Reproductivity *	
	yeDamage/Irritation	✓	STOT - Single Exposure ✓	
Respiratory o	r Skin sensitization	✓	STOT - Repeated Exposure ✓	
to Data sith an and an a sith	Mutagenicity	*	Aspiration Hazard *	
■ - Data either not available ■ - Data available to make		teria for classificat	ON	
√ - Data available to make classification				

SECTION 12: ECOLOGICAL INFORMATION					
12.1 Toxicity: No addition	12.1 Toxicity: No additional information available				
Clavacillin (amoxicillin	Endpoint	Test Duration (hr)	Species	Value	Source
and clavulanate potassium tablets), USP Veterinary Tablets	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
amoxycillin trihydrate	EC50	96h	Algae or other aquatic plants	0.002mg/l	2
	EC50	72h	Algae or other aquatic plants	56.3mg/l	2

Issue Date: June 2023

Version No: 1

SDS according to OSHA HazCom Standard (2012) requirements (GHS.USA)



	LC50	96h	Fish	>100mg/l	2
	EC50	48h	Crustacea	>1000mg/l	2
	NOEC(ECx)	96h	Algae or other aquatic plants	0.001mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
microcrystalline cellulose	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
potassium clavulanate	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
sodium starch glycolate	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
magnesium stearate	Not Available	Not Available	Not Available	Not Available	Not Available
human allana EE	Endpoint	Test Duration (hr)	Species	Value	Source
hypromellose E5	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC0(ECx)	24h	Crustacea	>=10000mg/l	1
	EC50	72h	Algae or other aquatic plants	14.1mg/l	2
colloidal silicon dioxide	LC50	96h	Fish	1033.016mg/l	2
	EC50	48h	Crustacea	>86mg/l	2
	EC50	96h	Algae or other aquatic plants	217.576mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	3.75-7.58mg/l	4
	BCF	1008h	Fish	<1.1-9.6	7
titanium dioxide	EC50	48h	Crustacea	1.9mg/l	2
	LC50	96h	Fish	1.85-3.06mg/l	4
	NOEC(ECx)	504h	Crustacea	0.02mg/l	4
	EC50	96h	Algae or other aquatic plants	179.05mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	48h	Crustacea	>100mg/l	2
polyethylene glycol 6000	LC50	96h	Fish	>100mg/l	2
	EC50(ECx)	96h	Algae or other aquatic plants	>100mg/l	2
	EC50	96h	Algae or other aquatic plants	>100mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
4-1-	LC50	96h	Fish	89581.016mg/l	2
talc	NOEC(ECx)	720h	Algae or other aquatic plants	918.089mg/l	2
	EC50	96h	Algae or other aquatic plants	7202.7mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
iron ovido vollovi	NOEC(ECx)	504h	Fish	0.52mg/l	2
iron oxide yellow	EC50	72h	Algae or other aquatic plants	18mg/l	2
	LC50	96h	Fish	0.05mg/l	2
Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data.					
DO NOT discharge into			Data 0. V	ondor Data.	
12.2 Persistence and de			a available		

12.2 Persistence and degradability: No additional information available			
Ingredient	Persistence: Water/Soil	Persistence: Air	
amoxycillin trihydrate	HIGH	HIGH	,
microcrystalline cellulose	LOW	LOW	
colloidal silicon dioxide	LOW	LOW	,
titanium dioxide	HIGH	HIGH	
polyethylene glycol 6000	LOW	LOW	,

12.3 Bioaccumulative potential: No additional information available

12.0 Bloaddamaiative potential: No adational information available		
Ingredient	Bioaccumulation	
amoxycillin trihydrate	LOW (LogKOW = 0.87)	
microcrystalline cellulose	LOW (LogKOW = -5.1249)	
colloidal silicon dioxide	LOW (LogKOW = 0.5294)	
titanium dioxide	LOW (BCF = 10)	
polyethylene glycol 6000	LOW (LogKOW = -1.1996)	
12.4 Mobility in soil: No additional information available		
Ingredient	Mobility	
amoxycillin trihydrate	LOW (KOC = 865.5)	
microcrystalline cellulose	IOW(KOC = 10)	

ingrealent	MODILLY
amoxycillin trihydrate	LOW (KOC = 865.5)
microcrystalline cellulose	LOW (KOC = 10)
colloidal silicon dioxide	LOW (KOC = 23.74)
titanium dioxide	LOW (KOC = 23.74)
polyethylene glycol 6000	HIGH (KOC = 1)

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product/packaging disposal

Containers may still present a chemical hazard/danger when empty. Return to supplier for reuse/ recycling if possible. Otherwise: If container cannot be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill. Where possible retain label warnings



Issue Date: June 2023

Version No: 1

SDS according to OSHA HazCom Standard (2012) requirements (GHS.USA)



and SDS and observe all notices pertaining to the product. **DO NOT** allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority.

SECTION 14: TRANSPORT INFORMATION

Labels required

Marine pollutant NO

Shipping container and transport vehicle placarding and labeling may vary from the below information. Products that are regulated for transport will be packaged and marked as Dangerous Goods in Excepted Quantities according to US DOT, IATA and IMDG regulations. In case of reshipment, it is the responsibility of the shipper to determine the appropriate labels and markings in accordance with applicable transport regulations.

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Not Applicable	
Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code	
Product name Group	
	Not Available for any ingredient
Transport in bulk in accordance with ICG Code	
Product name	Group
	Not Available for any ingredient

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

Product regulated by FDA as a veterinary product.

amoxicillin trihydrate is found on the following regulatory lists

Not applicable

microcrystalline cellulose is found on the following regulatory lists

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS), US - Alaska Air Quality Control - Concentrations Triggering an Air Quality Episode for Air Pollutants Other Than PM-2, US - Massachusetts - Right To Know Listed Chemicals, US NIOSH Recommended Exposure Limits (RELs), US OSHA Permissible Exposure Limits (PELs) Table Z-1, US OSHA Permissible Exposure Limits (PELs) Table Z-3, US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

potassium clavulanate is found on the following regulatory lists Not applicable

sodium starch glycolate is found on the following regulatory lists

US TSCA - Chemical Substance Inventory

magnesium stearate is found on the following regulatory lists

International WHO List of Proposed OEL MNMS, US - Alaska Air Quality Control - Concentrations Triggering an Air Quality Episode for Air Pollutants Other Than PM-2, US - Massachusetts - Right To Know Listed Chemicals, US NIOSH RELs, US OSHA PELs Table Z-1, US OSHA PELs Table Z-3, US TSCA - Chemical Substance Inventory

hypromellose E5 is found on the following regulatory lists

US TSCA - Chemical Substance Inventory

colloidal silicon dioxide is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List, International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs, MMMS, US - California - Biomonitoring - Priority Chemicals, US - California Proposition 65 – Carcinogens, US - California Safe Drinking Water and Toxic Enforcement Act of 1986 - Proposition 65 List, US - Massachusetts - Right To Know Listed Chemicals, US DOE Temporary Emergency Exposure Limits (TEELs), US NIOSH Carcinogen List, RELs, US OSHA Carcinogens Listing, PELs Table Z-1, PELs Table Z-3, US TSCA - Chemical Substance Inventory - Interim List of Active Substances

titanium dioxide is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List, International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs, International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans , MMMS, US - California Proposition 65 – Carcinogens, US - California Safe Drinking Water and Toxic Enforcement Act of 1986 - Proposition 65 List, US – Massachusetts - Right To Know Listed Chemicals, TLV, TLV – Carcinogens, TLV – Notice of Intended Changes, US DOE TEELs, US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) Rule, US NIOSH Carcinogen List, RELs, PELs Table Z-1, PELs Table Z-3, US TSCA - Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances

polyethylene glycol 6000 is found on the following regulatory lists

US AIHA Workplace Environmental Exposure Levels (WEELs), TEELs, US TSCA - Chemical Substance Inventory, US Toxicology Excellence for Risk Assessment (TERA) Workplace Environmental Exposure Levels (WEEL), US TSCA

Safety Data Sheet: Clavacillin® (amoxicillin and clavulanate potassium tablets), USP Veterinary Tablets

Issue Date: June 2023

Version No: 1

SDS according to OSHA HazCom Standard (2012) requirements (GHS.USA)



Chemical Substance Inventory - Interim List of Active Substances

iron oxide yellow is found on the following regulatory lists

International WHO List of Proposed OEL MNMS, US - Alaska Air Quality Control - Concentrations Triggering an Air Quality Episode for Air Pollutants Other Than PM-2, US - Massachusetts - Right To Know Listed Chemicals, US NIOSH RELs, US OSHA PELs Table Z-1, US OSHA PELs Table Z-3, US TSCA - Chemical Substance Inventory

Federal Regulations		
Superfund Amendments and Reauthorization Act of 1986 (SARA)		
Section 311/312 hazard categories		
Flammable (Gases, Aerosols, Liquids, or Solids)	No	
Gas under pressure	No	
Explosive	No	
Self-heating	No	
Pyrophoric (Liquid or Solid)	No	
Pyrophoric Gas	No	
Corrosive to metal	No	
Oxidizer (Liquid, Solid or Gas)	No	
Organic Peroxide	No	
Self-reactive	No	
In contact with water emits flammable gas	No	
Combustible Dust	No	
Carcinogenicity	Yes	
Acute toxicity (any route of exposure)	No	
Reproductive toxicity	No	
Skin Corrosion or Irritation	Yes	
Respiratory or Skin Sensitization	Yes	
Serious eye damage or eye irritation	Yes	
Specific target organ toxicity (single or repeated exposure)	Yes	
Aspiration Hazard	No	
Germ cell mutagenicity	No	
Simple Asphyxiant	No	
Hazards Not Otherwise Classified	No	

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)
None Reported

State Regulations

US. California Proposition 65

WARNING: This product can expose you to chemicals including colloidal silicon dioxide, titanium dioxide, which are known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

National Inventory Status		
Australia - AIIC / Australia Non-Industrial Use	No (potassium clavulanate)	
Canada - DSL	No (potassium clavulanate)	
Canada - NDSL	No (amoxycillin trihydrate; potassium clavulanate; sodium starch glycolate;	
	magnesium stearate; hydroxypropyl methylcellulose; polyethylene glycol	
	6000; talc; C.I. iron oxide yellow)	
China - IECSC	No (amoxycillin trihydrate; potassium clavulanate)	
Europe - EINEC / ELINCS /NLP	No (sodium starch glycolate; hydroxypropyl methylcellulose)	
Japan - ENCS	No (amoxycillin trihydrate; potassium clavulanate)	
Korea - KECI	No (potassium clavulanate)	
New Zealand - NZIoC	Yes	
Philippines - PICCS	No (potassium clavulanate)	
USA - TSCA	No (amoxycillin trihydrate; potassium clavulanate)	
Taiwan - TCSI	Yes	
Mexico - INSQ	No (potassium clavulanate; polyethylene glycol 6000)	
Vietnam - NCI	Yes	
Russia - FBEPH	No (amoxycillin trihydrate; potassium clavulanate; iron oxide yellow)	
Yes = All CAS declared ingredients are on the inventory		

No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration

SECTION 16: OTHER INFORMATION

Initial date: June 2023 – Classification, Product name updated from Clavacillin™ (amoxicillin trihydrate/clavulanate potassium)

Veterinary Tablets to Clavacillin® (amoxicillin and clavulanate potassium tablets), USP Veterinary

Tablets

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references. The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Safety Data Sheet: Clavacillin® (amoxicillin and clavulanate potassium tablets), USP Veterinary Tablets

Issue Date: June 2023

Version No: 1

SDS according to OSHA HazCom Standard (2012) requirements (GHS.USA)



Definitions and abbreviations

PC—TWA: Permissible Concentration-Time Weighted Average PC—STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

IDLH: Immediately Dangerous to Life or Health Concentrations

AIIC: Australian Inventory of Industrial Chemicals

IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances ENCS: Existing and New Chemical Substances Inventory

PICCS: Philippine Inventory of Chemicals and Chemical Substances

INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and

Biological Substances

NZIoC: New Zealand Inventory of Chemicals

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit

ES: Exposure Standard
OSF: Odor Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value
LOD: Limit Of Detection
OTV: Odor Threshold Value
BCF: BioConcentration Factors
BEI: Biological Exposure Index
DSL: Domestic Substances List
NDSL: Non-Domestic Substances List

NLP: No-Longer Polymers

KECI: Korea Existing Chemicals Inventory TSCA: Toxic Substances Control Act

TCSI: Taiwan Chemical Substance Inventory

The information provided in this Safety Data Sheet has been compiled by Dechra Veterinary Products LLC and is correct to the best of its knowledge, information and belief as of the date of its publication. However, Dechra Veterinary Products LLC makes no warranties, express or implied, in relation to the information set out in this Safety Data Sheet, including, without limitation, as to its accuracy or completeness. The information provided is not a quality specification, and is prepared by way of guidance as to the safe handling, use, processing, storage, transportation, disposal and release of the relevant products referred to. The user is responsible for determining whether or not the product is fit for any particular purpose and/or suitable for the user's proposed method of use and application.

Copyright, 2023 Dechra Veterinary Products LLC. All rights reserved.

Copying and/or downloading of this information for the purpose of properly utilizing Dechra Veterinary Products LLC products is permitted provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained Dechra Veterinary Products LLC, and (2) neither the copy nor the original is resold or otherwise distributed for the purposes of making a profit thereon.