

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

078363031

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

078056502 078363049 078739052 078739078 078938798 078938805 078938809

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

078363023



MSD Animal Health  
Wim de Körverstraat 35  
5831 AN Boxmeer  
Netherlands

## SAFETY DATA SHEET

MSD Animal Health urges each user or recipient of this SDS to read the entire data sheet to become aware of the hazards associated with this material.

### SECTION 1. IDENTIFICATION OF SUBSTANCE AND CONTACT INFORMATION

**SDS NAME:** PANACUR granules

**SYNONYM(S):** PANACUR granules  
PANACUR granules 1lb jar  
PANACUR granules 1g packet  
PANACUR granules 2g packet  
PANACUR granules 4g packet  
PANACUR C granules 1 g packet  
PANACUR C granules 2g packet  
PANACUR C granules 4g packet

**SDS Number:** SP002199

**EMERGENCY NUMBER(S):** +1 (908) 423-6000 (24/7/365) English Only  
  
EU Transportation Emergencies - Carechem24:  
+44 (0)208 762 8322 (24 hours/7 days/week)

**INFORMATION:** +31 (0) 485-587600 (MSD Animal Health - Boxmeer, Netherlands)

**MERCK SDS HELPLINE:** +1 (908) 473-3371 (Worldwide)  
Monday to Friday, 9am to 5pm (US Eastern Time)

**SDS EMAIL:** spmsds@spcorp.com

The brand-names or trademarks indicated by CAPITAL LETTERS in this [M]SDS are the property of, licensed to, promoted or distributed by Merck & Co., Inc., its subsidiaries or related companies.

### SECTION 2. HAZARDS IDENTIFICATION

**EU CLASSIFICATION(S):** Repr.Cat.3;R63 N;R50/53

## EMERGENCY OVERVIEW

White to off-white  
Granules  
Odor unknown  
May be irritating to skin and eyes.  
May cause skin sensitization in sensitive individuals.  
*May cause effects to:*  
liver  
kidney  
gastrointestinal tract  
stomach  
immune system  
blood  
central nervous system  
fetus  
Very toxic to aquatic organisms.  
May cause long-term adverse effects in the aquatic environment.

## POTENTIAL HEALTH EFFECTS:

The information presented below pertains to the following individual ingredients, and not to the mixture(s). Only information about the ingredients that are expected to contribute significantly to the potential health hazard profile of the formulation(s) are presented.

The active ingredient fenbendazole is a benzimidazole carbamate anthelmintic that is structurally related to mebendazole. Therapeutic use of mebendazole, a substance of the same chemical class as fenbendazole, has been reported to cause gastrointestinal disturbances (transient abdominal pain), diarrhea, headache, and dizziness. Frequent effects reported after treatment with high-doses of mebendazole have included allergic reactions (fever and skin reactions), raised liver enzyme values, alopecia, bone marrow depression, reduced leucocyte count and raised serum-transaminase values.

A number of oral subchronic and chronic animal studies have been conducted with fenbendazole and have demonstrated that the liver is the main target tissue. In addition, stomach, kidneys, blood, immune system, and central nervous system are also affected by treatment with fenbendazole. Developmental effects have been reported in rabbits following treatment with fenbendazole.

## LISTED CARCINOGENS

No carcinogens or potential carcinogens listed by IARC or EU Directive 90/394 (Annex I) in this mixture.

## SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

**PRODUCT USE:** Veterinary product

**CHEMICAL FORMULA:** Mixture.

The formulation for this product is proprietary information. Only hazardous ingredients in concentrations of 1% or greater and/or carcinogenic ingredients in concentrations of 0.1% or greater are listed in the Chemical Composition table. Active ingredients in any concentration are listed. For additional information about carcinogenic ingredients see Section 2.

This formulation may contain some sodium hydroxide for pH adjustment.

## CHEMICAL COMPOSITION

| INGREDIENT   | CAS NUMBER | EC NUMBER | EU CLASSIFICATION           | PERCENT  |
|--------------|------------|-----------|-----------------------------|----------|
| Fenbendazole | 43210-67-9 | 256-145-7 | Repr. Cat.3;R63<br>N;R50-53 | 10-22.2% |

Fields in the above table that do not contain data indicate that the substance(s) have not been listed or classified according to EU criteria.

## ADDITIONAL INFORMATION:

This MSDS is written to provide health and safety information for individuals who will be handling the final product formulation during research, manufacturing, and distribution. For health and safety information for individual ingredients used during manufacturing, refer to the appropriate MSDS for each ingredient. Refer to the package insert or product label for handling guidance for the consumer.

**SDS NAME:** PANACUR granules

Latest Revision Date: 13-Oct-2011

**SDS Number:** SP002199

Published Date: 13-Jan-2011

See section 15 for EU hazard classification symbols and risk and safety phrases.

## SECTION 4. FIRST AID MEASURES

|                      |   |
|----------------------|---|
| <b>INHALATION:</b>   | Remove to fresh air. If any trouble breathing, get immediate medical attention. Administer artificial respiration if breathing has ceased. If irritation or symptoms occur or persist, consult a physician.   |
| <b>SKIN CONTACT:</b> | In case of skin contact, while wearing protective gloves, carefully remove any contaminated clothing, including shoes, and wash skin thoroughly with soap and water. If irritation or symptoms occur or persist, consult a physician.                 |
| <b>EYE CONTACT:</b>  | In case of eye contact, immediately rinse eyes thoroughly with plenty of water. If wearing contact lenses, remove only after initial rinse, and continue rinsing eyes for at least 15 minutes. If irritation occurs or persists, consult a physician. |
| <b>INGESTION:</b>    | Rinse mouth and drink a glass of water. Do not induce vomiting unless under the direction of a qualified medical professional or Poison Control Center. If symptoms persist, consult a physician.   |

## SECTION 5. FIRE FIGHTING MEASURES

### FLAMMABILITY DATA:

Flash Point: Not determined (liquids) or not applicable (solids).

### EXPLOSION HAZARDS:

Under normal conditions of use, this material does not present a significant fire or explosion hazard. However, like most organic compounds, this material may present a dust deflagration hazard if sufficient quantities are suspended in air. This hazard may exist where sufficient quantities of finely divided material are (or may become) suspended in air during typical process operations. An assessment of each operation should be conducted and suitable deflagration prevention and protection techniques employed. This material has been shown by standard laboratory testing to exhibit a low sensitivity to ignition by electrostatic discharges. However, all large conductive items used during processing of this material should be suitably grounded.

### SPECIAL FIRE FIGHTING PROCEDURES:

Wear full protective clothing and self-contained breathing apparatus (SCBA).

### SUITABLE EXTINGUISHING MEDIA:

Carbon dioxide (CO<sub>2</sub>), extinguishing powder or water spray.

See Section 9 for Physical and Chemical Properties.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS:

Wear appropriate personal protective equipment as specified in Section 8. Keep personnel away from the clean-up area.

### SPILL RESPONSE / CLEANUP:

All spills should be handled according to site requirements and based on precautions cited in the MSDS. In the case of liquids, use proper absorbent materials. For laboratories and small-scale operations, incidental spills within a hood or enclosure should be cleaned by using a HEPA filtered vacuum or wet cleaning methods as appropriate. For large dry or liquid spills or those spills outside enclosure or hood, appropriate emergency response personnel should be notified. In manufacturing and large-scale operations, HEPA vacuuming prior to wet mopping or cleaning is required.

See Sections 9 and 10 for additional physical, chemical, and hazard information.

## SECTION 7. HANDLING AND STORAGE

### PRECAUTIONS FOR SAFE HANDLING

**HANDLING:**

Keep containers adequately sealed during material transfer, transport, or when not in use. Wash face, hands, and any exposed skin after handling. Do not eat, drink, or smoke when using this substance or mixture.

Appropriate handling of this material is dependent on many factors, including physical form, duration and frequency of process or task, and effectiveness of engineering controls. Site-specific risk assessments should be conducted to determine the feasibility and the appropriateness of all exposure control measures. See Section 8 (Exposure Controls) for additional guidance.

**CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES****STORAGE:**

Store below 25 deg C. Store in adequately sealed container.

**SPECIFIC END USE(S)**

Refer to Section 1 for identified use(s).

See Section 8 for exposure controls and additional safe handling information.

**SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION****OCCUPATIONAL EXPOSURE GUIDELINE (OEG):**

An Occupational Exposure Guideline (OEG) of 100 mcg/m<sup>3</sup> (8-hr. TWA) has been established for fenbendazole.

**EXPOSURE CONTROLS**

The health hazard risks of handling this material are dependent on many factors, including physical form, duration and frequency of process or task, and effectiveness of engineering controls. Site-specific risk assessments should be conducted to determine the feasibility and the appropriateness of all exposure control measures. Exposure controls for normal operating or routine procedures follow a tiered strategy. Engineering controls are the preferred means of long-term or permanent exposure control. If engineering controls are not feasible, appropriate use of personal protective equipment (PPE) may be considered as alternative control measures. Exposure controls for non-routine operations must be evaluated and addressed as part of the site-specific risk assessment.

**RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT (PPE):**

|                         |  |
|-------------------------|--|
| Respiratory Protection: | Respiratory protective equipment (RPE) may be required for certain laboratory and large-scale manufacturing tasks if potential airborne breathing zone concentrations of substances exceed the relevant exposure limit(s). Workplace risk assessment should be completed before specifying and implementing RPE usage. Potential exposure points and pathways, task duration and frequency, potential employee contact with the substance, and the ability of the substance to be rendered airborne during specific tasks should be evaluated. Initial and ongoing strategies of quantitative exposure measurement should be obtained as required by the workplace risk assessment. All RPE must conform to local and regional specifications for efficacy and performance. Consult your site or corporate health and safety professional for additional guidance. |
| Skin Protection:        | Gloves that provide an appropriate barrier to the skin are recommended if there is potential for contact with this material. Consult your site safety staff for guidance.  |
| Eye Protection:         | Safety glasses with side shields. Use of goggles or full face protection may be required based on hazard, potential for contact, or level of exposure. Consult your site safety staff for guidance.  |
| Body Protection:        | <p>In small-scale or laboratory operations, lab coats or equivalent protection is required. Disposable Tyvek or other dust impermeable suit should be considered based on procedure or level of exposure. Use of additional PPE such as shoe coverings, gauntlets, hood, or head covering may be necessary. Consult your site safety staff for guidance.</p> <p>In large-scale or manufacturing operations, disposable Tyvek or other dust impermeable suit is recommended and based on level of exposure. Use of additional PPE such as shoe coverings, gauntlets, hood, or head covering may be necessary. Consult your site safety staff for guidance.</p>  |

**EXPOSURE LIMIT VALUES:**

Fields in the above table(s) that do not contain data indicate that exposure limits are not available for those endpoints.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES****FORM:**

Granules

**SDS NAME:** PANACUR granules

Latest Revision Date: 13-Oct-2011

**SDS Number:** SP002199

Published Date: 13-Jan-2011

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**COLOR:** White to off-white  
**ODOR:** Odor unknown  
**pH:** 5-7  
**SOLUBILITY:**  
Water: Insoluble

See Section 5 for flammability/explosivity information.

## SECTION 10. STABILITY AND REACTIVITY

### STABILITY/ REACTIVITY:

Stable under conditions specified in Section 7 of this SDS. No hazardous reactions known.

### CONDITIONS AND MATERIALS TO AVOID:

None known.

### HAZARDOUS DECOMPOSITION PRODUCTS / REACTIONS:

Carbon oxides (COx).

## SECTION 11. TOXICOLOGICAL INFORMATION

The information presented below pertains to the following individual ingredients, and not to the mixture(s). Only information about the ingredients that are expected to contribute significantly to the potential health hazard profile of the formulation(s) is presented.

### ACUTE TOXICITY DATA

#### SKIN:

Fenbendazole was not irritating to the skin of rabbits.

#### EYE:

Fenbendazole was not irritating to the eyes of rabbits.

#### ORAL:

Fenbendazole: Oral LD50: > 10 g/kg (rat)

### REPEAT DOSE TOXICITY DATA

#### SUBCHRONIC / CHRONIC TOXICITY:

A number of oral subchronic and chronic animal studies have been conducted with fenbendazole and have demonstrated that the liver is the main target tissue. In addition, stomach, kidneys, blood, immune system, and central nervous system are also affected by treatment with fenbendazole.

Data in some animal species indicate that the ability of T and B lymphocytes to proliferate in the secondary immune response may be suppressed during treatment with fenbendazole.

High oral dosages (500-3000 mg/kg/day) during 2-week dosing in rats caused reduced body weight gain, and severe renal and liver toxicity. Fenbendazole did not cause treatment-related effects when administered via stomach tube to immature rats at the rate of 0, 25, 250, and 2500 mg/kg b.w./day for 30 days. In a 90-day study, rats administered fenbendazole at 1600 to 2500 mg/kg/day showed tremors. No other treatment-related findings were reported.

Fenbendazole did not cause treatment-related effects in dogs administered oral dosages ranging from 50 to 250 mg/kg/day in a 6-day study, 20 to 125 mg/kg/day in a 90-day study, or 1 to 10 mg/kg/day in a 14-week study. At higher dosages, or in longer term studies, treatment-related effects were observed. Common effects observed in these additional studies include lymph follicle proliferation or nodules in the gastric mucosa. These effects were observed in dogs administered 250 mg/kg/day in a 30-day study, and in dogs given 8 to 20 mg/kg/day in one 6-month study and 20 to 125 mg/kg/day in another 6-month study. In addition to these effects, focal encephalomalacia, satellitosis, neuronophagia, perivascular inflammation or gliosis were observed in the cerebra of three dogs given 125 mg/kg/day for 6 months, and hyperplasia and congestion of the mesenteric lymph nodes were noted in dogs administered 8 to 20 mg/kg/day in the other 6-month study. [NOELS: 30-day Study: 25 mg/kg/day, 6-month Study (high-dose): none established, and 6-month Study (low-dose): 4 mg/kg/day]

#### REPRODUCTIVE / DEVELOPMENTAL TOXICITY:

Fenbendazole was found not to be teratogenic when tested in rats, dogs, or rabbits. Developmental effects (abortions, resorptions, and decreased fetal weights) were observed in the absence of maternal toxicity only in rabbits. When used in pigs, sheep, horses, and cattle, no relevant adverse effects on reproductive ability or offspring survival have been noted.

Fenbendazole was administered to rats at dietary dosages ranging from 5 to 135 mg/kg/day in a three-generation reproduction study. Reproductive and/or developmental effects observed in the 45 and 135 and 45 mg/kg/day dosage groups include reduced fertility indices, survival indices, pup weight, and pup growth, as well as diarrhea, yellow color, reduced activity, bloated stomach, and alopecia. These effects were more pronounced in the high-dose group. The NOEL for this study was 15 mg/kg/day for maternal and reproductive toxicity.

The potential embryotoxicity of fenbendazole was evaluated in pregnant rabbits, administered doses via stomach tube of 0, 10, 25, and 63 mg/kg/day on gestation days 7-19. Abortion or resorption of litters was observed in the 63 and 25 mg/kg/day dose groups. An increase in skeletal anomalies (13th rib) and delayed ossification of cranial bones also occurred in the high dose group. The NOEL for this study was 25 mg/kg/day.

Fenbendazole was administered to 2 groups of 12 female dogs at oral doses of 100 mg/kg/day, on gestation days 14-22 or 22-30. Developmental toxicity (stillborn pups and survival indices) were observed. About half the dogs in each group produced litters. No macroscopic abnormalities were observed in pups that died during the study.

#### MUTAGENICITY / GENOTOXICITY:

Fenbendazole was negative in a bacterial mutagenicity assay, a chromosomal aberration study, micronucleus, and DNA repair assay. It was weakly positive in the mouse lymphoma assay. Fenbendazole increased the mitotic index of HeLa cells in vitro, an effect that could be related to the ability of benzimidazoles to interfere with tubulin polymerization and thus inhibit spindle formation.

#### CARCINOGENICITY:

Fenbendazole was not carcinogenic in mice receiving 45 to 405 mg/kg fenbendazole in the diet for 2 years.

A two-year oral carcinogenicity study has been conducted in rats at dose levels of 0, 5, 15, 45, and 135 mg/kg/day. Treatment-related signs reported included diarrhea and red feces (45 mg/kg/day and 135 mg/kg/day) and reddish-brown urine (15, 45, and 135 mg/kg/day). Mortality was not statistically different from controls for any treatment group. Body weights and weight gains at study termination were significantly lower for the 45 and 135 mg/kg/day groups compared with controls. The alkaline phosphatase in all dose groups and SGOT in the high dose group were consistently elevated. Necropsy revealed enlargement or cyst formation in lymph nodes of rats in the two highest dose groups. Liver mass and/or nodule formation, cyst formation in the liver of females, and testicular masses among males were reported at the 135 mg/kg/day dose-level.

Further treatment-related effects included sinus ectasia and hyperplasia of the mesenteric lymph nodes in all but the low dose group; Additionally, liver hypertrophy and hyperplasia, hepatocellular cytoplasmic vacuolation, bile duct proliferation, biliary cyst formation, and nodular hepatocellular hyperplasia were reported in female rats at the two highest dose levels. Testicular interstitial cell adenomas in the 135 mg/kg/day male rats were observed. The NOEL for this study was 5 mg/kg/day.

## SECTION 12. ECOLOGICAL INFORMATION

There are no data for the final product or its formulation(s). The information presented below pertains to the following ingredient(s).

#### ECOTOXICITY DATA

##### INGREDIENT ECOTOXICITY

Fenbendazole: 96-hr LC50 (trout): 0.04 mg/L  
48-hr LC50 (daphnia): 0.009-0.012 mg/L  
96-hr LC50 (zebra fish): >500 mg/kg  
21-day LC50 (bluegill sunfish): >0.019 mg/L  
96-hr LC50 fish (Lepomis macrochirus): 1000 mg/L (highest concentration tested)  
96-hr fish (Salmo gairdneri): 7.5 mg/L (highest concentration tested)  
Earthworm toxicity (LC50): 180 mg/kg (28 days)  
Dung beetle toxicity (LD50): >770 mg/kg (7 days)

#### ENVIRONMENTAL DATA

##### OTHER INGREDIENT ENVIRONMENTAL DATA:

Fenbendazole: Partition Coefficient (log Pow): 3.3  
Fenbendazole: Aerobic Biodegradation (soil) Results: DT50 between 4 and 12 days (for three types of soil)  
Fenbendazole: Not readily biodegradable.

## SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**MATERIAL WASTE:**

Disposal must be in accordance with applicable federal, state/provincial, and/or local regulations. Incineration is the preferred method of disposal, when appropriate. Operations that involve the crushing or shredding of waste materials or returned goods must be handled to meet the recommended exposure limit(s).

**PACKAGING AND CONTAINERS:**

Disposal must be in accordance with applicable federal, state/provincial, and/or local regulations.

**SECTION 14. TRANSPORT INFORMATION**

Refer to site-specific procedures and requirements for additional guidance.

**IATA/ICAO CLASSIFICATION:**

This classification only applies in a transport chain to/from a country which regulates this material as an environmentally hazardous substance. For all other air shipments, this material is non-regulated.

|                       |   |
|-----------------------|---|
| Proper Shipping Name: | Environmentally hazardous substance, solid, n.o.s. (Fenbendazole) |
| Hazard Class:         | 9   |
| UN Number:            | UN 3077   |
| Packing Group:        | III   |

**ADR CLASSIFICATION:**

ADR Special Provision 601 exempts pharmaceutical products which are also environmentally hazardous substances from all ADR regulation.

Per ADR special provision 601, as a pharmaceutical product (medicine) ready for use, this material is not regulated as a dangerous good for transport within Europe.

|                       |   |
|-----------------------|---|
| Proper Shipping Name: | Environmentally hazardous substance, solid, n.o.s. (Fenbendazole) |
| Hazard Class:         | 9   |
| UN Number:            | UN 3077   |
| Packing Group:        | III   |
| Classification Code:  | M7  |

**IMDG/IMO CLASSIFICATION:**

|                       |   |
|-----------------------|---|
| Proper Shipping Name: | Environmentally hazardous substance, solid, n.o.s. (Fenbendazole) |
| Hazard Class:         | 9   |
| UN Number:            | UN 3077   |
| Packing Group:        | III   |

**SECTION 15. REGULATORY INFORMATION**

The following classification is based on available data and is in accordance with European Union criteria.

**EUROPEAN UNION REGULATIONS:**

The classification presented below is based on the active ingredient(s) and individual hazardous ingredients in the product formulation.

|                       |   |
|-----------------------|---|
| Indication of Danger: | Xn - Harmful.<br>N - Dangerous For The Environment. |
|-----------------------|---|

**Risk Phrases:**

R63 - Possible risk of harm to the unborn child.  
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Safety Phrases:**

S29 - Do not empty into drains.  
S46 - If swallowed, seek medical advice immediately and show this container or label.  
S61 - Avoid release to the environment. Refer to special instructions/Safety data sheets.  
S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S 1/2 - Keep locked-up and out of the reach of children.  
S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.  
S24/25 - Avoid contact with skin and eyes.



## SECTION 16. OTHER INFORMATION

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequence of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

The brand-names or trademarks indicated by CAPITAL LETTERS in this [M]SDS are the property of, licensed to, promoted or distributed by Merck & Co., Inc., its subsidiaries or related companies.

**DEPARTMENT ISSUING MSDS:**

Global Safety & the Environment  
Merck & Co., Inc.  
One Merck Drive  
Whitehouse Station, NJ 08889

**MERCK SDS HELPLINE:**

+1 (908) 473-3371 (Worldwide)  
Monday to Friday, 9am to 5pm (US Eastern Time)

**MSDS CREATION DATE:**

13-Jan-2011

**SUPERSEDES DATE:**

13-Jan-2011

**SIGNIFICANT CHANGES (EU SUBFORMAT):**

OEB

**Fenbendazole (22.2%) Solid Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 08/16/2022  |
| 4.11    | 04/04/2023     | 2569753-00015 | Date of first issue: 02/27/2018 |

**SECTION 1. IDENTIFICATION**

Product name : Fenbendazole (22.2%) Solid Formulation

**Manufacturer or supplier's details**

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Combustible dust

Reproductive toxicity : Category 2

Specific target organ toxicity : Category 2 (Liver, Stomach, Nervous system, Lymph nodes)  
- repeated exposure (Oral)

**GHS label elements**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.  
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H373 May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust, fume, gas, mist, vapors or spray.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Fenbendazole (22.2%) Solid Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 08/16/2022  |
| 4.11    | 04/04/2023     | 2569753-00015 | Date of first issue: 02/27/2018 |

**Response:**

P308 + P313 IF exposed or concerned: Get medical attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents and container to an approved waste disposal plant.

**Other hazards**

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

| Chemical name | CAS-No.    | Concentration (% w/w) |
|---------------|------------|-----------------------|
| Starch        | 9005-25-8  | >= 50 - < 70          |
| fenbendazole  | 43210-67-9 | >= 20 - < 30          |

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

- |   |  |
|---|--|
| General advice  | : In the case of accident or if you feel unwell, seek medical advice immediately.<br>When symptoms persist or in all cases of doubt seek medical advice.   |
| If inhaled  | : If inhaled, remove to fresh air.<br>Get medical attention.   |
| In case of skin contact                                     | : In case of contact, immediately flush skin with soap and plenty of water.<br>Remove contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse.  |
| In case of eye contact                                      | : If in eyes, rinse well with water.<br>Get medical attention if irritation develops and persists.   |
| If swallowed  | : If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.  |
| Most important symptoms and effects, both acute and delayed | : Contact with dust can cause mechanical irritation or drying of the skin.<br>Dust contact with the eyes can lead to mechanical irritation.<br>Suspected of damaging fertility. Suspected of damaging the unborn child.<br>May cause damage to organs through prolonged or repeated exposure if swallowed. |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment  |

**Fenbendazole (22.2%) Solid Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 08/16/2022  |
| 4.11    | 04/04/2023     | 2569753-00015 | Date of first issue: 02/27/2018 |

Notes to physician : when the potential for exposure exists (see section 8).  
: Treat symptomatically and supportively.

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulfur oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

## Fenbendazole (22.2%) Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 08/16/2022  |
| 4.11    | 04/04/2023     | 2569753-00015 | Date of first issue: 02/27/2018 |

causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust, fume, gas, mist, vapors or spray.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

| Components   | CAS-No.    | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis     |
|--------------|------------|----------------------------------|--|-----------|
| Starch       | 9005-25-8  | TWA                              | 10 mg/m <sup>3</sup>                           | ACGIH     |
|              |            | TWA (Respirable)                 | 5 mg/m <sup>3</sup>                            | NIOSH REL |
|              |            | TWA (total)                      | 10 mg/m <sup>3</sup>                           | NIOSH REL |
|              |            | TWA (total dust)                 | 15 mg/m <sup>3</sup>                           | OSHA Z-1  |
|              |            | TWA (respirable fraction)        | 5 mg/m <sup>3</sup>                            | OSHA Z-1  |
| fenbendazole | 43210-67-9 | TWA                              | 100 µg/m <sup>3</sup> (OEB 2)                  | Internal  |

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

#### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

**Fenbendazole (22.2%) Solid Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 08/16/2022  |
| 4.11    | 04/04/2023     | 2569753-00015 | Date of first issue: 02/27/2018 |

by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection  
Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : granules

Color : white to off-white

Odor : No data available

Odor Threshold : No data available

pH : 5 - 7

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

**Fenbendazole (22.2%) Solid Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 08/16/2022  |
| 4.11    | 04/04/2023     | 2569753-00015 | Date of first issue: 02/27/2018 |

---

|  |   |  |
|--|---|--|
| Lower explosion limit / Lower flammability limit | : | No data available  |
| Vapor pressure                                   | : | Not applicable   |
| Relative vapor density                           | : | Not applicable   |
| Relative density                                 | : | No data available  |
| Density  | : | No data available  |
| Solubility(ies)<br>Water solubility              | : | insoluble  |
| Partition coefficient: n-octanol/water           | : | Not applicable   |
| Autoignition temperature                         | : | No data available  |
| Decomposition temperature                        | : | No data available  |
| Viscosity<br>Viscosity, kinematic                | : | Not applicable   |
| Explosive properties                             | : | Not explosive  |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight                                 | : | No data available  |
| Particle size                                    | : | No data available  |

---

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |   |  |
|------------------------------------|---|--|
| Reactivity                         | : | Not classified as a reactivity hazard.   |
| Chemical stability                 | : | Stable under normal conditions.  |
| Possibility of hazardous reactions | : | May form explosive dust-air mixture during processing, handling or other means.<br>Can react with strong oxidizing agents. |
| Conditions to avoid                | : | Heat, flames and sparks.<br>Avoid dust formation.  |
| Incompatible materials             | : | Oxidizing agents   |
| Hazardous decomposition products   | : | No hazardous decomposition products are known.   |

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Fenbendazole (22.2%) Solid Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 08/16/2022  |
| 4.11    | 04/04/2023     | 2569753-00015 | Date of first issue: 02/27/2018 |

---

**Acute toxicity**

Not classified based on available information.

**Components:****Starch:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**fenbendazole:**

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg

LD50 (Mouse): > 10,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****fenbendazole:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Starch:**

Species : Rabbit  
Result : No eye irritation

**fenbendazole:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Starch:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative



**Fenbendazole (22.2%) Solid Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 08/16/2022  |
| 4.11    | 04/04/2023     | 2569753-00015 | Date of first issue: 02/27/2018 |

---

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Starch:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

**fenbendazole:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

Test Type: in vitro test  
Test system: mouse lymphoma cells  
Metabolic activation: Metabolic activation  
Result: equivocal

**Carcinogenicity**

Not classified based on available information.

**Components:****fenbendazole:**

Species : Mouse  
Application Route : oral (feed)  
Exposure time : 2 Years  
NOAEL : 405 mg/kg body weight  
Result : negative

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 5 mg/kg body weight  
Result : negative  
Target Organs : Lymph nodes, Liver

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Fenbendazole (22.2%) Solid Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 08/16/2022  |
| 4.11    | 04/04/2023     | 2569753-00015 | Date of first issue: 02/27/2018 |

---

**Reproductive toxicity**

Suspected of damaging fertility. Suspected of damaging the unborn child.

**Components:****fenbendazole:**

- Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
General Toxicity Parent: NOAEL: 15 mg/kg body weight  
Fertility: LOAEL: 45 mg/kg body weight  
Result: Effects on fertility.
- Effects on fetal development : Test Type: Development  
Species: Dog, female  
Application Route: Oral  
Developmental Toxicity: LOAEL: 100 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects.
- Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 25 mg/kg body weight  
Result: Fetotoxicity.
- Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 63 mg/kg body weight
- Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 120 mg/kg body weight  
Result: No effects on fetal development.
- Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

**Components:****fenbendazole:**

- Routes of exposure : Ingestion  
Target Organs : Liver, Stomach, Nervous system, Lymph nodes  
Assessment : May cause damage to organs through prolonged or repeated

**Fenbendazole (22.2%) Solid Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 08/16/2022  |
| 4.11    | 04/04/2023     | 2569753-00015 | Date of first issue: 02/27/2018 |

---

exposure.

**Repeated dose toxicity****Components:****Starch:**

|                   |   |                         |
|-------------------|---|-------------------------|
| Species           | : | Rat                     |
| NOAEL             | : | >= 2,000 mg/kg          |
| Application Route | : | Skin contact            |
| Exposure time     | : | 28 Days                 |
| Method            | : | OECD Test Guideline 410 |

**fenbendazole:**

|                   |   |               |
|-------------------|---|---------------|
| Species           | : | Rat           |
| LOAEL             | : | 500 mg/kg     |
| Application Route | : | Oral          |
| Exposure time     | : | 2 Weeks       |
| Target Organs     | : | Kidney, Liver |

|                   |   |  |
|-------------------|---|--|
| Species           | : | Rat  |
| NOAEL             | : | > 2,500 mg/kg                                |
| Application Route | : | Oral   |
| Exposure time     | : | 30 Days                                      |
| Remarks           | : | No significant adverse effects were reported |

|                   |   |                        |
|-------------------|---|------------------------|
| Species           | : | Rat                    |
| LOAEL             | : | 1,600 mg/kg            |
| Application Route | : | Oral                   |
| Exposure time     | : | 90 Days                |
| Target Organs     | : | Central nervous system |
| Symptoms          | : | Tremors                |

|               |   |                                      |
|---------------|---|--------------------------------------|
| Species       | : | Dog                                  |
| NOAEL         | : | 4 mg/kg                              |
| LOAEL         | : | 8 mg/kg                              |
| Exposure time | : | 6 Months                             |
| Target Organs | : | Stomach, Nervous system, Lymph nodes |

**Aspiration toxicity**

Not classified based on available information.

**Components:****fenbendazole:**

No aspiration toxicity classification

**Experience with human exposure****Components:****fenbendazole:**

|           |   |   |
|-----------|---|---|
| Ingestion | : | Symptoms: Rapid respiration, Salivation, anorexia, Diarrhea |
|-----------|---|---|

**Fenbendazole (22.2%) Solid Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 08/16/2022  |
| 4.11    | 04/04/2023     | 2569753-00015 | Date of first issue: 02/27/2018 |

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****fenbendazole:**

|  |   |  |
|--|---|--|
| Toxicity to fish   | : | LC50 ( <i>Lepomis macrochirus</i> (Bluegill sunfish)): 0.009 mg/l<br>Exposure time: 21 d                             |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 ( <i>Daphnia magna</i> (Water flea)): 0.008 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202      |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC ( <i>Daphnia magna</i> (Water flea)): 0.00113 mg/l<br>Exposure time: 21 Days<br>Method: OECD Test Guideline 211 |

**Persistence and degradability**

No data available

**Bioaccumulative potential****Components:****fenbendazole:**

|  |   |               |
|--|---|---------------|
| Partition coefficient: n-octanol/water | : | log Pow: 3.32 |
|--|---|---------------|

**Mobility in soil****Components:****fenbendazole:**

|   |   |  |
|---|---|--|
| Distribution among environmental compartments | : | log Koc: 3.8 - 4.7<br>Method: FDA 3.08 |
|---|---|--|

**Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

|                        |   |   |
|------------------------|---|---|
| Waste from residues    | : | Dispose of in accordance with local regulations.<br>Do not dispose of waste into sewer.   |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal.<br>If not otherwise specified: Dispose of as unused product. |

**SECTION 14. TRANSPORT INFORMATION****International Regulations**

**Fenbendazole (22.2%) Solid Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 08/16/2022  |
| 4.11    | 04/04/2023     | 2569753-00015 | Date of first issue: 02/27/2018 |

---

**UNRTDG**

|                      |   |
|----------------------|---|
| UN number            | : UN 3077   |
| Proper shipping name | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fenbendazole) |
| Class                | : 9   |
| Packing group        | : III   |
| Labels               | : 9   |

**IATA-DGR**

|  |   |
|--|---|
| UN/ID No.                                | : UN 3077   |
| Proper shipping name                     | : Environmentally hazardous substance, solid, n.o.s. (fenbendazole) |
| Class                                    | : 9   |
| Packing group                            | : III   |
| Labels                                   | : Miscellaneous   |
| Packing instruction (cargo aircraft)     | : 956   |
| Packing instruction (passenger aircraft) | : 956   |
| Environmentally hazardous                | : yes   |

**IMDG-Code**

|                      |   |
|----------------------|---|
| UN number            | : UN 3077   |
| Proper shipping name | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fenbendazole) |
| Class                | : 9   |
| Packing group        | : III   |
| Labels               | : 9   |
| EmS Code             | : F-A, S-F  |
| Marine pollutant     | : yes   |

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****49 CFR**

|                      |   |
|----------------------|---|
| UN/ID/NA number      | : UN 3077   |
| Proper shipping name | : Environmentally hazardous substance, solid, n.o.s. (fenbendazole)   |
| Class                | : 9   |
| Packing group        | : III   |
| Labels               | : CLASS 9   |
| ERG Code             | : 171   |
| Marine pollutant     | : yes(fenbendazole)   |
| Remarks              | : Above applies only to containers over 119 gallons or 450 liters.<br>Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO. |

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

**Fenbendazole (22.2%) Solid Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 08/16/2022  |
| 4.11    | 04/04/2023     | 2569753-00015 | Date of first issue: 02/27/2018 |

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Combustible dust  
Reproductive toxicity  
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations****Pennsylvania Right To Know**

|   |            |
|---|------------|
| Starch  | 9005-25-8  |
| D-Glucose, 4-O-β-D-galactopyranosyl-, monohydrate | 64044-51-5 |
| fenbendazole                                      | 43210-67-9 |

**California List of Hazardous Substances**

|                      |           |
|----------------------|-----------|
| Polyvinylpyrrolidone | 9003-39-8 |
|----------------------|-----------|

**California Permissible Exposure Limits for Chemical Contaminants**

|        |           |
|--------|-----------|
| Starch | 9005-25-8 |
|--------|-----------|

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined


IECSC : not determined

**SECTION 16. OTHER INFORMATION****Further information**

## Fenbendazole (22.2%) Solid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 08/16/2022  |
| 4.11    | 04/04/2023     | 2569753-00015 | Date of first issue: 02/27/2018 |

### NFPA 704:



### HMIS® IV:

|                        |   |          |
|------------------------|---|----------|
| <b>HEALTH</b>          | * | <b>2</b> |
| <b>FLAMMABILITY</b>    |   | <b>3</b> |
| <b>PHYSICAL HAZARD</b> |   | <b>0</b> |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

|                 |   |   |
|-----------------|---|---|
| ACGIH           | : | USA. ACGIH Threshold Limit Values (TLV)   |
| NIOSH REL       | : | USA. NIOSH Recommended Exposure Limits  |
| OSHA Z-1        | : | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants          |
| ACGIH / TWA     | : | 8-hour, time-weighted average   |
| NIOSH REL / TWA | : | Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek |
| OSHA Z-1 / TWA  | : | 8-hour time weighted average  |

AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative)

**Fenbendazole (22.2%) Solid Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 08/16/2022  |
| 4.11    | 04/04/2023     | 2569753-00015 | Date of first issue: 02/27/2018 |

---

tative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 04/04/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8