
## **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

071496736

N/A



## SAFETY DATA SHEET

## 1. Product and Company Identification

Product identifier CloroxPro® Pine-Sol® Multi-Surface Cleaner1, Original Pine

Other means of identification Document Number: USA004000

EPA Registration No. 5813-135-67619

**Recommended use**Cleaner **Recommended restrictions**None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name
Address
The Clorox Company
1221 Broadway
Oakland, CA 94612
United States

**Telephone** 1-510-271-7000 **E-mail** Not available.

Emergency phone number Medical Emergency: 1-800-446-1014

Transportation Emergency: 1-800-424-9300 (Chemtrec)

#### 2. Hazards Identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes serious eye irritation.

**Precautionary statement** 

**Prevention** Wash thoroughly after handling. Wear eye protection and face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure. This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government

regulations.

## 3. Composition/Information on Ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Alcohols, C10-14, ethoxylated		66455-15-0*	5 - 10
Citric Acid		77-92-9	1 - 5
Sulfonic acids, C10-18 alkane, sodium salts		68037-49-0	1 - 5

#36119 Page: 1 of 7 Issue date 13-December-2023

	4. First Aid Measures	
Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.	
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.	
Eye contact	If in eyes: Rinse with water for several minutes. Remove contact lenses, if present and easy to continue rinsing. If eye irritation persists: Get medical attention.	
Ingestion	Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medica attention.	
Most important symptoms/effects, acute and delayed	Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.	
Indication of immediate medical attention and special treatment needed	Symptoms may be delayed. Treat patient symptomatically.	
General information	If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. KEEP OUT OF REACH OF CHILDREN AND PETS.	
	5. Fire Fighting Measures	
Suitable extinguishing media	Treat for surrounding material.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	Move containers from fire area if you can do it without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	No unusual fire or explosion hazards noted.	
Flammable properties	Not available	
	6. Accidental Release Measures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.	
	7. Handling and Storage	
Precautions for safe handling	Avoid contact with skin and eyes. Avoid breathing mist or vapor. Do not taste or swallow. Use goo industrial hygiene practices in handling this material. When using do not eat or drink. Wash contaminated clothing before reuse. Wash thoroughly after handling.	
Conditions for safe storage, including any incompatibilities	Keep out of reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place.	
	8. Exposure Controls/Personal Protection	
<del></del>		

#36119 Page: 2 of 7 Issue date 13-December-2023

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits. Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear chemical goggles.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing.

**Respiratory protection** Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Avoid contact with the skin and the eyes. When using do not eat or drink.

## 9. Physical and Chemical Properties

Appearance Clear Liquid
Physical state Liquid.
Form Liquid.
Color Amber
Odor Pine

Odor threshold Not available.

**pH** 2.3

Melting point/freezing point Not available.

Initial boiling point and boiling

range

Not available.

Other information

Pour pointNot available.Specific gravityNot available.Partition coefficientNot available.

(n-octanol/water)

**Flash point** > 199.4 °F (> 93.0 °C)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density 0.998

Solubility(ies)

Auto-ignition temperature

Decomposition temperature

Not available.

Not available.

Viscosity

Not available.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

#36119 Page: 3 of 7 Issue date 13-December-2023

10. Stability and Reactivity

Reactivity Possibility of hazardous

The product is stable and non-reactive under normal conditions of use, storage and transport.

reactions

No dangerous reaction known under conditions of normal use.

Chemical stability Material is stable under normal conditions.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not mix

with other chemicals. Strong oxidizing agents.

Incompatible materials

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

## 11. Toxicological Information

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Skin contact Prolonged or repeated contact may dry skin and cause irritation.

Eye contact Causes serious eye irritation.

May cause stomach distress, nausea or vomiting. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

Information on toxicological effects

See below. **Acute toxicity** 

Components Species **Test Results** 

Alcohols, C10-14, ethoxylated (CAS 66455-15-0)

Acute Dermal

LD50 Rabbit 2500 mg/kg

Inhalation LC50

Oral LD50 Rat 1800 mg/kg

Citric Acid (CAS 77-92-9)

Acute Dermal

LD50 > 2000 mg/kg, 24 Hours, ECHA Rat

Inhalation

LC50 Not available

Oral

LD50 Mouse 5400 mg/kg, ECHA

Rat 11700 mg/kg, ECHA

Sulfonic acids, C10-18 alkane, sodium salts (CAS 68037-49-0)

Acute Dermal

LD50 Inhalation

LC50

Oral

LD50 Rat >= 2000 mg/kg

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation

**Exposure minutes** Not available. Erythema value Not available. Oedema value Not available.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Corneal opacity value Not available.

Page: 4 of 7 #36119 Issue date 13-December-2023 Iris lesion valueNot available.Conjunctival reddeningNot available.

value

Conjunctival oedema valueNot available.Recover daysNot available.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

Germ cell mutagenicity
Non-hazardous by OSHA criteria.
Carcinogenicity
Non-hazardous by OSHA criteria.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed

**Reproductive toxicity** Non-hazardous by OSHA criteria.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

Chronic effects Non-hazardous by OSHA criteria.

Further information Not available.

## 12. Ecological Information

**Ecotoxicity** See below

Ecotoxicological data

Components Species Test Results

Citric Acid (CAS 77-92-9)

Acute

Crustacea EC50 Daphnia magna 120 mg/L, 72 hr

Aquatic

Acute

Fish LC50 Bluegill (Lepomis macrochirus) 1516 mg/L, 96 hr

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Citric Acid -1.64

Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal Considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the

Dispose in accordance with all applicable regulations.

material under controlled conditions in an approved incinerator. Dispose of contents/container in

accordance with local/regional/national/international regulations.

Local disposal regulations

Hazardous waste code

The waste code should be assigned in discussion between the

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#36119 Page: 5 of 7 Issue date 13-December-2023

## 14. Transport Information

#### U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

#### Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

#### IATA/ICAO (Air)

Not regulated as dangerous goods.

#### **IMDG** (Marine Transport)

Not regulated as dangerous goods.

## 15. Regulatory Information

#### **US** federal regulations

Product is compliant with CPSC regulatory guidelines.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely

No

hazardous substance

Yes

SARA 311/312 Hazardous chemical

16

Classified hazard

ı

Serious eye damage or eye irritation

categories

SARA 313 (TRI reporting)
Not regulated.

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug

Not regulated.

Administration (FDA)

US state regulations See below

## US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### California Proposition 65

This product is not subject to warning labeling under the California Proposition 65 regulation.

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

#### 16. Other Information

#36119 Page: 6 of 7 Issue date 13-December-2023

**Disclaimer** The information in the safety data sheet was written by Dell Tech Laboratories Ltd.

(www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date13-December-2023Effective date13-December-2023

Version # 02

Further information Not available.

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

Reference Item: 516687-035-001

Prepared by: The Clorox Company, 4900 Johnson Drive, Pleasanton, CA 94588, 925-368-6000

#36119 Page: 7 of 7 Issue date 13-December-2023