

## SAFETY DATA SHEETS

**This SDS packet was issued with item:**

078951053

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

078951052 078951054 078951055



## Safety Data Sheet

### Section 1: Identification

**Product Name:** *Tender Touch 100 Powder-Free Nitrile Examination Gloves*

**CAS Number:** Not established

**Product Use:** Examination Glove

**Manufacturer/Supplier:** Sempermed USA, Inc.

**Address:** 13900 49<sup>th</sup> Street North, Clearwater, FL 33762

### Section 2: Hazard(s) Identification

Not Established

### Section 3: Composition/Information on Ingredients

Synthetic rubber nitrile (NBR)

Titanium Oxide

Sulfur

Organic accelerators

Zinc Oxide

Polymeric sterically hindered phenol

Potassium Hydroxide

Color: Blue

Odor: N/A

### Section 4: First-Aid Measures

N/A

### Section 5: Fire-Fighting Measures

Flash Point

N/A

Extinguishing Media

Foam, Carbon Dioxide, Water

Conditions to Avoid

None

Incompatible Materials

None

### Section 6: Accidental Release Measures

Not necessary

### Section 7: Handling and Storage

**Sempermed USA, Inc.,** 13900 49<sup>th</sup> Street North, Clearwater, Florida 33762

Tel: 800.366.9545 Fax: 800.763.5491

Revised 05/24

Store in cool dry conditions. Avoid excessive heat. Open box should be kept from exposure to direct sun or fluorescent lighting.

#### **Section 8: Exposure Controls/Personal Protection**

Not necessary

#### **Section 9: Physical and Chemical Properties**

N/A

#### **Section 10: Stability and Reactivity**

Stable

#### **Section 11: Toxicological Information**

N/A

#### **Section 12: Ecological Information\* (non-mandatory)**

N/A

#### **Section 13: Disposal Considerations\* (non-mandatory)**

Material may be recycled or disposed of in accordance with local regulations.

#### **Section 14: Transport Information\* (non-mandatory)**

N/A

#### **Section 15: Regulatory Information\* (non-mandatory)**

N/A

#### **Section 16: Other Information**

Rev. 01-24

**Sempermed USA, Inc.**, 13900 49<sup>th</sup> Street North, Clearwater, Florida 33762

Tel: 800.366.9545 Fax: 800.763.5491

Revised 05/24

**Sempermed USA, Inc.**, 13900 49<sup>th</sup> Street North, Clearwater, Florida 33762

Tel: 800.366.9545 Fax: 800.763.5491

Revised 05/24