SAFETY DATA SHEETS

This SDS packet was issued with item: 078951055

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078951052 078951053 078951054



Safety Data Sheet

Section 1: Identification

Product Name: *Tender Touch 100 Powder-Free Nitrile Examination Gloves* CAS Number: Not established Product Use: Examination Glove Manufacturer/Supplier: Sempermed USA, Inc. Address: 13900 49th Street North, Clearwater, FL 33762

Section 2: Hazard(s) Identification

Not Established

Section 3: Composition/Information on Ingredients

Synthetic rubber nitrile (NBR) Titanium Oxide Sulfur Organic accelerators Zinc Oxide Polymeric sterically hindered phenol Potassium Hydroxide

Color: Blue Odor: N/A

Section 4: First-Aid Measures

N/A

Section 5: Fire-Fighting Measures

Flash Point Extinguishing Media Conditions to Avoid Incompatible Materials N/A Foam, Carbon Dioxide, Water None None

Section 6: Accidental Release Measures

Not necessary

Section 7: Handling and Storage

Sempermed USA, Inc., 13900 49th Street North, Clearwater, Florida 33762

Tel: 800.366.9545 Fax: 800.763.5491

Store in cool dry conditions. Avoid excessive heat. Open box should be kept from exposure to direct sun or fluorescent lighting.
Section 8: Exposure Controls/Personal Protection
Not necessary
Section 9: Physical and Chemical Properties
N/A
Section 10: Stability and Reactivity
Stable
Section 11: Toxicological Information
N/A
Section 12: Ecological Information* (non-mandatory)
N/A
Section 13: Disposal Considerations* (non-mandatory)
Material may be recycled or disposed of in accordance with local regulations.
Section 14: Transport Information* (non-mandatory)
N/A
Section 15: Regulatory Information* (non-mandatory)
N/A
Section 16: Other Information
Rev. 01-24

Sempermed USA, Inc., 13900 49th Street North, Clearwater, Florida 33762

Tel: 800.366.9545 Fax: 800.763.5491

Sempermed USA, Inc., 13900 49th Street North, Clearwater, Florida 33762

Tel: 800.366.9545 Fax: 800.763.5491