

SAFETY DATA SHEETS

This SDS packet was issued with item:

078949426

N/A

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.03.2024

Page 1 of 10

Activated Charcoal Suspension + Sorbitol | 240mL

SECTION 1: Identification

Product Identifier

Product Name: Activated Charcoal Suspension + Sorbitol | 240mL

Product code: 78949426

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: An oral supplement to be used as an aid in the absorption of toxins in dogs, cats, and other animals.

Uses Advised Against: Any use other than recommended above.

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Supplier:

United States

Aspen Veterinary Resources, LTD.

3155 W. Heartland Drive

Liberty, MO 64068

1-800-792-1238

Emergency Telephone Number:

United States

CHEMTREC

Within USA and Canada: 1-800-424-9300 (24 hours)

Outside USA and Canada: +1-703-527-3887 (24 hours)

SECTION 2: Hazard(s) Identification

GHS Classification:

Eye irritation, category 2A

Label elements

Hazard Pictograms:



Signal Word: Warning

Hazard statements:

H319 Causes serious eye irritation

Precautionary Statements:

P102 Keep out of reach of children

P264 Wash skin thoroughly for 15 minutes after handling

P280 Wear protective gloves, protective clothing, eye protection and face protection

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice or attention

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.03.2024

Page 2 of 10

Activated Charcoal Suspension + Sorbitol | 240mL

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 64365-11-3	Charcoal, activated	<12
CAS Number: 1332-58-7	Kaolin	<10
CAS Number: 50-70-4	Sorbitol	<10
CAS Number: 532-32-1	Sodium benzoate	<5
CAS Number: 24634-61-5	Potassium sorbate	<5
CAS Number: 77-92-9	Citric acid	<5

Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Show this Safety Data Sheet to the doctor in attendance.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After Eye Contact:

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.03.2024

Page 3 of 10

Activated Charcoal Suspension + Sorbitol | 240mL

Prolonged inhalation of liquid may cause upper respiratory tract irritation.

Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

Immediate Medical Attention and Special Treatment

Specific Treatment:

Not determined or not applicable.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Carbon dioxide, foam, dry chemical, halon, water spray, dry sand, limestone powder

Unsuitable Extinguishing Media:

None known.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.03.2024

Page 4 of 10

Activated Charcoal Suspension + Sorbitol | 240mL

in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
OSHA	Kaolin	1332-58-7	8-Hour TWA-PEL: 15 mg/m ³ (total dust)
	Kaolin	1332-58-7	8-Hour TWA-PEL: 5 mg/m ³ (respirable fraction)
NIOSH	Kaolin	1332-58-7	REL-TWA: 10 mg/m ³ (total [up to 10 hr])
	Kaolin	1332-58-7	REL-TWA: 5 mg/m ³ (respirable [up to 10 hr])
ACGIH	Kaolin	1332-58-7	8-Hour TWA: 2 mg/m ³ (respirable particulate matter, containing no asbestos and <1 % crystalline silica)
	Sodium benzoate	532-32-1	8-Hour TWA: 2.5 mg/m ³ (as benzoate, inhalable fraction)
United States(California)	Kaolin	1332-58-7	8-Hour TWA-PEL: 2 mg/m ³ (respirable dust, containing no asbestos and <1% crystalline silica)

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.03.2024

Page 5 of 10

Activated Charcoal Suspension + Sorbitol | 240mL

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance	Gray, viscous liquid
Odor	Odorless
Odor threshold	Not determined or not available.
pH	4.0 - 4.5
Melting point/freezing point	32 °F
Initial boiling point/range	212 °F
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	1.04
Solubilities	In water:100%
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.03.2024

Page 6 of 10

Activated Charcoal Suspension + Sorbitol | 240mL

None known.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Route	Result
Kaolin	oral	LD50 Rat: > 5000 mg/kg
	dermal	LD50 Rat: > 5000 mg/kg
Sorbitol	oral	LD50 Rat: 15,900 mg/kg
Sodium benzoate	oral	LD50 Rat: 3450 mg/kg
	inhalation	LC50 Rat: 12.2 mg/L (4 hr [Dust])
	dermal	LD50 Rabbit: >2000 mg/kg
Potassium sorbate	oral	LD50 Rat: 10,500 mg/kg ([Read-across substance data])
	dermal	LD50 Rat: >2000 mg/kg (No mortality was observed [Read-across substance data])
Citric acid	oral	LD50 Mouse: 5400 mg/kg
	dermal	LD50 Rat: > 2000 mg/kg

Skin Corrosion/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

Name	Result
Potassium sorbate	Causes skin irritation.

Serious Eye Damage/Irritation

Assessment:

Causes serious eye irritation.

Product Data:

No data available.

Substance Data:

Name	Result
Sodium benzoate	Causes serious eye irritation.
Potassium sorbate	Causes serious eye irritation.
Citric acid	Causes serious eye irritation.

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Carcinogenicity

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.03.2024

Page 7 of 10

Activated Charcoal Suspension + Sorbitol | 240mL

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

Name	Result
Potassium sorbate	May cause respiratory irritation.
Citric acid	May cause respiratory irritation.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

Skin contact, ingestion, inhalation, eye contact.

Substance Data: No data available.

Information on Likely Routes of Exposure:

See section 4 of this SDS.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Other Information:

No data available.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.03.2024

Page 8 of 10

Activated Charcoal Suspension + Sorbitol | 240mL

Name	Result
Sodium benzoate	Fish LC50 Pimephales promelas: 484 mg/L (96 hr)
	Aquatic Plants EC50 Raphidocelis subcapitata: >30.5 mg/L (72 hr [growth rate])
	Aquatic Invertebrates EC50 Daphnia magna: 650 mg/L (48 hr [mobility])
Potassium sorbate	Fish LC50 Oncorhynchus mykiss: >1000 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 982 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Raphidocelis subcapitata: 77 mg/L (72 hr [growth rate, Read-across substance data])
Citric acid	Fish LC50 Pimephales promelas: >100 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: > 50 mg/L (48 hr [substrate reattachment abilities])

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
Sodium benzoate	Aquatic Invertebrates NOEC Daphnia magna: 5.81 mg/L (21 d [reproduction])
Potassium sorbate	Aquatic Invertebrates EC50 Daphnia magna: >50 mg/L (21 d [reproduction, Read-across substance data])

Persistence and Degradability

Product Data: No data available.

Substance Data:

Name	Result
Sodium benzoate	The substance is readily biodegradable. 94% degradation in water, measured by CO2 evolution, after 28 days.
Potassium sorbate	The substance is readily biodegradable. 74.9% degradation in water, measured by O2 consumption, after 28 days(Read-across substance data).
Citric acid	The substance is readily biodegradable. 97% degradation in water, measured by CO2 evolution, after 28 days.

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Name	Result
Sorbitol	The substance is not expected to bioaccumulate (log Kow = -2.20).
Sodium benzoate	The substance is not expected to bioaccumulate (log Pow= 1.88, Read-across substance data).
Potassium sorbate	The substance is not expected to bioaccumulate (BCF: 2.6 dimensionless & log Pow:1.32, Read-across substance data).
Citric acid	The substance is not expected to bioaccumulate (log Pow= -1.55 and BCF= 3.2 L/kg- calculated value).

Mobility in Soil

Product Data: No data available.

Substance Data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.03.2024

Page 9 of 10

Activated Charcoal Suspension + Sorbitol | 240mL

Name	Result
Sorbitol	The substance is highly mobile, therefore, adsorption to soil and sediment is not expected (Koc: 2).
Sodium benzoate	The substance is highly mobile, therefore, adsorption to soil is not expected (Koc= 7.033 L/kg, QSAR substance data).
Potassium sorbate	The substance is highly mobile, therefore, adsorption to soil and sediment is not expected (log Koc: -1.82 at 20 °C, Read-across substance data).
Citric acid	The substance is mobile, therefore, there is low potential for adsorption to soil and sediment (Koc: 10).

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

Sodium benzoate	The substance is not PBT.
Potassium sorbate	The substance is not PBT.
Citric acid	The substance is not PBT.

vPvB assessment:

Sodium benzoate	The substance is not vPvB.
Potassium sorbate	The substance is not vPvB.
Citric acid	The substance is not vPvB.

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory agencies. Dispose of in accordance with all applicable local, regional, state and federal regulations.

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.03.2024

Page 10 of 10

Activated Charcoal Suspension + Sorbitol | 240mL

Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals: None of the ingredients are listed.

CERCLA: None of the ingredients are listed.

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

1332-58-7	Kaolin	Listed
-----------	--------	--------

New Jersey Right to Know:

1332-58-7	Kaolin	Listed
-----------	--------	--------

New York Right to Know: None of the ingredients are listed.

Pennsylvania Right to Know:

1332-58-7	Kaolin	Listed
-----------	--------	--------

California Proposition 65: None of the ingredients are listed.

Additional information: Not determined.

SECTION 16: Other Information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial Preparation Date: 06.03.2024

End of Safety Data Sheet