

SAFETY DATA SHEETS

This SDS packet was issued with item:

070308015

N/A

Product name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M,
LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM,
LC67HYM, LC990HYM, LC1100HYM Ink

Issuing Date: 26-December-2007
Revision Date: 1-April -2015
Version: 13
SDS No: BHM018-01-EUUSOTHER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name (code)	LC11M (LK3638001, LK4691001), LC16M (LK3534001, LK4711001), LC38M (LK3662001, LK4197001), LC39M (LK5406001), LC60M (LK5730001), LC61M (LK3367001, LK4298001), LC67M (LK3670001, LK4223001), LC975M (LK5671001), LC980M (LK3375001, LK4049001), LC985M (LK4622001, LK5402001), LC990M (LK4462001), LC1100M (LK3573001, LK3986001), LC65HYM (LK3292001, LK4331001), LC67HYM (LK3532001, LK4278001), LC990HYM (LK3533001, LK4482001), LC1100HYM (LK3531001, LK4022001)
----------------------------	--

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant Identified Use(s)	These products are dark red ink in a cartridge for Brother Industries, Ltd. inkjet multifunction devices and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only consistent with the use specified by Brother.
-----------------------------------	--

1.3 Details of the supplier of the safety data sheet

Manufacturer	Brother Industries, Ltd. 15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan Telephone (for information): +81-52-824-2735
Importer (USA)	Brother International Corporation 200 Crossing Boulevard, Bridgewater, NJ 08807, USA Telephone (for information): +1-877-276-8437
Importer (Canada)	Brother International Corporation (Canada) Ltd. 1 Hotel de Ville, Dollard des Ormeaux, Quebec, H9B 3H6, Canada Telephone (for information): +1-514-685-0600
Importer (Europe)	Brother International Europe Ltd. Brother House, 1 Tame Street, Guide Bridge, Audenshaw, Manchester M34 5JE, UK Telephone (for information): +44-161-330-6531
Importer (Australia)	Brother International (Aust.) Pty. Ltd. ACN 001 393 835 Level 3, Building A, 11 Talavera Road, Macquarie Park, NSW 2113, Australia Telephone (for information): +61-2-9887-4344
E-mail Address	sds.info@brother.co.jp

1.4 Emergency telephone number

Emergency Telephone (24 hours)	CHEMTREC +1-703-527-3887 (International) +1-800-424-9300 (North America) For France only: Antipoison Center telephone number: ORFILA +33-1-45-425-959
---	---

Product name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M,
LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM,
LC67HYM, LC990HYM, LC1100HYM Ink

Issuing Date: 26-December-2007
Revision Date: 1-April -2015
Version: 13
SDS No: BHM018-01-EUUSOTHER

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Not classified as hazardous

Classification according to Directive 1999/45/EC

Not classified as hazardous

Australia Classification

Not classified as hazardous according to the criteria of NOHSC

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms

None

Signal Word

None

Hazard Statements

EUH208 - Contains water soluble heterocyclic magenta azo dye compounds, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Precautionary statements

None

2.3 Other hazards

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Product name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M,
LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM,
LC67HYM, LC990HYM, LC1100HYM Ink

Issuing Date: 26-December-2007
Revision Date: 1-April -2015
Version: 13
SDS No: BHM018-01-EUUSOTHER

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description of the mixture: Water based inkjet ink (Mixture).

Chemical Name	CAS-No	EC-No	w/w%	Classification (67/548/EEC)	Classification (EU Reg. 1272/2008)
Glycerol	56-81-5	200-289-5	10-20	Not classified	Not classified
Diethylene glycol	111-46-6	203-872-2	1-5	Xn; R22	Acute Tox. 4 (H302)
Magenta Dye 1 (FJM-001B)	*	*	<2	Xi; R36 - R43 N; R51/53	Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Chronic 2 (H411)
Magenta Dye 2	*	*	<2	N; R51/53	Aquatic Chronic 2 (H411)
Water	7732-18-5	231-791-2	65-75	Not classified	Not classified
1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120-9	< 0.05	Xn; R22 Xi; R41 Xi; R38 R43 N; R50	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400

For the full text of R-phrases and H-Statements see Section 16

* Registered

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	If symptoms persist, obtain medical attention.
Inhalation	Obtain medical attention. In case of accident by inhalation remove casualty to fresh air and keep at rest.
Skin contact	Remove contaminated clothing immediately and wash affected skin with plenty of water or soap and water.
Eye contact	Obtain medical attention. If substance has got into the eyes, immediately wash out with plenty of water for at least 15 minutes.
Ingestion	Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact: Repeated and/or prolonged skin contact may cause irritation. May produce an allergic reaction.

Eye contact: May cause eye irritation.

Ingestion: Ingestion may cause irritation of the gastrointestinal tract. Unlikely route of exposure.

Inhalation: Unlikely route of exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Product name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M,
LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM,
LC67HYM, LC990HYM, LC1100HYM Ink

Issuing Date: 26-December-2007
Revision Date: 1-April -2015
Version: 13
SDS No: BHM018-01-EUUSOTHER

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable Extinguishing Media Extinguish preferably with dry chemical, carbon dioxide, water spray, foam.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the substance or mixture

Thermal decomposition of organic components may result in occurrence of oxides of carbon. Toxic gases may be formed upon combustion and represents a hazard to firefighters. Combustion products: See Section: 10.

5.3 Advice for firefighters

Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent significant exposure to toxic combustion gases from any source.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid contact with eyes.

6.2 Environmental precautions

Prevent substance entering sewers. Washings must be prevented from entering surface water drains.

6.3 Methods and materials for containment and cleaning up

Wipe up with absorbent towel. Wash with water to remove remaining traces of ink.

6.4 Reference to other sections

For personal protection: See section 8.
For disposal considerations: See section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep out of the reach of children. Avoid contact with skin and eyes.

7.2 Conditions for safe storage, including any incompatibilities

Keep away from oxidizing agents.

7.3 Specific end use(s)

These products are dark red ink in a cartridge for Brother Industries, Ltd. inkjet multifunction devices and fax receivers. This cartridge should be used as supplied by Brother and for use in the products stated.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical Name	Glycerol 56-81-5
ACGIH TLV	TWA: 10 mg/m ³ mist
OSHA PEL	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction
European Union	-
The United Kingdom	STEL: 30 mg/m ³ TWA: 10 mg/m ³

SAFETY DATA SHEET

Product name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M,
LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM,
LC67HYM, LC990HYM, LC1100HYM Ink

Issuing Date: 26-December-2007
Revision Date: 1-April -2015
Version: 13
SDS No: BHM018-01-EUUSOTHER

France	TWA: 10 mg/m ³
Spain	TWA: 10 mg/m ³
Germany	TWA: 50 mg/m ³ Ceiling / Peak: 100 mg/m ³
Portugal	TWA: 10 mg/m ³
Finland	TWA: 20 mg/m ³
Switzerland	STEL: 100 mg/m ³ TWA: 50 mg/m ³
Poland	TWA: 10 mg/m ³
Ireland	TWA: 10 mg/m ³
Chemical Name	Diethylene glycol 111-46-6
ACGIH TLV	-
OSHA PEL	-
European Union	-
The United Kingdom	STEL: 69 ppm STEL: 303 mg/m ³ TWA: 23 ppm TWA: 101 mg/m ³
Germany	TWA: 10 ppm TWA: 44 mg/m ³ Ceiling / Peak: 40 ppm Ceiling / Peak: 176 mg/m ³
Denmark	TWA: 2.5 ppm TWA: 11 mg/m ³
Austria	STEL 40 ppm STEL 176 mg/m ³ TWA: 10 ppm TWA: 44 mg/m ³
Switzerland	STEL: 40 ppm STEL: 176 mg/m ³ TWA: 10 ppm TWA: 44 mg/m ³
Poland	TWA: 10 mg/m ³
Ireland	TWA: 23 ppm TWA: 100 mg/m ³

8.2 Exposure controls

Appropriate engineering controls Good general ventilation should be sufficient under normal use.

Personal protective equipment Not normally required. For use other than in normal operating procedures (such as in the event of large spill), the following should be applied:

Eye Protection	Safety goggles.
Hand Protection	Protective gloves.
Skin and body protection	Long sleeved clothing and long pants.
Respiratory protection	Large spillages: Wear suitable respiratory protective equipment.

Environmental Exposure Controls Avoid release to the environment.

Product name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M,
LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM,
LC67HYM, LC990HYM, LC1100HYM Ink

Issuing Date: 26-December-2007
Revision Date: 1-April -2015
Version: 13
SDS No: BHM018-01-EUUSOTHER

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	Liquid
Color	Dark red
Odor	Slight
Odor Threshold	No information available
pH	7 - 9
Melting point/freezing point	- / < -5 °C
Initial boiling point and boiling range	> 100 °C
Flash Point	Does not flash >93.3°C (Tag closed cup; Cleveland open cup)
Evaporation rate	No information available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	1.0 - 1.1 (H ₂ O=1)
Solubility(ies)	Soluble (water)
Partition coefficient: n-octanol/water	No information available
Auto-ignition temperature	>400 °C
Decomposition temperature	No information available
Viscosity	1 - 5 mPa·s
Explosive properties	Not explosive
Oxidizing properties	No information available

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity	No information available.
10.2 Chemical stability	Stable.
10.3 Possibility of hazardous reactions	No information available.
10.4 Conditions to avoid	No information available.
10.5 Incompatible materials	Strong oxidizing agents.
10.6 Hazardous decomposition products	Contains: Carbon monoxide (CO). Carbon dioxide (CO ₂).

Product name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M,
LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM,
LC67HYM, LC990HYM, LC1100HYM Ink

Issuing Date: 26-December-2007
Revision Date: 1-April -2015
Version: 13
SDS No: BHM018-01-EUUSOTHER

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Inhalation	No information available.
Eye contact	No information available.
Skin contact	No information available.
Ingestion	LD ₅₀ > 2000 mg/kg (Method OECD#420)

Skin corrosion/irritation Non-irritant. (Method: OECD#404)

Serious eye damage/irritation Minimal irritant to the eye. (Method: OECD#405)

Respiratory or skin sensitisation It is not a skin sensitizer. (Method: OECD#429)

Mutagenicity Negative. (Method: OECD#471)

Carcinogenicity **Ingredients of this product have not been classified as carcinogens according to IARC monographs, NTP and OSHA**

SECTION 12: Ecological information

12.1 Toxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Glycerol 56-81-5		LC ₅₀ : 51 - 57 mL/L 96 h static (Oncorhynchus mykiss)	EC ₅₀ : >500 mg/L 24 h (Daphnia magna)
Diethylene glycol 111-46-6		LC ₅₀ : 75200 mg/L 96 h flow-through (Pimephales promelas)	EC ₅₀ : 84000 mg/L 48 h (Daphnia magna)

12.2 Persistence and degradability No information available.

12.3 Bioaccumulative potential

Chemical Name	log Pow
Glycerol	-1.76
Diethylene glycol	-1.98

12.4 Mobility in soil No information available.

12.5 Results of PBT and vPvB assessment This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6 Other adverse effects No information available.

Product name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M,
LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM,
LC67HYM, LC990HYM, LC1100HYM Ink

Issuing Date: 26-December-2007
Revision Date: 1-April -2015
Version: 13
SDS No: BHM018-01-EUUSOTHER

SECTION 13: Disposal considerations

13.1 Waste treatment methods Dispose of in accordance with Federal, State, and local regulations.

SECTION 14: Transport information

Not classified according to the United Nations "Recommendations on the Transport of Dangerous Goods"

14.1 UN Number	None
14.2 UN proper shipping name	None
14.3 Transport hazard class(es)	None
14.4 Packing Group	None
14.5 Environmental hazards	None
14.6 Special precautions for user	None
14.7 Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code	Not applicable

Not regulated under DOT, IMDG, IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	<p>EU: Not classified as dangerous for supply/use. (1999/45/EC) But ink has to bear the inscription: "Contains water soluble heterocyclic magenta azo dye compounds. May produce an allergic reaction"</p> <p>USA: All chemical substances contained in this product are and had been listed on the TSCA Chemical Substances Inventory, and none is subject to any of the following TSCA requirements: section 4 test rules; proposed or final section 5(a)(2) significant new use rules; section 5(e) consent orders; section 8(a) preliminary assessment information rules; and section 8(d) health and safety data reporting rules.</p> <p>Canada: WHMIS: Not applicable. (Manufactured article)</p>
15.2 Chemical Safety Assessment	No.

Product name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M,
LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM,
LC67HYM, LC990HYM, LC1100HYM Ink

Issuing Date: 26-December-2007
Revision Date: 1-April -2015
Version: 13
SDS No: BHM018-01-EUUSOTHER

SECTION 16: Other information

Full text of R-phrases referred to under sections 2 and 3

R22 - Harmful if swallowed
R36 - Irritating to eyes
R41 - Risk of serious damage to eyes
R38 - Irritating to skin
R43 - May cause sensitization by skin contact
R50 - Very toxic to aquatic organisms
R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed
H315 - Causes skin irritation
H318 - Causes serious eye damage
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H400 - Very toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects

Additional information

The information relates only to this product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of preparation (revision).

Revision Note

SECTION 2, 3.

References:

U.S. 29CFR Part 1910
ACGIH Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
IARC Monographs on the Evaluation Carcinogenic Risks to Humans World Health Organization
EU Directive 91/322/EEC and 2000/39/EC
NTP 11th Report on Carcinogens

Abbreviations:

ACGIH: American Conference of Governmental Industrial Hygienists
DOT: Department Of Transportation (US)
IARC: International Agency for Research on Cancer
IATA: International Air Transport Association
IMDG: International Maritime Dangerous Goods
NOHSC: National Occupational Health and Safety Commission (Australia)
NTP: National Toxicology Program (US)
OSHA: Occupational Safety and Health Administration (US)
PEL: Permissible Exposure Limit
STEL: Short Term Exposure Limit
TLV: Threshold Limit Value (ACGIH)
TSCA: Toxic Substances Control Act (US)
TWA: Time Weighted Average
WHMIS: Workplace Hazardous Material Information System (Canada)