This SDS packet was issued with item:

070308072

N/A



Product Name TN-3230, TN-3280, TN-620, TN-650, TN-3250, TN-3290, TN-3235, TN-3285 Toner Version Number: 5 SDS No.: PT481-01-EUUSOTHER

Product Name: TN-3230, TN-3280, TN-620, TN-650, TN-3250, TN-3290, TN-3235, TN-3285

Toner

Material Identification: PT481

Use: These products are black toner in a cartridge for Brother Industries, Ltd. laser

printers, multifunction devices and fax receivers.

The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only consistent with the use specified

by Brother.

Manufacturer: Brother Industries, Ltd.

15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan

Telephone (for information): +81-52-824-2735

Importer USA: Brother International Corporation

100 Somerset Corporate Boulevard, P.O. Box 6911, Bridgewater, NJ 08807-

0911, USA

Telephone (for information): +1-800-284-4329

Importer Canada: Brother International Corporation (Canada) Ltd.

1 Hotel de Ville, Dollard des Ormeaux, Quebec, H9B 3H6, Canada

Telephone (for information): +1-514-685-0600

Importer Europe: Brother International Europe Ltd.

Brother House, 1 Tame Street, Guide Bridge, Audenshaw, Manchester M34 5JE,

UK

Telephone (for information): +44-161-330-6531

Importer Australia: Brother International (Aust.) Pty. Ltd. ACN 001 393 835

Level 3, Building A, 11 Talavera Road, Macquarie Park, NSW 2113, Australia

Telephone (for information): +61-2-9887-4344

Emergency Phone No.: CHEMTREC

+1-703-527-3887 (International) +1-800-424-9300 (North America)

For France only:

Antipoison Center telephone number: ORFILA +33-1-45-425-959

E-mail address for information: sds.info@brother.co.jp

ZENAZARIS DEN HEIOATION

Potential health effects from

Date: Revised 18 January 2010

overexposure:

Routes of exposure: skin contact, eye contact, inhalation (Dust).

Minimal respiratory tract irritation may occur as with large amounts of any non-

toxic dust. Thermal decomposition will evolve toxic and irritant vapors.

Combustion products: See Section: 10.

Date: Issued 24 November 2008

Page: 1 of 6



Product Name

TN-3230, TN-3280, TN-620, TN-650, TN-3250, TN-3290, TN-3235, TN-3285 Toner

Version Number: 5 SDS No.: PT481-01-EUUSOTHER

Potential Health Effects:

Routes of exposure:

skin contact, eye contact, inhalation (Dust).

Inhalation (Dust). For large quantities:

May cause irritation to the respiratory system.

Effects and Symptoms - Increased difficulty in breathing, Sneezing, Coughing. Use this product as intended in order to prevent the dust leakage that leads to

exposure.

Skin Contact:

No specific effects and/or symptoms have been reported or known.

Eye Contact:

May cause eye irritation. Use this product as intended in order to prevent the dust

leakage that leads to exposure.

Indestion

May cause stomach ache. Unlikely route of exposure.

Special Hazards:

May form explosible dust clouds in air.

EU Classification:

Not classified as hazardous according to EU Directive 1999/45/EC.

Australia Classification:

Not classified as hazardous according to the criteria of NOHSC.

COMPOSITION AND THE PROPERTY OF THE PROPERTY O

Chemical Name:

Styrene-acrylate Toner (Mixture).

Chemical Name	CAS No.	EC No.	%W/W	EU Hazard Symbols	EU Risk Phrases
Styrene-acrylate copolymer	25767-47-9	Not applicable.	84 - 87	Not classified.	Not classified.
Carbon Black (bound)	1333-86-4	215-609-9	5 - 7	Not classified.	Not classified.
Fatty Acid Ester	Confidential	Not applicable.	4 - 5	Not classified.	Not classified.
PMMA	9011-14-7	Not applicable.	1 - 3	Not classified.	Not classified.
Styrene-acrylic resin	Confidential	Not applicable.	1 - 2	Not classified.	Not classified.
Silicon Dioxide (amorphous)	844491-94-7	430-570-1	< 1	Not classified.	Not classified.
Silicon Dioxide (amorphous)	7631-86-9	231-545-4	< 1	Not classified.	Not classified.

General: If symptoms persist, obtain medical attention.

Inhalation:

Obtain immediate medical attention. In case of accident by inhalation remove

casualty to fresh air and keep at rest.

Skin Contact:

Remove contaminated clothing immediately and wash affected skin with plenty of

water or soap and water.

Eye Contact:

Obtain medical attention. If substance has got into the eyes, immediately wash

out with plenty of water for at least 15 minutes.

Ingestion:

Obtain immediate medical attention. Wash out mouth with water and give 200-

300 ml (half a pint) of water to drink.

Extinguishing Media: Extinguish preferably with dry chemical, Carbon dioxide, Water spray, Foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Date: Revised 18 January 2010

Date: Issued 24 November 2008
Page: 2 of 6



Product Name

TN-3230, TN-3280, TN-620, TN-650, TN-3250, TN-3290, TN-3235, TN-3285 Toner

Version Number: 5 SDS No.: PT481-01-EUUSOTHER

Special firefighting procedures:

Do not use high-pressure water in order to prevent creating a dust cloud and spreading fire dust. Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent significant exposure to toxic combustion gases from any source.

Unusual fire and explosion hazards:

May form explosible dust clouds in air. Combustion products: See Section: 10.

Explosion limits:

Lower = 40 g/m^3

6 WAGGIDENTAURELEASE MEASURES

Personal Protection:

Avoid generation of dust. Do not breathe dust.

A suitable dust mask or dust respirator with filter type A/P may be appropriate.

Environmental Precautions:

Prevent substance entering sewers. Washings must be prevented from entering

surface water drains.

Methods for Cleaning Up:

Sweep the spilt toner or remove it with a vacuum cleaner and transfer into a sealed container carefully. Sweep slowly to minimize generation of dust during clean-up. If a vacuum cleaner is used, the motor must be rated as dust explosion-

proof.

Potential for very fine particles to be taken into the vacuum only to be passed

back into the environment due to pore size in the bag or filter.

DISPOSAL CONSIDERATIONS - See Section: 13.

AND HANDISMETANDSTORAGE.

Handling:

Keep out of the reach of children. Avoid dust generation. Avoid inhalation of high

concentrations of dust. Avoid contact with eyes.

Storage:

Keep out of the reach of children. Keep away from oxidizing agents.

Occupational Exposure Limits:

SUBSTANCE	CAS No.	OSHA PEL	ACGIH TLV	EU IOELV
Carbon Black	1333-86-4	3.5 mg/m ³ TWA	3.5 mg/m ³ TWA	None.
Silicon Dioxide (amorphous)	844491-94-7	20mppcf 80(mg/m³)/%SiO ₂	None.	None.
Silicon Dioxide (amorphous)	7631-86-9	20mppcf 80(mg/m³)/%SiO ₂	None.	None.

Additional Information:

USA OSHA PEL (TWA): 15 mg/m³ (Total Dust) 5mg/m³ (Respirable Fraction). ACGIH TLV (TWA): 10 mg/m³ (Inhalable particles) 3 mg/m³ (Respirable particles).

Environmental Exposure Controls:

Not normally required.

Ventilation:

Good general ventilation should be sufficient under normal use.

Personal Protection:

Not normally required. For use other than in normal operating procedures (such

as in the event of large spill), the following should be applied:

Eye/face: Goggles. Skin: Protective gloves.

Respirators: Dust mask. (Large spillages: Respirator).

Date: Revised 18 January 2010

Date: Issued 24 November 2008

Page: 3 of 6



Product Name TN-3230, TN-3280, TN-620, TN-650, TN-3250, TN-3290, TN-3235, TN-3285 Toner

Version Number: 5 SDS No.: PT481-01-EUUSOTHER

O SERVOICALIAND GHEMIDAL FROPERTIES.

pH (Value):

Form:
Powder.

Color:
Black.
Odor:
Odorless.

Boiling Point (°C):
Not applicable.

Melting Point (°C): 110 (Softening Point (°C)).

Vapor Pressure (Pascal):Not applicable.Specific Gravity: $1.15 (H_2O=1)$.Viscosity (mPa.s):Not applicable.Flash Point ($^{\circ}$ C):Not applicable.

Explosive Properties: Explosion limits lower - 40 g/m³.

Flammable Powder Class:
Vapor Density (Air=1):
Partition Coefficient (n-Octanol/water):
Relative Evaporation Rate (Butyl
No data.
Not applicable.

Acetate=1):

Oxidizing Properties:
Solubility (Water):
Solubility (Other):
No data.

404 STABILITY AND REACTIVITY

Chemical Stability: Stable.

Conditions to avoid: Keep at temperature not exceeding: 200 °C. Avoid friction, sparks, or other means

of ignition.

Materials to avoid: Strong oxidizing agents.

Hazardous Decomposition Product(s): Contains: Carbon monoxide, Carbon dioxide and Nitrogen oxides.

Hazardous polymerization: Will not occur.

SALES SEXICOLOGICAL INFORMATION CONTRACTOR OF THE SALES O

Ingestion: Acute LD₅₀ > 2000mg/kg (Method: OECD#420)

Inhalation: Acute LC₅₀ > 5.30mg/l (Method: OECD#403)

Skin Contact: Non-irritant. (Method: OECD#404)

Eye Contact: Slight irritant to the eye. (Method: OECD#405)

Mutagenicity: Negative. (Method: OECD#471 / Ames test)

Skin sensitization: It is not a skin sensitizer. (Method: OECD#429)

Carbon Black: Carcinogenicity Information.

In 1996, the IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This classification is given to chemicals, for which there is inadequate human evidence, but sufficient animal evidence on which to base an entire of carcinogenicity.

opinion of carcinogenicity.

The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle

overload of the lung.

Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

Other ingredients of this product have not been classified as carcinogens according to IARC monographs, NTP and OSHA.

Date: Revised 18 January 2010 Date: Issued 24 November 2008

Page: 4 of 6



Product Name TN-3230, TN-3280, TN-620, TN-650, TN-3250, TN-3290, TN-3235, TN-3285 Toner

Version Number: 5 SDS No.: PT481-01-EUUSOTHER

LA LEGO CONTROL OF MATION OF LANGUAGE CONTROL OF THE PARTY OF THE PART

No data available on the adverse effects of this product on the environment.

Toxicity:

No data.

Environmental Fate and Distribution:

No data.

Persistence and Degradation:

No data.

LA SELDE SALE CONSIDERATIONS TO THE PROPERTY OF THE PROPERTY O

Do not put toner or toner cartridges into a fire, this can cause fire to spread with the risk of causing burn injuries. Shred toner cartridges in a dust/explosion controlled environment. Finely dispersed particles may form explosive mixtures in the air.

Dispose of in compliance with Federal, State and local regulations.

14 PRINTERNISE OF ENEOGYMATION

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

UN No.:

None.

Class: None.

Not regulated under DOT, IMDG, ADR, RID, IATA.

AS PEGUNAROEV INFORMATION 2 2 2 2 2 3

USA: All chemicals in this product comply with TSCA rules and regulations including

TSCA Section 5 (Inventory Rules).

EU: Not classified as dangerous for supply/use. (1999/45/EC, 67/548/EEC)

Hazard Symbol, Risk Phrases, Safety Phrases: None assigned.

Canada: WHMIS: Not applicable. (Manufactured article)

TEST OF SEEDINFORMATION

The following sections contain revisions or new statements: All sections.

Additional Information: The information relates only to this product. It may not be valid, if used in

combination with any other materials or in any other process, and it is based on

our best knowledge as of the date of preparation (revision).

Reference: - U.S. 29CFR Part 1910

- ACGIH Threshold Limit Values for Chemical Substances and Physical Agents and

Biological Exposure Indices

- EU Directive 91/322/EEC and 2000/39/EC

- IARC Monographs on the Evaluation Carcinogenic Risks to Humans World Health

Organization

- NTP 11th Report on Carcinogens

Date: Revised 18 January 2010 Date: Issued 24 November 2008 Page: 5 of 6



Product Name TN-3230, TN-3280, TN-620, TN-650, TN-3250, TN-3290, TN-3235, TN-3285 Toner

Version Number: 5 SDS No.: PT481-01-EUUSOTHER

Abbreviations:

Date: Revised 18 January 2010

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International carriage of Dangerous

goods by Road (EU)
DOT: Department Of Transportation (US)
EINECS: European Inventory of Existing Commercial Chemical Substances

HCS: Hazard Communication Standard (US) IARC: International Agency for Research on Cancer IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods

NOELV: Indicative Occupational Exposure Limit Value
NOHSC: National Occupational Health and Safety Commission (Australia)
NTP: National Toxicology Program (US)
OSHA: Occupational Safety and Health Administration (US)

PEL: Permissible Exposure Limit
RID: Regulations concerning the International carriage of goods by Rail (EU)
TLV: Threshold Limit Value (ACGIH)

TSCA: Toxic Substances Control Act (US)

WHMIS: Workplace Hazardous Material Information System (Canada)

Date: Issued 24 November 2008

Page: 6 of 6



Issuing Date: 24-November-2008 Revision Date: 01-November-2015 Version: 7

SDS No: PT481-01-EUUSOTHER

Product name: TN-3230, TN-3280, TN-620, TN-650, TN-3250, TN-3290, TN-3235, TN-3285 Toner

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name TN-3230, TN-3280, TN-620, TN-650, TN-3250, TN-3290, TN-3235, TN-3285 Toner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant Identified Use(s)

These products are black toner in a cartridge for Brother Industries, Ltd. laser printers, multifunction

devices and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only consistent with the use specified by

Brother.

1.3 Details of the supplier of the safety data sheet

Manufacturer Brother Industries, Ltd.

15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan

Telephone (for information): +81-52-824-2735

Importer (USA) Brother International Corporation

200 Crossing Boulevard, Bridgewater, NJ 08807, USA

Telephone (for information): +1-877-276-8437

Importer (Canada) Brother International Corporation (Canada) Ltd.

1 Hotel de Ville, Dollard des Ormeaux, Quebec, H9B 3H6, Canada

Telephone (for information): +1-514-685-0600

Importer (Europe) Brother International Europe Ltd.

Brother House, 1 Tame Street, Guide Bridge, Audenshaw, Manchester M34 5JE, UK

Telephone (for information): +44-161-330-6531

Importer (Australia) Brother International (Aust.) Pty. Ltd. ACN 001 393 835

Level 3, Building A, 11 Talavera Road, Macquarie Park, NSW 2113, Australia

Telephone (for information): +61-2-9887-4344

E-mail Address sds.info@brother.co.jp

1.4 Emergency telephone number

Emergency Telephone CHEMTREC

(24 hours)

+1-703-527-3887 (International)

+1-800-424-9300 (North America)

For France only:

Antipoison Center telephone number: ORFILA +33-1-45-425-959

ΕN



Issuing Date: 24-November-2008 Revision Date: 01-November-2015

Version: 7

SDS No: PT481-01-EUUSOTHER

Product name: TN-3230, TN-3280, TN-620, TN-650, TN-3250,

TN-3290, TN-3235, TN-3285 Toner

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Not classified as hazardous

Classification according to Directive 1999/45/EC

Not classified as hazardous

Australia Classification

Not classified as hazardous according to the criteria of NOHSC

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms

None

Signal Word

None

Hazard Statements

None

Precautionary statements

None

2.3 Other hazards

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description of the mixture: Styrene-acrylate Toner (Mixture).

Chemical Name	CAS-No	EC-No	w/w%	Classification
				(EU Reg. 1272/2008)
Styrene-acrylate copolymer	25767-47-9	-	84-87	Not classified
Carbon Black (bound)	1333-86-4	215-609-9	5-7	Not classified
Fatty Acid Ester	**	-	4-5	Not classified
PMMA	9011-14-7	-	1-3	Not classified
Styrene-acrylate Resin	**	-	1-2	Not classified
Silicon Dioxide (amorphous)	844491-94-7	430-570-1	<1	Not classified
Silicon Dioxide (amorphous)	7631-86-9	231-545-4	<1	Not classified

For the full text of R-phrases and H-Statements see Section 16

^{**} CONFIDENTIAL



Issuing Date: 24-November-2008 Revision Date: 01-November-2015 Version: 7

SDS No: PT481-01-EUUSOTHER

Product name: TN-3230, TN-3280, TN-620, TN-650, TN-3250, TN-3290, TN-3235, TN-3285 Toner

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice If symptoms persist, obtain medical attention.

Inhalation Obtain immediate medical attention. In case of accident by inhalation remove casualty to fresh air

and keep at rest.

Skin contact Remove contaminated clothing immediately and wash affected skin with plenty of water or soap and

water

Eye contact Obtain medical attention. If substance has got into the eyes, immediately wash out with plenty of

water for at least 15 minutes.

Ingestion Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of water to

drink.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation (dust): For large quantities: May cause irritation to the respiratory system. Increased

difficulty in breathing. Sneezing. Coughing.

Eye contact: May cause eye irritation.

Ingestion: May cause stomach ache. Unlikely route of exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable Extinguishing Media Extinguish preferably with dry chemical, carbon dioxide, water spray, foam.

Unsuitable Extinguishing Media Do not use water jet.

5.2 Special hazards arising from the

substance or mixture

May form explosible dust clouds in air.

5.3 Advice for firefightersDo not use high-pressure water in order to prevent creating a dust cloud and spreading fire dust. Use

appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure

self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having

suitable respiratory protection must leave the area to prevent significant exposure to toxic

combustion gases from any source.



Issuing Date: 24-November-2008 Revision Date: 01-November-2015

Version: 7

TN-3290, TN-3235, TN-3285 Toner SDS No: PT481-01-EUUSOTHER

SECTION 6: Accidental release measures

Product name: TN-3230, TN-3280, TN-620, TN-650, TN-3250,

6.1 Personal precautions, protective equipment and emergency procedures

Avoid generation of dust. Do not breathe dust. A suitable dust mask or dust respirator with filter type

A/P may be appropriate.

6.2 Environmental precautions Prevent substance entering sewers. Washings must be prevented from entering surface water

drains

6.3 Methods and materials for containment and cleaning up

Sweep the spilt toner or remove it with a vacuum cleaner and transfer into a sealed container carefully. Sweep slowly to minimize generation of dust during cleanup. If a vacuum cleaner is used,

the motor must be rated as dust explosion proof.

Potential for very fine particles to be taken into the vacuum only to be passed back into the

environment due to pore size in the bag or filter.

6.4 Reference to other sections For personal protection: See section 8.

For disposal considerations: See section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep out of the reach of children. Avoid generation of dust. Avoid inhalation of high concentrations of

dust. Avoid contact with eyes.

7.2 Conditions for safe storage, including any incompatibilities

Keep away from oxidizing agents.

7.3 Specific end use(s)These products are black toner in a cartridge for Brother Industries, Ltd. laser printers, multifunction

devices and fax receivers. This cartridge should be used as supplied by Brother and for use in the

products stated.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical Name	Carbon Black (bound)			
	1333-86-4			
ACGIH TLV	TWA: 3 mg/m ³ inhalable fraction			
OSHA PEL	TWA: 3.5 mg/m ³			
European Union	-			
The United Kingdom	STEL: 7 mg/m ³			
	TWA: 3.5 mg/m ³			
France	TWA: 3.5 mg/m ³			
Spain	TWA: 3.5 mg/m ³			
Germany	Carc			
Portugal	TWA: 3.5 mg/m ³			
Finland	TWA: 3.5 mg/m ³			
	STEL: 7 mg/m ³			
Denmark	TWA: 3.5 mg/m ³			
Poland	TWA: 4.0 mg/m ³			
Norway	TWA: 3.5 mg/m ³			
	STEL: 7 mg/m ³			
Ireland	TWA: 3.5 mg/m ³			
	STEL: 7 mg/m ³			
Chemical Name	Silicon Dioxide (amorphous)			
	844491-94-7			
ACGIH TLV	•			
OSHA PEL	20mppcf 80(mg/m³)/%SiO ₂			



Issuing Date: 24-November-2008 Revision Date: 01-November-2015

Version: 7

SDS No: PT481-01-EUUSOTHER

Product name: TN-3230, TN-3280, TN-620, TN-650, TN-3250, TN-3290, TN-3235, TN-3285 Toner

European Union Silicon Dioxide (amorphous) **Chemical Name** 7631-86-9 **ACGIH TLV OSHA PEL** 20mppcf 80(mg/m³)/%SiO **European Union** The United Kingdom STEL: 18 mg/m³ STEL: 7.2 mg/m³ TWA: 6 mg/m³ TWA: 2.4 mg/m³ Germany TWA: 4 mg/m³ TWA: 4 mg/m³ Austria TWA: 0.3 mg/m³ Switzerland TWA: 4 mg/m³ TWA: 0.3 mg/m³ Norway TWA: 1.5 mg/m³ STEL: 3 mg/m³ Ireland TWA: 6 mg/m³

Additional information USA OSHA PEL (TWA): 15 mg/m³ (Total Dust) 5mg/m³ (Respirable Fraction).

ACGIH TLV (TWA): 10 mg/m³ (Inhalable particles) 3 mg/m³ (Respirable particles)

TWA: 2.4 mg/m³

8.2 Exposure controls

Appropriate engineering controls Good general ventilation should be sufficient under normal use.

Personal protective equipment Not normally required. For use other than in normal operating procedures (such as in the event of

large spill), the following should be applied:

Eye Protection Safety goggles.
Hand Protection Protective gloves.

Skin and body protection Long sleeved clothing and long pants.

Respiratory protection Dust mask. (Large spillages: Respirator).

Environmental Exposure Controls Avoid release to the environment.



Issuing Date: 24-November-2008 Revision Date: 01-November-2015

Version: 7 SDS No: PT481-01-EUUSOTHER

Product name: TN-3230, TN-3280, TN-620, TN-650, TN-3250, TN-3290, TN-3235, TN-3285 Toner

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state Powder Color Black Odor Odorless

No information available Odor Threshold

Not applicable

Melting point/freezing point 110 °C (Melting point)

Initial boiling point and boiling range Not applicable Not applicable Flash Point Evaporation rate Not applicable Flammability (solid, gas) Not applicable 85 - 90 g/m³ (lower) Upper/lower flammability or explosive

limits

Vapor pressure Not applicable Vapor density Not applicable Relative density 1.15 (H₂O) Solubility(ies) Insoluble (water) Partition coefficient: n-octanol/water No information available Auto-ignition temperature No information available Decomposition temperature No information available

Viscosity Not applicable

Explosive limits of toner particles suspended in air approximately equal to that of coal dust. Explosive properties

Oxidizing properties No information available

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No information available.

10.2 Chemical stability Stable.

10.3 Possibility of hazardous

reactions

No information available.

10.4 Conditions to avoid Keep at a temperature not exceeding 200 °C. Avoid friction, sparks, or other means of ignition.

10.5 Incompatible materials Strong oxidizing agents.

10.6 Hazardous decomposition

products

Contains: Carbon monoxide, Carbon dioxide and Nitrogen oxides.



Issuing Date: 24-November-2008 Revision Date: 01-November-2015

Version: 7 SDS No: PT481-01-EUUSOTHER

Product name: TN-3230, TN-3280, TN-620, TN-650, TN-3250, TN-3290, TN-3235, TN-3285 Toner

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Inhalation Acute $LC_{50} > 5.30$ mg/l (Method OECD#403)

Eye contact No information available. Skin contact No information available.

Ingestion Acute LD₅₀ > 2000 mg/kg (Method OECD#420)

Skin corrosion/irritation Non-irritant. (Method: OECD#404)

Serious eye damage/irritation Slight irritant to the eye (Method: OECD#405)

Respiratory or skin sensitisation It is not a skin sensitizer. (Method: OECD#429)

Mutagenicity Ames test: Negative. (Method: OECD#471)

Carcinogenicity Carbon Black: In 1996, the IARC re-evaluated carbon black as a Group 2B carcinogen (possible

> human carcinogen). This classification is given to chemicals, for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

> Other ingredients of this product have not been classified as carcinogens according to IARC monographs, NTP and OSHA.

SECTION 12: Ecological information

12.1 Toxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Carbon Black (bound)			EC ₅₀ : >5600 mg/L 24 h
1333-86-4			(Daphnia magna)
Silicon Dioxide (amorphous)	EC ₅₀ : 440 mg/L 72 h	LC ₅₀ : 5000 mg/L 96 h static	EC ₅₀ : 7600 mg/L 48 h
7631-86-9	(Pseudokirchneriella subcapitata)	(Brachydanio rerio)	(Ceriodaphnia dubia)

12.2 Persistance and degradability No information available.

12.3 Bioaccumulative potential No information available.

12.4 Mobility in soil No information available.

12.5 Results of PBT and vPvB This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). assessment

This product contains no substance considered to be very persistent nor very bioaccumulating

(vPvB).

12.6 Other adverse effects No information available.



Issuing Date: 24-November-2008 Revision Date: 01-November-2015

Version: 7 SDS No: PT481-01-EUUSOTHER

Product name: TN-3230, TN-3280, TN-620, TN-650, TN-3250, TN-3290, TN-3235, TN-3285 Toner

114 0200, 114 0200, 114 0200 101101

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Do not put toner or toner cartridges into a fire, this can cause fire to spread with the risk of causing burn injuries. Shred toner cartridges in a dust/explosion controlled environment. Finely dispersed particles may form explosive mixtures in the air. Dispose of in accordance with Federal, State, and local regulations.

SECTION 14: Transport information

Not classified according to the United Nations "Recommendations on the Transport of Dangerous Goods"

14.1 UN Number None

14.2 UN proper shipping name None

14.3 Transport hazard class(es) None

14.4 Packing Group None

14.5 Environmental hazards None

14.6 Special precautions for user None

14.7 Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code Not applicable

Not regulated under DOT, IMDG, ADR, RID, IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1 Safety, health and environmental EU:Not classified as dangerous for supply/use. (1999/45/EC)

USA: All chemical substances contained in this product are and had been listed on the TSCA Chemical Substances Inventory, and none is subject to any of the following TSCA requirements: section 4 test rules; proposed or final section 5(a)(2) significant new use rules; section 5(e) consent orders; section 8(a) preliminary assessment information rules; and section 8(d) health and safety data reporting rules.

Canada: WHMIS: Not applicable. (Manufactured article)

15.2 Chemical Safety Assessment No.



Issuing Date: 24-November-2008 Revision Date: 01-November-2015

Version: 7 SDS No: PT481-01-EUUSOTHER

SECTION 16: Other information

Product name: TN-3230, TN-3280, TN-620, TN-650, TN-3250,

Full text of R-phrases referred to

TN-3290, TN-3235, TN-3285 Toner

under sections 2 and 3

None

Full text of H-Statements referred to

under sections 2 and 3

None

Additional information The information relates only to this product. It may not be valid, if used in combination with any other

materials or in any other process, and it is based on our best knowledge as of the date of preparation

(revision).

Revision Note SECTION 3

References: U.S. 29CFR Part 1910

ACGIH Threshold Limit Values for Chemical Substances and Physical Agents and Biological

Exposure Indices

IARC Monographs on the Evaluation Carcinogenic Risks to Humans World Health Organization

EU Directive 91/322/EEC and 2000/39/EC

NTP 11th Report on Carcinogens

Abbreviations: ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International carriage of Dangerous goods by Road (EU)

DOT: Department Of Transportation (US)

IARC: International Agency for Research on Cancer IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods

NOHSC: National Occupational Health and Safety Commission (Australia)

NTP: National Toxicology Program (US)

OSHA: Occupational Safety and Health Administration (US)

PEL: Permissible Exposure Limit

RID: Regulations concerning the International carriage of goods by Rail (EU)

STEL: Short Term Exposure Limit TLV: Threshold Limit Value (ACGIH) TSCA: Toxic Substances Control Act (US)

TWA: Time Weighted Average

WHMIS: Workplace Hazardous Material Information System (Canada)