SAFETY DATA SHEETS

This SDS packet was issued with item: 078012175

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078012167 078012183

MATERIAL SAFETY DATA SHEET

MSDS # 3510-1

Identity: VIRBAC KNOCKOUT[®] SHAMPOO Permethrin and IGR Shampoo For Dogs Page 1 of 2 Product Code 605508 or 605510

Allerderm [®] , F	TH edients/Identity Inf OSHA PEL (Common Name) Not Applicable Not Applicable (±), max 55% (±) tr ical Characteristics Not Not Applicable Not Not Not Not Not Applicable Not Applicable Not Applicable Not Not Not Not Not Not Not Not	Contac , St. Telepho ormation ACGIH TLV Not Applicable Not Applicable ans s t Applicable of Applicable	ency Telephone I t : POISON CON one Number for I Contact Virbac: STEL Not Applicable Not Applicable	ITROL CENTE Information 800/338-3659 CAS # 52645-53-1 95737-68-1			
Allerderm [®] , F JON [®] , PMRe Address: P. O. BOX 16 City: FORT WORT State: TX 76161 Section II - Hazardous Ingre Hazardous Components Special Chemical Identification PERMETHRIN ¹ PYRIPROXYFEN nert ingredients cis-trans isomer ration: min 45 Section III - Physical/Chem Boiling Point: Specific Gravity ($H_2O = 1$): Vapor Pressure (mm Hg): Melting Point: Vapor Density (AIR = 1): Evaporation Rate (Butyl Acet Solubility in Water: Appearance and Odor: Section IV - Fire and Explose Flash Point (Method Used):	Francodex®, Mardel® sources, Zema®) 52059 TH edients/Identity Inf OSHA PEL (Common Name) Not Applicable Not Applicable	ACGIH TLV Not Applicable Not Applicable Not Applicable ans t Applicable ot Applicable	one Number for Contact Virbac: STEL Not Applicable Not Applicable	Information 800/338-3659 CAS # 52645-53-1 95737-68-1	% (opt.) 1.00% 0.01%		
Address: P. O. BOX 16 City: FORT WORT State: TX 76161 Section II - Hazardous Ingre- Hazardous Components Special Chemical Identification PERMETHRIN ¹ PYRIPROXYFEN nert ingredients cis-trans isomer ration: min 45 Section III - Physical/Chem Boiling Point: Specific Gravity (H ₂ O = 1): /apor Pressure (mm Hg): Velting Point: /apor Density (AIR = 1): Evaporation Rate (Butyl Acet Solubility in Water: Appearance and Odor: Section IV - Fire and Explore Flash Point (Method Used):	52059 TH OSHA PEL (Common Name) Not Applicable Not Applicable (±), max 55% (±) tr ical Characteristics Not Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Not Not Not Not Not Not Not Not Not	ormation ACGIH TLV Not Applicable Not Applicable ans s t Applicable of Applicable	Contact Virbac: STEL Not Applicable Not Applicable	800/338-3659 CAS # 52645-53-1 95737-68-1	% (opt.) 1.00% 0.01%		
State: TX 76161 Section II - Hazardous Ingre- Hazardous Components Special Chemical Identification PERMETHRIN ¹ PYRIPROXYFEN nert ingredients cis-trans isomer ration; min 45 Section III - Physical/Chem Boiling Point: Specific Gravity (H ₂ O = 1): /apor Pressure (mm Hg): Melting Point: /apor Density (AIR = 1): Evaporation Rate (Butyl Acet Solubility in Water: Appearance and Odor: Section IV - Fire and Explose Flash Point (Method Used):	edients/Identity Inf OSHA PEL (Common Name) Not Applicable Not Applicable (±), max 55% (±) tr ical Characteristics Not Not Applicable Not Applicable Not Not Not Not Not Not Not Not Not Not	ormation ACGIH TLV Not Applicable Not Applicable ans s t Applicable of Applicable	Contact Virbac: STEL Not Applicable Not Applicable	800/338-3659 CAS # 52645-53-1 95737-68-1	% (opt.) 1.00% 0.01%		
Section II - Hazardous Ingre Hazardous Components Special Chemical Identification PERMETHRIN ¹ PYRIPROXYFEN nert ingredients cis-trans isomer ration: min 45 Section III - Physical/Chem Boiling Point: Specific Gravity (H ₂ O = 1): Vapor Pressure (mm Hg): Vapor Pressure (mm Hg): Vapor Density (AIR = 1): Evaporation Rate (Butyl Acet Solubility in Water: Appearance and Odor: Section IV - Fire and Explose Flash Point (Method Used):	OSHA PEL (Common Name) Not Applicable Not Applicable (±), max 55% (±) transition ical Characteristics Not Not tate = 1): Not Sion Hazard Data	ACGIH TLV Not Applicable Not Applicable ans t Applicable of Applicable	STEL Not Applicable Not Applicable	CAS # 52645-53-1 95737-68-1	% (opt.) 1.00% 0.01%		
Hazardous Components Special Chemical Identification PERMETHRIN ¹ PYRIPROXYFEN nert ingredients cis-trans isomer ration: min 45 Section III - Physical/Chem Boiling Point: Specific Gravity (H ₂ O = 1): Vapor Pressure (mm Hg): Vapor Pressure (mm Hg): Velting Point: Vapor Density (AIR = 1): Evaporation Rate (Butyl Acet Solubility in Water: Appearance and Odor: Section IV - Fire and Explose Flash Point (Method Used):	OSHA PEL (Common Name) Not Applicable Not Applicable (±), max 55% (±) transition ical Characteristics Not Not tate = 1): Not Sion Hazard Data	ACGIH TLV Not Applicable Not Applicable ans t Applicable of Applicable	Not Applicable Not Applicable	52645-53-1 95737-68-1	1.00% 0.01%		
Special Chemical Identification PERMETHRIN ¹ PYRIPROXYFEN nert ingredients cis-trans isomer ration: min 45 Section III - Physical/Chem Boiling Point: Specific Gravity (H ₂ O = 1): Vapor Pressure (mm Hg): Velting Point: Vapor Density (AIR = 1): Evaporation Rate (Butyl Acet Solubility in Water: Appearance and Odor: Section IV - Fire and Explose Flash Point (Method Used):	r; Common Name) Not Applicable Not Applicable (±), max 55% (±) training ical Characteristics Not Not Not Not Not Not Not Not Not Not	Not Applicable Not Applicable ans t Applicable of Applicable	Not Applicable Not Applicable	52645-53-1 95737-68-1	1.00% 0.01%		
PERMETHRIN ¹ PYRIPROXYFEN Inert ingredients cis-trans isomer ration; min 45 Section III - Physical/Chem Boiling Point: Specific Gravity (H ₂ O = 1): Vapor Pressure (mm Hg): Vapor Pressure (mm Hg): Vapor Density (AIR = 1): Evaporation Rate (Butyl Acet Solubility in Water: Appearance and Odor: Section IV - Fire and Explose Flash Point (Method Used):	Not Applicable Not Applicable 5% (±), max 55% (±) tr iical Characteristic: Not Not Not Not Not Not Not Not Not Not	Not Applicable ans t Applicable of Applicable of Applicable of Applicable of Applicable of Applicable of Applicable of Applicable of Applicable of Applicable	Not Applicable	95737-68-1	0.01%		
Section III - Physical/Chem Boiling Point: Specific Gravity (H ₂ O = 1): Vapor Pressure (mm Hg): Melting Point: Vapor Density (AIR = 1): Evaporation Rate (Butyl Acet Solubility in Water: Appearance and Odor: Section IV - Fire and Explose Flash Point (Method Used):	ical Characteristic: No No No No No No No No No No No No No	s ot Applicable ot Applicable ot Applicable ot Applicable ot Applicable ot Applicable ot Applicable omplete	s Liquid, faint, m	ild odor.			
Boiling Point: Specific Gravity (H ₂ O = 1): Vapor Pressure (mm Hg): Melting Point: Vapor Density (AIR = 1): Evaporation Rate (Butyl Acet Solubility in Water: Appearance and Odor: Section IV - Fire and Explose Flash Point (Method Used):	No No No No No No No No No No No No No N	ot Applicable ot Applicable ot Applicable ot Applicable ot Applicable ot Applicable ot Applicable omplete	s Liquid, faint, m	ild odor.			
Specific Gravity (H ₂ O = 1): Vapor Pressure (mm Hg): Melting Point: Vapor Density (AIR = 1): Evaporation Rate (Butyl Acet Solubility in Water: Appearance and Odor: Section IV - Fire and Explose Flash Point (Method Used):	No No No tate = 1): No Co Blu sion Hazard Data	ot Applicable ot Applicable ot Applicable ot Applicable ot Applicable omplete	s Liquid, faint, m	ild odor.			
Specific Gravity (H ₂ O = 1): /apor Pressure (mm Hg): /apor Density (AIR = 1): Evaporation Rate (Butyl Acet Solubility in Water: Appearance and Odor: Section IV - Fire and Explore Flash Point (Method Used):	No No No tate = 1): No Co Blu sion Hazard Data	ot Applicable ot Applicable ot Applicable ot Applicable ot Applicable omplete	s Liquid, faint, m	ild odor.			
Vapor Pressure (mm Hg): Melting Point: Vapor Density (AIR = 1): Evaporation Rate (Butyl Acet Solubility in Water: Appearance and Odor: Section IV - Fire and Explos Flash Point (Method Used):	No No No No No No No Sion Hazard Data	ot Applicable ot Applicable ot Applicable ot Applicable omplete	s Liquid, faint, m	ild odor.			
Vapor Density (AIR = 1): Evaporation Rate (Butyl Acet Solubility in Water: Appearance and Odor: Section IV - Fire and Explos Flash Point (Method Used):	tate = 1): No Co Blu sion Hazard Data	ot Applicable ot Applicable omplete	s Liquid, faint, m	ild odor.			
Evaporation Rate (Butyl Acet Solubility in Water: Appearance and Odor: Section IV - Fire and Explor Flash Point (Method Used):	tate = 1): No Co Blu sion Hazard Data	ot Applicable	s Liquid, faint, m	ild odor.			
Solubility in Water: Appearance and Odor: Section IV - Fire and Explo Flash Point (Method Used):	Co Bli sion Hazard Data	mplete	s Liquid, faint, m	ild odor.			
Appearance and Odor: Section IV - Fire and Explo Flash Point (Method Used):	Bli sion Hazard Data		s Liquid, faint, m	ild odor.			
Section IV - Fire and Explo	sion Hazard Data	ue/Green Viscou	s Liquid, faint, m	ild odor.			
Flash Point (Method Used):							
	1						
arrithold Linns.		t Flammable, ho L: Not Applicable	wever, see fire p	precautions.			
		L: Not Applicabl					
Extinguishing Media:	su	Water spray, dry chemical, carbon dioxide, or foam suitable for the surrounding fire and materials.					
Special Firefighting Procedur	cial Firefighting Procedures: Usual pesticide precautions. Isolate fire area, evacuate downwind. Wear full protective clothing and self-contained breathing apparatus. Do not breathe smoke, gases or vapor						
generated Unusual Fire and Explosion Hazards: Gives off irritating or toxic fumes (or gases) in a fire.							
Section V - Reactivity Data							
		ABLE					
Stability Incompatibility		STABLE (Materials to Avoid): Strong Oxidizing Agents.					
Hazardous Decomposition or		or gases) in a					
razardous Decomposition of	fire	This formulation gives off irritating or toxic fumes (or gases) in a fire. Gases may include carbon monoxide and/ or carbon dioxide. Chlorine and hydrogen chloride may be formed.					
Hazardous Polymerization	W	WILL NOT OCCUR					
Conditions to Avoid:		at and Open Fla					
			*				

MATERIAL SAFETY	DATA SHEET			MSDS #	3510-1		
Identity: VIRBAC	KNOCKOUT [®] SHAMPOO	Permet	hrin and IGR Shampoo F Product Code 60550				
Section VI - Health	Hazard Data						
Routes of Entry:	Inhalation? NO		Skin? YES	Ingestion? YES			
Health Hazards (Acute	and Chronic):						
Carcinogenicity:	NTP? NO		IARC Monographs? NO	OSHA Regulated? NO			
Signs and Symptoms of	of Exposure:						
Symptoms Contact wit	of overexposure include diarr	s skin sen	ation, tremors, convulsions, h sations such as numbing, bu iin 12 hours.				
Medical Conditions Ge	nerally Aggravated by Exposi	ure:	None presently known.				
Emergency and First A	id Procedures						
INGESTED:	Call a physician or Poison Co						
			p and water. Rinse thorough f 15 minutes and call a physic		a a spinte		
			I, reduce exposure by supplyi		persists.		
Note to Physician:							
	n has a low oral and dermal t	tovicity an	nd is minimally irritation to the	eves and prac	tically non-		
irritating to 1	the skin Reversible skin sen	sations (r	arasthesia) may occur and o	rdinary skin sal	ves have been		
			otherwise controlled removal				
	ic and supportive care.	autonitio		or onpoon or re	nonica cy		
Section VII - Precaution	ons for Safe Handling and L	Jse					
Steps to be Taken in Case Material is Released or Spilled:			Dike and contain spill. Clean with inert absorbent material and collect for disposal.				
Waste Disposal Method:			Wrap container and dispose of in accordance with all applicable federal, state, and local laws.				
Precautions to be Taken in Handling or Storage:			Store in a tightly closed con	tainer, in a coo	ol dry area.		
Other Precautions:			Keep out of the reach of ch	ildren.			
Section VIII - Contro	ol Measures						
Respiratory Protection:	For splash or mist exposure, wear as a minimum, a properly fitted half-face or full-face air-						
	purifying respirator that is						
	on airborne concentration	ns.					
Ventilation	Special: Not A		plicable				
			oplicable				
			oplicable or gloves for prolonged or repe	ated evoceurs			
Eye Protection:			es or goggles	saled exposure	,		
Other Protective Clothin	ng or Equipment:		tive clothing i.e. waterproof g	loves, preferab	ly elbow length,		
		persor	is who repeatedly use or are	exposed to this	product in		
			ing operations should wear w	aterproof aproi	ns.		
Work/Hygienic Practice	es:	Wash	hands after using.				
Section IX - Additiona	I Information						
Disclaimer of Expressed	and Implied Warranties: This inf	ormation is	s provided in good faith but with	out express or in	nolied warranty		

Buyer assumes all responsibility for safety and use not in accordance with label instructions.

Prepared by QA Department New MSDS Dated: 08/27/99 Supercedes MSDS Date: NA