

SAFETY DATA SHEETS

This SDS packet was issued with item:

078012589

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078376113 078426880 078580050 078666924

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078012605 078012613 078369510 078397749 078478505 078546658 078553129 078694707 078850229 078905550
078907718



Dear Doctor,

Please keep this letter for your files.

Our products, Proanthozone[®], Proanthozone[®] Derm, ProtectaCell[®], Prosamine[®], ProAnimal[®], ProQuiet[®], ProNeurozone[®], ProMotion[®], ProMotion[®] Plus Omegas, Pro-EQ[®] and ProHepatic[™] do not require a Material Safety Data Sheet (MSDS) based upon the following reference provided by James Schafer, D.V.M. of Schafer Veterinary Consultants.

OSHA Hazard Communications Standard 29 CFR, §1910.1200 (b) (5) (iii) indicates that “any food, food additive, color additive, drug, cosmetic, or medical or veterinary device or product” does not require a material safety data sheet. This would include Animal Health Options’ products.

As nutritional supplements, Proanthozone, Proanthozone Derm, ProtectaCell, ProMotion, Prosamine, ProAnimal, ProQuiet, ProNeurozone, ProMotion, ProMotion[®] Plus Omegas, Pro-EQ[®] and ProHepatic[™] are exempt from the requirement that an MSDS be provided. Animal Health Options has received reports of companion animals ingesting an entire bottle of Proanthozone or ProMotion without noticeable side effects. When large quantities of ProQuiet have been ingested, the only noticeable side effects were lethargy and a moderate degree of sedation. As a precautionary note, our veterinary advisor suggests that if an animal ingests large quantities of ProQuiet, the following safety measures be taken:

- If overdose has occurred within 12 hours, induce vomiting by oral administration of one part hydrogen peroxide mixed with one part water. After 12 hours, it is not necessary to induce vomiting.
- Prevent further absorption with oral administration of activated charcoal.
- Watch for side effects and stop usage for one week.

If an animal ingests large quantities of Proanthozone, Proanthozone Derm, ProtectaCell, ProAnimal, ProNeurozone, ProMotion, Prosamine or ProHepatic, it is not necessary to induce vomiting, but it is recommended to watch for side effects and stop usage for one week.

Though there are few known contraindications, the widespread use and knowledge of antioxidants and other supplements today warrants caution when using these products in conjunction with other drugs, such as phenobarbital. In particular, combining ProQuiet[®] with tricyclic anti-depressants such as clomipramine or selective serotonin reuptake inhibitors (SSRI’s) is NOT recommended as it could lead to adverse effects.

Sincerely yours,

Teresa Lynch

Teresa Lynch
President

13401 W. 43rd Drive, Suite 15 • Golden, CO 80403
303/271-0491 • 800/845-8849 • fx 303/271-0512
www.animalhealthoptions.com