## **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

078026331

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078026364



# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/7

## EqStim® (P. acnes Immunostimulant)

Revision 0

Revision date 2019-03-21

SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1. Product identifier					
Product name	EqStim® (P. acnes Immunostimulant)				
Product code	08890, 08891, 08892				
1.2. Relevant identified uses of	1.2. Relevant identified uses of the substance or mixture and uses advised against				
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC29] Pharmaceuticals;				
Description	Injectable for use in horses and dogs.				
1.3. Details of the supplier of the	e safety data sheet				
Company	Neogen Corporation				
Address	620 Lesher Place Lansing MI 48912 USA				
Web	www.neogen.com				
Telephone	517-372-9200/800-234-5333				
Email	regulatorysupport@neogen.com				
1.4. Emergency telephone number					
Emergency telephone number	1-800-234-5333				
Further information					
Manufactured By:	Neogen Corporation CME Center of Microbiological Excellence Building 1614 E. Kalamazoo Lansing, MI 48913 U.S.A.				
Hotline(s):	Medical: United States (1-800-498-5743), International (1-651-523-0318). Spill/CHEMTREC: United States (1-800-424-9300), International (1-703-527-3887).				
SECTION 2: Hazards identif	ication				
2.1. Classification of the substant	nce or mixture				
2.1.2. Classification - GHS	Flam. Liq. 3: H226;				
2.2. Label elements					
Hazard pictograms					
Signal Word	Warning				
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour.				



Revision date 2019-03-21

2.2. Label elements	
Precautionary Statement: Prevention	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/bond container and receiving equipment.</li> <li>P241 - Use explosion-proof electrical/ventilating/lighting// equipment.</li> <li>P242 - Use only non-sparking tools.</li> <li>P243 - Take precautionary measures against static discharge.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</li> </ul>
Precautionary Statement: Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P370+P378 - In case of fire: Use media appropriate to the surrounding conditions to extinguish.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved waste disposal facility in accordance with local and national regulations.

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol	603-002-00-5	64-17-5	200-578-6		10 - 20%	Flam. Liq. 2: H225;
Propionibacterium acnes (inactivated)					0.5 - 1%	

## **Further information**

The exact percentage (concentration) of composition has been withheld as a trade secret.

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	DO NOT INDUCE VOMITING unless advised to do so by a doctor. Seek medical attention if irritation or symptoms persist.

#### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.		
Eye contact	Causes serious eye irritation.		
Skin contact	Causes skin irritation.		
Ingestion	Ingestion may cause nausea and vomiting.		

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.



Revision 0

Revision date 2019
--------------------

5.2. Special hazards arising from	n the substance or mixture			
	Flammable liquid. Burning produces irritating, toxic and obnoxious fumes.			
5.3. Advice for firefighters				
	In case of fire and/or explosion do not breathe fumes. Wear suitable respiratory equipment whe necessary.			
SECTION 6: Accidental relea	ase measures			
6.1. Personal precautions, prote	ctive equipment and emergency procedures			
	Ensure adequate ventilation of the working area. Wear suitable protective equipment. Avoid contact with eyes and skin.			
6.2. Environmental precautions	-			
	Prevent further spillage if safe. Do not flush into surface water. Do not let product contaminate subsoil.			
6.3. Methods and material for co	ontainment and cleaning up			
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.			
6.4. Reference to other sections				
	See section 2, 8, and 13 for further information.			
SECTION 7: Handling and s	torage			
7.1. Precautions for safe handlin	ng			
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.			
7.2. Conditions for safe storage,	including any incompatibilities			
	Flammable liquid. Avoid contact with: Heat, sparks and open flames. Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.			
7.3. Specific end use(s)				
	See section 1.2 for further information.			
SECTION 8: Exposure contr	ols/personal protection			
8.1. Control parameters				
Exposure Limit Values				
Ethanol	ACGIH TLV TWA: 1000 ppm	ACGIH TLV STEL: -		
	Notations: A4	OSHA PEL 8hr TWA ppm: 1000		
	OSHA PEL 8hr TWA mg m3: 1900	Skin Designation: -		
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:		

## 8.2. Exposure controls



NIOSH REL 15 min ST ppm:



NIOSH REL 15 min ST mg m3:

 Revision
 0

 Revision date
 2019-03-21

8.2. Exposure controls				
Ensure adequate ventilation of the working area.				
Wear chemical protective clothing.				
Wear eye/face protection.				
Wear suitable gloves.				
In case of insufficient ventilation, wear suitable respiratory equipment.				

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State	Liquid	
Color	Clear	
Odor	Odorless/Slight	
Evaporation rate	No data available	
Flammability limits	Not applicable.	
Vapor pressure	No data available	
Vapor density	No data available	
Relative density	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Viscosity	No data available	
Explosive properties	No data available	
Oxidising properties	No data available	
Odour threshold	No data available	
Boiling point	No data available	
Flash point	< 49 °C	
pH	No data available	
Melting point	No data available	
=	No data available	
Solubility	Soluble in water	
CECTION 10: Stability and repetivity		

## SECTION 10: Stability and reactivity

10.1. Reactivity

	Flammable liquid and vapour.		
10.2. Chemical stability			
	Stable under normal conditions.		
10.3. Possibility of hazardous reactions			
	No data available.		
10.4. Conditions to avoid			
	Keep away from sources of ignition - No smoking.		
10.5. Incompatible materials			
	Strong oxidizing agents.		
10.6. Hazardous decomposition products			
	Carbon oxides.		



Revision 0

Revision date 2019-03-21

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity	No known adverse health effects.		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/irritation	Causes serious eye irritation.		
Respiratory or skin sensitisation	May cause allergic reactions in susceptible people.		
Germ cell mutagenicity	No mutagenic effects reported.		
Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, Volumes 1-112. Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens. Not listed in the OSHA standard 1910.1003 Carcinogens.		
Reproductive toxicity	No teratogenic effects reported.		
STOT-single exposure	May cause irritation to respiratory system.		
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.		

## 11.1.4. Toxicological information

EqStim® (P. acnes Immunostimulant)	Oral Rat LD50: 3846	
Ethanol	Oral Rat LD50: 10470 mg/kg	Oral Mouse LD50: 3450 mg/kg
	Dermal Rabbit LD50: 15800 mg/kg	Inhalation Rat LC50/4 h: 30000 mg/kg

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ethanol	Algae EC50/72h: 275 mg/l	Daphnia LC50/48h: 5012 mg/l
	Fathead minnows LC50/96h: 14200 mg/l	

#### 12.2. Persistence and degradability

No data available.

#### 12.3. Bioaccumulative potential

Partition coefficient

EqStim® (P. acnes No data available Immunostimulant)	Ethanol -0.349 log P

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

	Dispose of in compliance with all local and national regulations.
General information	
	Dispose of in compliance with all local and national regulations. Do not contaminate water by cleaning of equipment or disposal of wastes.
Disposal of packaging	

Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.

## **SECTION 14: Transport information**



Hazard pictograms



14.1. UN number

	UN1170				
14.2. UN proper shipping name					
	ETHANOL SOLUTION				
14.3. Transport hazard class(es)					
DOT	3				
Subsidiary risk	-				
IMDG	3				
Subsidiary risk	-				
ΙΑΤΑ	3				
Subsidiary risk	-				
14.4. Packing group					
Packing group	111				
14.5. Environmental hazards					
Environmental hazards	No				
Marine pollutant	No				
DOT					
Hazard ID	30				
Tunnel Category	(D/E)				
IMDG					
EmS Code	F-E S-D				
ΙΑΤΑ					
Packing Instruction (Cargo)	366				
Maximum quantity	220 L				
Packing Instruction	355				
(Passenger)					
Maximum quantity	60 L				

## SECTION 15: Regulatory information

Regulations	Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.
	All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.
	US State Regulations: New Jersey Right-to-Know Hazardous Substance List:



Revision 0

Revision date 2019-03-21

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Ethanol Pennsylvania Right-to-Know Hazardous Substance List: Ethanol. Rhode Island Right-to-Know Hazardous Substance List: Ethanol.

#### Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Ethanol	Y	Y	Ν	Ν	Ν	Ν	Ν	Ν	N

## **SECTION 16: Other information**

#### Other information

Text of Hazard Statements in Section 3	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Further information	

DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.
Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS
OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED
WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF
PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS
PRODUCT are made with respect to this product or use of this product. The product covered is
furnished "as is" and only subject to the warranties herein provided, no liability is assumed
resulting from the use of this product.

