SAFETY DATA SHEETS

This SDS packet was issued with item:

078026364

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078026331



SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/10

EqStim® (P. acnes Immunostimulant)

Revision 1 Revision date 2022-12-02

SECTION 1: Identification of the substance/mixture and of the company/undertaking						
1.1. Product identifier						
Product name	EqStim® (P. acnes Immunostimulant)					
Product code	08890, 08891, 08892					
1.2. Relevant identified uses of t	the substance or mixture and uses advised against					
Description	Injectable for use in horses and dogs. Permitted for use only by and under the supervision of licensed veterinarians.					
1.3. Details of the supplier of the safety data sheet						
Company	Neogen Corporation					
Address	620 Lesher Place Lansing MI 48912 USA					
Web	www.neogen.com					
Telephone	517-372-9200/800-234-5333					
Email	SDS@neogen.com					

1.4. Emergency telephone number

24 hours: Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international) Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)
--

SECTION 2: Hazards identification

2.1. Classification of the substa	nce or mixture	
2.1.2. Classification - GHS	Flam. Liq. 3: H226;	
2.2. Label elements		
Hazard pictograms		
Signal Word	Warning	
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour.	
Precautionary Statement: Prevention	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other smoking. P233 - Keep container tightly closed. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P280 - Wear protective gloves/protective clothing/eye protection/face prote 	
Copyright © 2022 ChemSoft. All rights reserve		Print date 2022-12-02



Revision 1

Revision date 2022-12-02

2.2. Label elements							
Precautionary Statement:	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse						
Response	skin with water/shower. P370+P378 - In case of fire: Use media appropriate to the surrounding conditions to extinguish						
Descention on Ototomont	P370+P378 - In case of fire: Use media appropriate to the surrounding conditions to extinguish.						
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.						
Precautionary Statement:	P501 - Dispose of contents/container to an approved waste disposal facility in accordance with						
Disposal	local and national regulations.						
2.3. Other hazards							
Other hazards	None known.						
Further information							
	Read the entire label and follow all use directions, restrictions, and precautions.						
SECTION 3: Composition/inf	ormation on ingredients						
3.2. Mixtures							
EC 1272/2008							
Chemical Name Ind	ex No. CAS No. EC No. REACH Registration Conc. Classification						
Ethanol 603	Number (%w/w) 3-002-00-5 64-17-5 200-578-6 10 - 20% Flam. Liq. 2: H225;						
Description							
	Concentrations listed may not represent exact product specifications.						
Further information							
	Full text of Hazard Statements listed in this Section is provided in Section 16.						
SECTION 4: First aid measu	res						
4.1. Description of first aid meas	ures						
Inhalation	Move the exposed person to fresh air. If breathing is difficult give oxygen. If breathing stops,						
	provide artificial respiration. Seek medical attention if irritation or symptoms persist.						
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed. Seek medical attention						
Skin contact	if irritation or symptoms persist. Rinse immediately with plenty of water. Remove contaminated clothing. Seek medical attention if						
Skill Collact	Rinse immediately with plenty of water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.						
Ingestion	Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. Get medical						
	advice/attention if you feel unwell.						
4.2. Most important symptoms a	nd effects, both acute and delayed						
Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.						
Eye contact	May cause irritation to eyes.						
Skin contact	May cause irritation to skin.						
Ingestion	Ingestion may cause nausea and vomiting.						
4.3. Indication of any immediate medical attention and special treatment needed							
	Remove the affected person from the source of contamination immediately. Transfer to hospital if						
	there are burns or symptoms of poisoning. IF exposed or concerned: Get medical advice/attention.						
	If medical advice is needed, have product container or label at hand.						



Revision 1 Revision date 2022-12-02

Further information				
	Refer to product label and/or package insert for additional information.			
SECTION 5: Firefighting mea	asures			
5.1. Extinguishing media				
	In case of fire, use carbon dioxide (CO2), Alcohol resistant foam, Dry chemical, Foam. Use extinguishing media appropriate to the surrounding fire conditions.			
5.2. Special hazards arising from	n the substance or mixture			
	In case of fire and/or explosion do not breathe fumes. Fire will produce dense black smoke. Vapor may travel considerable distance to source of ignition and flash back. Heat will increase pressure in sealed containers.			
5.3. Advice for firefighters				
	Flammable liquid and vapour. In case of fire and/or explosion do not breathe fumes. Wear self contained breathing apparatus and protective clothing.			
SECTION 6: Accidental relea	ase measures			
6.1. Personal precautions, prote	ctive equipment and emergency procedures			
	Flammable liquid. Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid sparks, flames, heat and sources of ignition. Ensure adequate ventilation of the working area. Use as appropriate: Protective equipment. Avoid prolonged or repeated exposure.			
6.2. Environmental precautions				
	Prevent further spillage if safe. Clean spillage area thoroughly with plenty of water. Do not flush into surface water. Do not let product contaminate subsoil.			
6.3. Methods and material for co	ntainment and cleaning up			
	Flammable liquid. Absorb with inert, absorbent material. Collect spillage. Transfer to suitable, labelled containers for disposal. Dispose of this material and its container to hazardous or special waste collection point. Do not contaminate water by cleaning of equipment or disposal of wastes. Clean with detergents. Avoid solvents.			
6.4. Reference to other sections				
	See section 2, 8 & 13 for further information.			
SECTION 7: Handling and st	orage			
7.1. Precautions for safe handlin				
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes. Do not eat, drink or smoke in areas where this product is used or stored. Ensure adequate ventilation of the working area. Do not contaminate water by cleaning of equipment or disposal of wastes. Use as appropriate: Protective clothing. Read the entire label and follow all use directions, restrictions, and precautions.			
7.2. Conditions for safe storage, including any incompatibilities				
	Store at temperatures between 2 °C and 25 °C. Flammable liquid and vapour. Contact with combustible material may cause fire. Store in correctly labelled containers. Keep container tightly closed. Do not contaminate water, food, or feed by storage or disposal. Follow label instructions.			
7.3. Specific end use(s)				
	See Section 1.2 for further information.			
Further information				
Copyright © 2022 ChemSoft. All rights reserved	Print date 2022-12-02			



Revision 1

Revision date 2022-12-02

Further information

Refer to product label and/or package insert for additional information. Follow label instructions.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limit Values

Ethanol	ACGIH TLV TWA: 1000 ppm	ACGIH TLV STEL: -		
	Notations: A4	OSHA PEL 8hr TWA ppm: 1000		
	OSHA PEL 8hr TWA mg m3: 1900	Skin Designation: -		
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:		
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:		

8.2. Exposure controls

Appropriate engineering controls	Ensure adequate ventilation of the working area.
Individual protection measures	Use as appropriate: Protective equipment. Follow label instructions.
Eye / face protection	Wear eye/face protection.
Skin protection - Hand protection	Use as appropriate: Chemical-resistant gloves made of any waterproof material. Wash the outside of gloves before removing them.
Skin protection - Other	Use as appropriate: Protective clothing. Wash contaminated clothing, separately from other laundry, with detergent and water before reuse.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Occupational exposure controls	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from food, drink and animal feed and/ or feed products. Provide chemical shower. Provide eye wash station.
Further information	
	Refer to product label for additional PPE requirements and recommendations. Follow label instructions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



 Revision
 1

 Revision date
 2022-12-02

9.1. Information on basic physical and chemical properties

State	Liquid
Color	Clear
Odor	Odorless/Slight
Odor threshold	No data available
pH	No data available
Melting point	No data available
Freezing Point	No data available
Boiling point	No data available
Flash point	< 49 °C
Evaporation rate	No data available
Flammability limits	Not applicable.
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available
Solubility	Soluble in water

9.2. Other information

Surface tension No data available VOC (Volatile organic 12.5 % compounds)	Conductivity	No data available
VOC (Volatile organic 12.5 % compounds)	Surface tension	No data available
compounds)	VOC (Volatile organic	12.5 %
	compounds)	

SECTION 10: Stability and reactivity

10.1. Reactivity			
	Stable under normal conditions.		
10.2. Chemical stability			
	Stable under normal conditions.		
10.3. Possibility of hazardous rea	actions		
	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.		
10.4. Conditions to avoid			
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
10.5. Incompatible materials			
	Contact with combustible material may cause fire. Keep away from oxidizing agents.		
10.6. Hazardous decomposition products			
	Carbon oxides.		
SECTION 11: Toxicological information			

11.1. Information on toxicological effects



11.1. Information on toxicological effects

	-
Acute toxicity	Based on available data, the classification criteria are not met. However, this product does contain substance(s) that are classified as hazardous. For more information, see Section 3.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin sensitization	May cause allergic reactions in susceptible people.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	No components at >0.01% are listed in the American Conference of Governmental Industrial Hygienists (ACGIH) Guide to Occupational Exposure Values. No components at >0.01% are listed in the International Agency for Research on Cancer (IARC) Monographs. No components at >0.01% are listed in the National Toxicology Program (NTP) Report on Carcinogens.
	Not listed in the OSHA standard 1910.1003 Carcinogens.
Reproductive toxicity	No teratogenic effects reported.
STOT-single exposure	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
STOT-repeated exposure	Components(s) may cause damage to human organs based on animal data.
Aspiration hazard	Vomiting may cause aspiration pneumonia.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure. Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects. Delayed appearance of the complaints and development of hypersensitivity (difficult breathing, coughing, asthma) are possible.

11.1.2. Mixtures

See Section(s) 3 for further information.

11.1.3. Hazard Information

See Section(s)	2	and '	3 fo	r further	information
	~	anu	5 10	I IUIUIEI	inionnation.

11.1.4. Toxicological information

EqStim® (P. acnes Immunostimulant)	Oral Rat LD50: 3846	
Ethanol	Oral Rat LD50: 10470 mg/kg	Oral Mouse LD50: 3450 mg/kg
	Dermal Rabbit LD50: 15800 mg/kg	Inhalation Rat LC50/4 h: 30000 mg/kg

11.1.5. Hazard Class	
	See Section(s) 2 and 14 for further information.
11.1.6. Classification Criteria	
	Based on the Globally Harmonized System (GHS) considerations for the classification of mixtures. See Section 15 for regulatory citations.
11.1.7. Information on likely rout	es of exposure
	Eye contact. Skin contact. Inhalation. Ingestion.
11.1.8. Symptoms related to the	physical, chemical and toxicological characteristics
	See Section(s) 4.2 for further information.
11.1.9. Delayed and immediate	effects as well as chronic effects from short and long-term exposure
	See Section(s) 4.2 for further information.
11.1.10. Interactive effects	



Revision 1

Revision date 2022-12-02

11.1.10. Interactive effects	
	No data available.
11.1.11. Absence of specific data	a
	<1% of this mixture consists of ingredients of unknown acute toxicity.
11.1.12. Mixture versus substant	ce information
	See Section(s) 3 for further information.
11.1.13. Other information	
	Refer to product label and/or package insert for additional information.
SECTION 12: Ecological info	rmation
12.1. Toxicity	
Ethanol	Algae EC50/72h: 275 mg/l Daphnia LC50/48h: 5012 mg/l
	Fathead minnows LC50/96h: 14200 mg/l
12.2. Persistence and degradabi	lity
	No data is available on this product.
12.3. Bioaccumulative potential	· · · · · · · · · · · · · · · · · · ·
	No data is available on this product.
Partition coefficient	
	EqStim® (P. acnes No data available Ethanol -0.349 log P
	Immunostimulant)
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB a	assessment
	No data is available on this product.
12.6. Other adverse effects	
	No data is available on this product.
Further information	
	Refer to product label and/or package insert for additional information.
SECTION 13: Disposal consi	iderations
13.1. Waste treatment methods	
	Dispose of as special waste in compliance with local and national regulations.
Disposal methods	
	Do not contaminate water by cleaning of equipment or disposal of wastes. Do not flush into surface water. Dispose of in compliance with all local and national regulations.
Disposal of packaging	
	Nonrefillable container. Do not reuse or refill this container. If empty: Do not reuse this container. Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



Revision 1

Further information	
	Refer to product label and/or package insert for additional information.
SECTION 14: Transport info	rmation
Hazard pictograms	
14.1. UN number	•
	UN1170
14.2. UN proper shipping name	
	ETHANOL SOLUTION
14.3. Transport hazard class(es))
DOT	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-
14.4. Packing group	
Packing group	
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
DOT	
Hazard ID	30
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-D
ΙΑΤΑ	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	
Maximum quantity	60 L
SECTION 15: Regulatory inf	ormation
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
Regulations	Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.



Revision 1

Revision date 2022-12-02

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Inventories/Right-to-Know	Domestic/Non-Domestic Substances Lists (DSL/NDSL): All ingredients listed or exempt., No restrictions.
Lists:	 Toxic Substances Control Act (TSCA): All ingredients listed or exempt. Massachusetts Right-to-Know Hazardous Substance List: This material contains no reportable components. New Jersey Worker and Community Right to Know Act: Ethyl alcohol, CAS No. 64-17-5. Pennsylvania Right to Know Law: Ethanol, CAS No. 64-17-5.
	Rhode Island Right-to-Know General Law:Ethyl alcohol, CAS No. 64-17-5.California Prop 65:This material contains no reportable components.

Inventories

Ethanol Y Y N N N N N N N	Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
	Ethanol	Y	Y	Ν	Ν	Ν	Ν	Ν	Ν	N

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	1 - Description.
	1 - Product Use.
	1 - Manufactured By:.
	1 - Registration No.
	2 - Other hazards.
	2 - Precautionary Statement: Prevention.
	4 - NOTE TO PHYSICIAN OR VETERINARIAN.
	7 - 7.2. Conditions for safe storage, including any incompatibilities.
	9 - 9.2. Other information (VOC (Volatile organic compounds)).
	9 - 9.2. Other information (Conductivity).
	9 - 9.2. Other information (Surface tension).
	9 - 9.2. Other information (Product Subcategory).
	15 - Chemical Inventories/Right-to-Know Lists:
	15 - Additional Regulating Authority:.
	15 - Signal Word.
	15 - Label Precautions.
	16 - Maximum content of VOC.
Acronyms	ACGIH: American Conference of Governmental Industrial Hygienists.
-	CAS No.: Chemical Abstracts Service.
	FIFRA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act.
	GHS: Globally Harmonized System.
	HCS 2012: Hazard Communication Standard (2012 revision).
	IATA: International Air Transport Association.
	ICAO: International Civil Aviation Organization.
	IMDG: International Maritime Dangerous Goods.
	LC: Lethal concentration.
	LD: Lethal dose.
	OEL: Occupational exposure limit.
	OSHA: U.S. Occupational Safety and Health Administration.
	PEL: Permissible Exposure Limit.
	STOT: Specific Target Organ Toxicity.
	UN: United Nations.



 Revision
 1

 Revision date
 2022-12-02

Other information			
	US DOT: United States Department of Transportation. VOC: Volatile Organic Compound. WEL: Workplace Exposure Limit.		
Text of Hazard Statements in Section 3	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.		
Maximum content of VOC	12.5 %.		
Further information			
	DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.		
	Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.		

