## **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

078033371

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078033397

# MATERIAL SAFETY DATA SHEET

## **SECTION 1 - General Information**

## PRODUCT NAME Cine/Manual Developers Concentrate

PRODUCT USE	Photographic Developer		HMIS SCAI	e health <b>1</b> flammability	<b>0</b> REACTIVITY	<b>0</b> PPE <b>C</b>			
SUPPLIER White Mountain Imaging				CATALOG # 4001MD, 4001DF, 4005MD, 4005DF					
ADDRESS	PO Box 216 Salisbury NH (	)3268							
PHONE NO.	603-648-2124	EMERGENO	EMERGENCY TEL # CHEMTREC 800-424-9300						
SECTION 2 - Product and Hazardous Ingredients Information									
F	HAZARDOUS INGREDIENTS	CAS NUMBER	W/W %	Permissible Exposure Limit	LD50	LC50			
Water		7732-18-5	85-90	not listed	42.6 gm/kg	not available			
Sodium m	etabisulfite	7681-57-4	5-10	NIOSH TWA 5 mg/m3	2000 mg/kg	not available			
Potassium	hydroxide	1310-58-3	2-6	NIOSH (C) 2 mg/m3	365 mg/kg	not available			
Hydroquir	none	123-31-9	2-5	OSHA TWA 2 mg/m3	320 mg/kg	not available			
				1					

## **SECTION 3 - Hazards Identification**

EFFECTS OF ACUTE EXPOSURE TO PRODUCT

May cause burning or irritation of eyes and mucous membranes. May cause mild skin irritation and or allergic reaction. If ingested, seek immediate medical attention giving full details of amount swallowed and toxicity.

EFFECTS OF CHRONIC EXPOSURE TO PRODUCT

Prolonged inhalation may be irritating and may cause headaches.

## **SECTION 4 - First Aid Measures**

SKIN CONTACT

Wash exposed skin thoroughly with soap and water. Remove contaminated clothing.

EYE CONTACT

Immediately flush eyes with water for 15 minutes. Seek medical advice if symptoms develop.

INGESTION

DO NOT induce vomiting. Seek medical advice.

INHALATION If inhaled, remove to fresh air.

## **SECTION 5 - Fire Fighting Measures**

FLAMMABILITY YES NO X IF YES, UNDER WHAT CONDITIONS

MEANS OF EXTINCTION

As needed to extinguish adjacent fire source.

FLASHPOINT (°C) AND METHOD	UPPER FLAMMABLE LIMIT (% BY VOLUME)	LOWER FLAMMABLE LIMIT (% BY VOLUME)		AUTOIGNITION TEMPERATURE (°C)				
Not appropriate	Not appropriate	Not ap	propriate	Not appropriate				
HAZARDOUS COMBUSTION PRODUCT	rs	EXPLOSION DATA	SENSITIVITY TO IMPACT	SENSITIVITY TO STATIC DISCHARGE				
See "Hazardous D	ecomposition Products".	Not susceptible		Not susceptible				

## **SECTION 6 - Accidental Release**

For a small spill, wear protective clothing as specified in Section 8. Neutralize with sodium bicarbonate. Stop source of the leak. Wipe or absorb material with inert absorbent material.

# SECTION 7 - Handling and Storage

Read and follow the label, material safety data sheet, and instructions before using. Avoid any contact with skin and eyes. Keep container tightly closed. Avoid incompatible substances. Wash thoroughly after handling this product.

#### Cine/Manual Developers Concentrate

	SEC	CTION 8 - Exposi		
VENTIATION Good general ve	entilation		NOTHON	
SKIN Latex or nitrile	<sub>eye</sub> Spl	ash goggles	RESPIRATORY	
OTHER Eye wash station	ו			
	SECTION 9	9 - Physical and (	Chemical Proper	'ties
PHYSICAL STATE	ODOR AND APPEARANCE			ODOR THRESHOLD
Liquid	Pale yellow			Not available
VAPOUR PRESSURE (mmHg)	VAPOUR DENSITY (Air = 1)	EVAPORATION RATE (Water = 1)	BOILING POINT	FREEZING POINT
0.6 mm Hg	< 17	Not available	212°F	Š 32°F
pH	SPECIFIC GRAVITY	SOLUBILITY IN WATER (20°C)	COEFF WATER OIL	PERCENT VOLATILE (BY VOLUME)
10.5	1.120	Complete	Not available	90%
	SECTION	l 10 - Stability an	d Reactivity Da	ta
CHEMICAL STABILITY YES X NO	IF NO, UNDER WHAT O	conditions ing agents	<u>.</u>	
INCOMPATIBILITY WITH OTHER SUBSTA		0 0		
YES X NO				
REACTIVITY, AND UNDER WHAT COND	TIONS Stable under	ambient pressure and te	mperature	
			imperature.	
HAZARDOUS DECOMPOSITION PRODU	SO <sub>2</sub>			
	SECTION 1	1 - Toxicologica	Information	
EXPOSURE LIMITS		ANCY OF PRODUCT	SENSITIZATION TO PRODUC	T CARCINOGENICITY
Hydroquinone 2 mg/N	13 S	kin: Irritant	None known	Not listed by IARC, NTF
, , , , , , , , , , , , , , , , , , , ,				and OSHA.
TERATOGENICITY	REPR	ODUCTIVE TOXICITY	MUTAGENICITY	SYNERGISTIC PRODUCTS
Not known	1	Not known	Not known	
	CECTION .	10 F. L. ' L.	£	
	SECTION	12 - Ecological I	nformation	
No data available				

## **SECTION 13 - Disposal Considerations**

Dispose of this material in accordance to federal, state and/or local laws.

## **SECTION 14 - Transportation Information**

Not regulated for transportation

### **SECTION 15 - Regulatory Information**

SARA: Threshold planning quantity (TPQ) for Hydroquinone 500 lb

Reportable quantity (RQ) for Hydroquinone 1 lb

SARA Section 304, CERCLA Hazardous components - Hydroquinone

SARA Section 302,304,313 Hazardous components (OSHA Subpart Z) Potassium hydroxide

## **SECTION 16 - Other Information**

The information contained in this MSDS is furnished without warranty of any kind. The user should consider this data a supplement to other data gathered and must make an independent determination of suitability from this and other sources to assure proper use and disposal of this material and the health and safety of employees and customers.

PREPARED BY Envision Compliance Ltd.4001MD, 4001DF, 4005MD, 4005DF

PHONE NUMBER 905-760-1638

January 1, 2008

# SAFETY DATA SHEET

### **SECTION 1 - General Information**

#### PRODUCT NAME Cine/Manual Developer Concentrate

PRODUCT USE	Photographic Solution HMIS SCALE: Health 1				Flamability 0	PPE	С	
SUPPLIER	White Mountain	Imaging			CATALOG #:			
ADDRESS	PO Box 216 Sali		4001MD,	4001DF, 4005MD	, 4005DI	-		
PHONE NO	603-648-2124	EMERGENCY TEL #	CHEMTREC 80	0-424-9300	)			

SECTION 2 - Hazards Identification							
Precautionary Statement.	Classification						
Oral: Harmful if swallowed	4	WARNING					
Skin: May cause mild skin irritation and/or allergic reaction.	1B	~					
Eye: May cause eye irritation	2B						

EFFECTS OF CRONIC EXPOSURE TO PRODUCT

Mana	known
None	known.

SECTION 3 - Product & Hazardous Ingredients Information							
CAS NO.	<b>W/W</b> %	Permissible Exposure Limit	LD50				
7732-18-5	70-80%	Not listed	42.6gm/kg				
			2000 mg/kg				
			365 mg/kg				
123-31-9	1-5%	OSHA TWA 2 mg/m3	375 mg/kg				
	CAS NO.	CAS NO.         W/W %           7732-18-5         70-80%           7681-57-4         12%           1310-58-3         8-12%	CAS NO.         W/W %         Permissible Exposure Limit           7732-18-5         70-80%         Not listed           7681-57-4         12%         NOIOSH TWA 5 mg/m3           1310-58-3         8-12%         NIOSH © 2mg/m3				

#### **SECTION 4 - First Aid Measures**

SKIN CONTACT

Wash exposed skin thoroughly with soap and water. If irritation persists seek medical advice.

EYE CONTACT

Flush eyes with water for 15 minutes. Seek medical advice if symptoms persist.

INGESTION

DO NOT induce vomiting. Seek medical attention immediately.

INHALATION

If inhaled, remove to fresh air.

SECTION 5 - Fire Fighting Measures								
Flamability	YES	NO	X	IF YES UNDER WHAT CONDITIONS				

MEANS OF EXTINGUISHING

As needed to extinguish adjacent fire source.

	SECTION 6 - Ac	cidental Rele	ase		
HAZARDOUS COMBUSTION PRODUCTS "See Hazardous Decomposition	Products"	EXPLOSION DATA SENSITIVITY TO IMP/ Not susceptable		SENSITIVITY TO STATIC DISCHARGE Not susceptable	
FLASH POINT (C/F) AND METHOD Not appropriate	UPPER LIMIT ( % BY VOLUME) Not appropriate		IT ( % BY VOLUME)	AUTOIGNITION TEMPERATURE (C/F) Not appropriate	

Flush to sewer with plenty of water, if permitted. If not, soak up with dry absorbent material. Consult with governmental regulatory agencies for appropriate disposal of this material. Wear appropriate protective equipment.

#### **SECTION 7 - Handling and Storage**

Read and follow the label, safety data sheet, and instructions before using. Avoid any contact with skin and eyes. Keep container tightly closed. Avoid incompatible substances. Wash thoroughly after handling this product.

Cine/Manual	Developer		CA	<b>T No.</b> 4001MD	Page 1/ 4001DF, 4005MD, 4005DF
		SEC	TION 8 - Exposure Cont		4001DF, 4003MD, 4003DF
VENTILLATION	Good gener Latex or nit	ral ventillation	EYE: Splash goggles		Not normally required
OTHER	Eye wash s	tation			
		SECTION 9	- Physical & Chemical	Properties	
PHYSICAL STATE	Liquid	ODOR & APPEARANCE Light yellow, odorles	ss solution.		odor Threshold
VAPOR PRESSURE	<sup>(mm-Hg)</sup> nm Hg	VAPOR DENSITY (Air 0.6 mm H			FREEZING POINT < 32 F
PH SPECIFIC GRAVITY 10.20 1.235			solubility in we		%VOLATOILE (BY VOLUME) 80-90% as water
		SECTIO	10 - Stability & Reactiv	ity Data	
CHEMICAL STABILIT	Y YES X	IF NO,	UNDER WHAT CONDITIONS		
INCOMPATABLE WIT	TH OTHER SUBSTANC		, WHICH ONES? g oxidizing agent and stro	ng acids.	
REACTIVITY AND UN	IDER WHAT CONDITIC	Stable	e under ambient pressure	and temperature	
HAZARDOUS DECO	MPOSITION PRODUCT				
		SECTION	I 11 - Toxicological In fo	rmation	
EXPOSURE LIMITS IRRITANCY OF PRODUCT		SENSITIZATION TO PRODUCT		CARCINOGENICITY	
None known Skin: Irritant		None known		Not listed by IARC, OSHA, or ACGIH	
TERATOGENICITY REPRODUC		REPRODUCTIVE TOXICITY	MUT	AGENICITY	SYNERGISTIC PRODUCTS
None Kn	Iown	Not Known	Non	e known	None known
		SECTIO	ON 12 - Ecological Inform	nation	

No Data Available

#### **SECTION 13 - Disposal Considerations**

Dispose of this product in accordance with federal, state and/or local laws.

#### **SECTION 14 - Transportation Information**

Not regulated for transportation.

#### **SECTION 15 - Regulatory Information**

SARA: Reportable quantity (RQ) for Hydroquinone 5000 lb, Potassium hydroxide 1000 lb SARA Section 304, CERCLA Hazardous components - (None) SARA Section 302,304,313 Hazardous components (None) Not a controlled product under Canadian WHMIS regulations.

#### **SECTION 16 - Other Information**

The information contained in this SDS is furnished without warranty of any kind. The user should consider this data a supplement to other data gathered and must make an independent determination of suitability from this and other sources to assure proper use and disposal of this material and the health and safety of employees and customers.

PREPARED BY White Mountain Imaging 4001MD, 4001DF, 4005MD, 4005DF

PHONE NO 603-228-5222