

SAFETY DATA SHEETS

This SDS packet was issued with item:

078043107

N/A

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: E-Z SCRUB™ Scrub 747/749 4% CHG
Catalog Nos. 371073, 377477 and 377479
Date: 04/19/10 **Revision #:** 4



PRODUCT AND COMPANY INFORMATION – SECTION 1

Company Identification

Name: Becton Dickinson Medical Systems
Address: 9450 South State Street
Sandy, UT 84070

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT:

In the continental U.S., call: 801.565.2300 (24 hour)
For additional information, call: 888.237.2762
(M-F, 8:00 AM-4:30 PM EST)

COMPOSITION INFORMATION – SECTION 2

Product Name: BD E-Z Scrub with Chlorhexidine Gluconate as Surgical Hand Scrub
Chemical Formula: Proprietary Mixture

<u>Chemical Name</u>	<u>Percent Wt.</u>	<u>CAS Number</u>	<u>RTECS Number</u>
Chlorhexidine Gluconate	4.0	18472-51-0	DU1950000

This is a water-based solution of surfactants and Chlorhexidine Gluconate.

OSHA REGULATORY STATUS

	This material is classified as not hazardous under OSHA regulations.
X	While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of the product.
	This material is classified as hazardous under OSHA regulations.

HAZARDS IDENTIFICATION – SECTION 3

EMERGENCY OVERVIEW

- Clear, pink/red liquid with perfumed odor.
- Presents little or no hazard if spilled.
- Presents little or no fire hazard.
- For external use only: keep out of eyes, ears, and mouth.

POTENTIAL HEALTH EFFECTS

Eyes: May cause permanent damage.
Ears: May cause permanent hearing loss.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: E-Z SCRUB™ Scrub 747/749 4% CHG
Catalog Nos. 371073, 377477 and 377479
Date: 04/19/10 **Revision #:** 4



POTENTIAL HEALTH EFFECTS

- Skin:** May cause irritation in hypersensitive individuals. Avoid contact with meninges.
- Inhalation:** Overexposure may cause headache, fatigue, dizziness, loss of coordination, and unconsciousness. Vapor has anesthetic properties.
- Ingestion:** Harmful if swallowed.

FIRST AID MEASURES – SECTION 4

Seek medical attention for all cases of overexposure.

FIRST AID MEASURES

- Eyes:** Flush thoroughly with water for at least 15 minutes. Seek medical attention.
- Ears:** Flush with water, repeating several times. Seek medical attention.
- Skin:** Flush with water. Seek medical attention.
- Ingestion:** Wash out mouth with water. Treat with gastric lavage using milk, egg white, or mild soap. Seek medical attention.
- Inhalation:** Remove patient from exposure. Keep warm and at rest. Seek medical attention if ill effects occur.

FIRE FIGHTING MEASURES – SECTION 5

NFPA Rating		
Health	Fire	Reactivity
1	0	0

Flammability Properties

Flash Point / Method: N/A

Flammability Limits: LEL: N/A UEL: N/A
(in air % by volume)

Autoignition Temperature: U/K

Hazardous Combustion Products: Carbon dioxide, carbon monoxide, hydrogen chloride gas, nitrogen oxides, ammonia.

Extinguishing Media: Water, foam, dry chemical, carbon dioxide.

Fire Fighting Instructions: As in any fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

Unusual Fire and Explosion Hazards: Emits toxic fumes under fire conditions.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: E-Z SCRUB™ Scrub 747/749 4% CHG
Catalog Nos. 371073, 377477 and 377479
Date: 04/19/10 **Revision #:** 4



ACCIDENTAL RELEASE MEASURES - SECTION 6

Absorb spilled material with suitable absorbent. Transfer to container for disposal in accordance with regulatory requirements. Mop area clean.

HANDLING & STORAGE – SECTION 7

Handling: External use only. Avoid contact with eyes, ears, and mouth.

Storage: Store at room temperature. Protect from light. Avoid excessive heat (104°F).

EXPOSURE CONTROLS / PERSONAL PROTECTION – SECTION 8

Engineering Controls: General ventilation for conditions of prescribed use.

Personal Protective Equipment

Eye/Face Protection: Not required for normal use. Wear safety goggles or a full face shield for spill cleanup or if splashing is possible.

Skin Protection: Not required for normal use. Wear impervious gloves and apron for spill cleanup.

Respiratory Protection: Not required for normal use. Use NIOSH approved respirator for organic vapors, if necessary.

Exposure Guidelines

OSHA PEL: N/A

ACGIH TLV: N/A

PHYSICAL & CHEMICAL PROPERTIES – SECTION 9

Appearance, Physical State: Clear, pink / red liquid

Odor: Perfumed

Molecular Weight: N/A

pH: 6-7.5

Boiling Point: Similar to water

Melting Point: Similar to water

Vapor Pressure (mm Hg): Similar to water

Vapor Density (Air=1): Similar to water

Solubility in Water: Soluble

Specific Gravity: 1.06

Viscosity @ 25°C: 50-500 CPS

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: E-Z SCRUB™ Scrub 747/749 4% CHG
Catalog Nos. 371073, 377477 and 377479
Date: 04/19/10 **Revision #:** 4



STABILITY & REACTIVITY – SECTION 10

Stability: Stable under normal conditions
Conditions to Avoid: High heat
Materials to Avoid: Strong oxidizing agents, anionic compounds
Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, nitrogen oxides, ammonia, hydrogen chloride gas
Hazardous Polymerization: Will not occur

TOXICOLOGICAL INFORMATION – SECTION 11

Chlorhexidine gluconate: oral LD50 = 1260 mg/kg (mouse) - 2 g/kg (rat)

No significant human data is available for this material.

ECOLOGICAL INFORMATION – SECTION 12

Harmful to aquatic organisms; may cause long-term adverse effects in the aquatic environment. Low toxicity to sewage microorganisms.

DISPOSAL CONSIDERATION – SECTION 13

Dispose of in accordance with Federal, state and local regulations. Discarded product is not a hazardous waste under RCRA, 40 CFR 261. Empty container retains product residue. Observe all hazard precautions.

TRANSPORT INFORMATION - SECTION 14

DOT CLASSIFICATION: Not regulated in non-bulk packaging

IATA CLASSIFICATION: Not Regulated

IMDG CLASSIFICATION: Not Regulated

REGULATORY INFORMATION – SECTION 15

US REGULATIONS

OSHA Not Regulated
TSCA All ingredients are on the TSCA Chemical Substances Inventory (8(b)).
CERCLA Not Regulated
SARA Title III Not Regulated

D14554-4 Page 4 of 4

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: E-Z SCRUB™ Scrub 747/749 4% CHG
Catalog Nos. 371073, 377477 and 377479
Date: 04/19/10 **Revision #:** 4



STATE REGULATIONS

MA Substance List	Not Regulated
NJ Right-to-Know Hazardous Substance List	Not Regulated
PA Hazardous Substance List	Not Regulated
Canadian WHMIS	Not Regulated

OTHER INFORMATION - SECTION 16

Definitions:

UIK = Unknown **NIA** = Not Applicable

To the best of our knowledge, the information contained herein is accurate. However, neither Becton Dickinson nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The possibility exists that the EU will not recognize this MSDS due to the fact that several components of the MSDS are reflective of ANSI Z-400.1-1998. Although ILO (International Labor Organization) has adopted ANSI Z-400.1-1998, ultimate disposition lies with the competent authority.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: E-Z SCRUB™ Scrub 747/749 4% CHG
Catalog Nos. 371073, 377477 and 377479
Date: 04/19/10 **Revision #:** 4



VERSION HISTORY

Version	Description	ECO Number	Version Prepared By
4	Review and Update: From the Header: Remove Obsolete Catalog Number 377496 add Catalog Number 371073. Update the Date to 4/19/10 and the Revision to 4. Also, corrected QDMS Attributes from WWB104 to WWB108.	ECO123316	Rachel LeBlanc Janet Boggess
3	Review and update document. Show review date in header (10/29/08) and footer (10-08). After review, update section 14 to remove "Combustible liquid" So this section becomes: "Not regulated in non-bulk packaging". CCB# 1599 (10/30/2008).	ECO92782	Janet Boggess Rachel LeBlanc
2	Date of MSDS 14536 and D14554 updated to current date 9/13/05 to comply with regulation in Canada. And change Version number.	ECO35390	George Nolan



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

SAFETY DATA SHEET

1. Identification

Product identifier

Product No.:	Product name:	Common name(s), synonym(s)
371073	BD E-Z Scrub™ surgical scrub brush impregnated with 4% CHG. Color code red.	

Other means of identification

SDS number: 088100001710

Recommended use and restriction on use

Recommended use: Skin Antiseptic

Restrictions on use: None known.

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name: Becton Dickinson
Address: 9450 South State Street
Sandy, UT 84070 USA
Telephone: 1-801-565-2300 (US 24 hour)
Fax:
Contact Person: Regulatory Affairs

Emergency telephone number: ChemTrec 1 800 424 9300

Chemtrec +001-703-527-3887 (International)

2. Hazard(s) identification

Hazard Classification

Health Hazards

Serious Eye Damage/Eye Irritation	Category 1
Carcinogenicity	Category 2
Specific Target Organ Toxicity - Repeated Exposure	Category 2

Environmental Hazards

Acute hazards to the aquatic environment	Category 1
Chronic hazards to the aquatic environment	Category 2

Label Elements

Hazard Symbol:

Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com



Signal Word: Danger

Hazard Statement: H318: Causes serious eye damage.
H351: Suspected of causing cancer.
H373: May cause damage to organs through prolonged or repeated exposure.
H400: Very toxic to aquatic life.
H411: Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention: P280: Wear protective gloves/protective clothing/eye protection/face protection.
P201: Obtain special instructions before use.
P202: Do not handle until all safety precautions have been read and understood.
P281: Use personal protective equipment as required.
P260: Do not breathe dust/fume/gas/mist/vapors/spray.
P273: Avoid release to the environment.

Response: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER/doctor.
P391: Collect spillage.

Storage: P405: Store locked up.

Disposal: P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in GHS classification: -: EARS: CHG may cause permanent damage / deafness when instilled in the middle ear
-: May cause permanent damage if permitted to enter and remain in the ears or eyes for a long period of time

3. Composition/information on ingredients



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
D-Gluconic acid, compd. with N1,N14-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediiimidamide (2:1)		18472-51-0	4.34%
Diethanolamine		111-42-2	3.28%
N,N-BIS(2-HYDROXYETHYL)DODECANAMIDE		120-40-1	3.22%
Octadecanoic acid		57-11-4	0.165%
Sodium hydroxide (Na(OH))		1310-73-2	0.01%
Hydrochloric acid		7647-01-0	0.01%
1,4-Dioxane		123-91-1	0.01%
Oxirane		75-21-8	0.0001%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion:	If swallowed, do NOT induce vomiting. Give a glass of water. Wash out mouth with water, treat with gastric lavage, using milk, egg white or mild soap.
Inhalation:	Get medical attention if symptoms occur. Over exposure may cause headache, fatigue, dizziness, loss of coordination and unconsciousness. Vapor has anesthetic properties.
Skin Contact:	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.
Eye contact:	If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Not relevant.

5. Fire-fighting measures

General Fire Hazards: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.



Becton, Dickinson and
Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Water spray, dry powder or carbon dioxide.

Unsuitable extinguishing media: No data available.

Specific hazards arising from the chemical: Fire causes formation of toxic gases.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment.

Methods and material for containment and cleaning up: Absorb spillage with suitable absorbent material. Transfer to a container for disposal. Clean surface thoroughly to remove residual contamination.

Environmental Precautions: Do not release into the environment.

7. Handling and storage

Precautions for safe handling: No specific precautions.

Conditions for safe storage, including any incompatibilities: Store at room temperature (68 degrees F to 77 degrees F). Avoid excessive heat (104 degrees F). Store isolated from oxidizers, ignition sources, and explosives. Consult local fire codes for additional storage information.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Diethanolamine	TWA	3 ppm 15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000)



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

			(1989)
	TWA	3 ppm 15 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	ST ESL	2 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	AN ESL	0.2 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	ST ESL	10 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	AN ESL	1 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	TWA PEL	0.46 ppm 2 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)
Diethanolamine - Inhalable fraction and vapor.	TWA	1 mg/m3	US. ACGIH Threshold Limit Values (12 2010)
Diethanolamine	REL	3 ppm 15 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
Octadecanoic acid - Particulate.	AN ESL	5 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
Octadecanoic acid - Vapor.	ST ESL	1,000 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
Octadecanoic acid - Particulate.	ST ESL	50 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
Octadecanoic acid - Vapor.	AN ESL	100 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
Octadecanoic acid	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (12 2010)
Sodium hydroxide (Na(OH))	Ceiling	2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceiling	2 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
Sodium hydroxide (Na(OH)) - Particulate.	AN ESL	2 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (07 2011)
	ST ESL	20 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (07 2011)
Sodium hydroxide (Na(OH))	Ceiling	2 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)
	Ceiling	2 mg/m3	US. ACGIH Threshold Limit Values (12 2010)
	Ceil_Time	2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Hydrochloric acid	Ceiling	5 ppm 7 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceiling	5 ppm 7 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	ST ESL	130 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	AN ESL	5.7 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

	AN ESL	8.4 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	ST ESL	190 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	Ceiling	5 ppm 7 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)
	Ceiling	2 ppm	US. ACGIH Threshold Limit Values (12 2010)
	Ceil_Time	5 ppm 7 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	Ceiling	5 ppm 7 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
1,4-Dioxane	TWA	25 ppm 90 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	25 ppm 90 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	ST ESL	250 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	AN ESL	25 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	AN ESL	90 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	ST ESL	900 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	TWA PEL	0.28 ppm 1.0 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)
	TWA	20 ppm	US. ACGIH Threshold Limit Values (12 2010)
	Ceil_Time	1 ppm 3.6 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	100 ppm 360 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Oxirane	TWA	1 ppm	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	5 ppm	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	AN ESL	1 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	ST ESL	10 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	AN ESL	2 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	ST ESL	20 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	TWA PEL	1 ppm 2 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)
	STEL	5 ppm	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)
	TWA A LV	0.5 ppm	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

	TWA	1 ppm	US. ACGIH Threshold Limit Values (12 2010)
	REL	0.1 ppm 0.18 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	Ceil_Time	5 ppm 9 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	OSHA_ACT	0.5 ppm	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006)
	TWA	1 ppm	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006)
	STEL	5 ppm	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
Oxirane (N-(2-hydroxyethyl)-valine (HEV) hemoglobin adducts: Sampling time: Not critical.)	5000 pmol/g (Hemoglobin adducts)	ACGIH BEI (03 2018)
Oxirane (S-(2-hydroxyethyl) mercapturic acid (HEMA): Sampling time: End of shift.)	5 µg/g (Creatinine in urine)	ACGIH BEI (03 2018)

Appropriate Engineering Controls No data available.

Individual protection measures, such as personal protective equipment

General information: Do not eat, drink or smoke when using the product.

Eye/face protection: Wear goggles/face shield.

Skin Protection

Hand Protection: Hand protection not required.

Other: No data available.

Respiratory Protection: None should be needed.

Hygiene measures: No data available.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: liquid

Color: Clear, Pink, Red

Odor: Mild

Odor threshold: No data available.

pH: 6 - 7.5

Melting point/freezing point: Similar to water

Initial boiling point and boiling range: >= 100 °C Similar to water



Becton, Dickinson and
Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

Flash Point:	Not applicable Not applicable
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	0.99 - 1.10
Solubility(ies)	
Solubility in water:	Completely soluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	1,000 mm ² /s (25 °C)

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Not known.
Conditions to avoid:	No data available.
Incompatible Materials:	Avoid contact with oxidizers or reducing agents.
Hazardous Decomposition Products:	Carbon Dioxide. Carbon Monoxide. Hydrogen chloride gas. Nitrogen oxides. Ammonia

11. Toxicological information

General information: EARS: CHG may cause permanent damage / deafness when instilled in the middle ear May cause permanent damage if permitted to enter and remain in the ears or eyes for a long period of time

Information on likely routes of exposure

Ingestion: No data available.

Inhalation: No data available.



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

Skin Contact: No data available.

Eye contact: Severely irritating, and may seriously damage eye tissue.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 10,998.44 mg/kg

Dermal

Product: No data available.

Inhalation

Product: ATEmix: 66.83 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Diethanolamine

LOAEL (Mouse(Female), Oral, 13 Weeks): 142 mg/kg Oral Experimental result, Key study
NOAEL (Rat(Female, Male), Inhalation): 15 mg/m3 Inhalation Experimental result, Key study
LOAEL (Rat(Male), Oral, 13 Weeks): 25 mg/kg Oral Experimental result, Key study
LOAEL (Rat(Female), Oral, 13 Weeks): 160 ppm(m) Oral Experimental result, Key study
NOAEL (Rat(Female, Male), Inhalation): 3 mg/m3 Inhalation Experimental result, Key study

N,N-BIS(2-HYDROXYETHYL)DODECAN AMIDE

NOAEL (Rat(Female, Male), Oral, 28 d): > 750 mg/kg Oral Read-across from supporting substance (structural analogue or surrogate), Key study
NOAEL (Rat(Female, Male), Oral, 90 d): 50 mg/kg Oral Experimental result, Key study
LOAEL (Rat(Female, Male), Dermal, 104 - 105 Weeks): 50 mg/kg Dermal Experimental result, Key study
NOAEL (Rat(Female, Male), Dermal, 104 - 105 Weeks): 100 mg/kg Dermal Experimental result, Key study
NOAEL (Rat(Female, Male), Dermal, 14 Weeks): 100 mg/kg Dermal



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

Experimental result, Key study

Octadecanoic acid	NOAEL (Rat(Female, Male), Oral, 42 d): 1,000 mg/kg Oral Read-across based on grouping of substances (category approach), Key study NOAEL (Rat(Male), Oral, 18 Weeks): 10 %(m) Oral Read-across based on grouping of substances (category approach), Supporting study NOAEL (Rat(Male), Oral, 18 Weeks): 10,000 mg/kg Oral Read-across based on grouping of substances (category approach), Supporting study
Hydrochloric acid	NOAEL (Mouse(Female, Male), Inhalation, 4 - 91 d): 20 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, 4 - 91 d): 20 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, 4 - 91 d): 10 ppm(m) Inhalation Experimental result, Key study LOAEL (Mouse(Female, Male), Inhalation, 4 - 91 d): 50 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, 4 - 91 d): 50 ppm(m) Inhalation Experimental result, Key study
1,4-Dioxane	LOAEL (Rat(Female, Male), Inhalation, 13 Weeks): 100 ppm(m) Inhalation Experimental result, Not specified NOAEL (Rat(Female), Oral, 716 d): 19 mg/kg Oral Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation): > 400 mg/m3 Inhalation Experimental result, Key study NOAEL (Mouse(Female), Oral, 13 Weeks): <= 640 ppm(m) Oral Experimental result, Supporting study LOAEL (Rat(Female, Male), Inhalation): 360 mg/m3 Inhalation Experimental result, Not specified
Oxirane	NOAEL (Mouse(Female, Male), Inhalation, 10 - 11 Weeks): 10 ppm(m) Inhalation Experimental result, Weight of Evidence study NOAEL (Rat(Female, Male), Inhalation, 2 yr): 10 ppm(m) Inhalation Experimental result, Weight of Evidence study

Skin Corrosion/Irritation

Product: May cause skin irritation in susceptible persons.

Serious Eye Damage/Eye Irritation

Product: No data available.

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

Diethanolamine	Skin sensitization:, in vivo (Guinea pig): Non sensitising
Octadecanoic acid	Skin sensitization:, in vivo (Guinea pig): Non sensitising
1,4-Dioxane	Skin sensitization:, in vivo (Guinea pig): Non sensitising



**Becton, Dickinson and
Company**
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Diethanolamine Overall evaluation: 2B. Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: Low toxicity to sewage microorganisms

Aquatic Invertebrates



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

Product:	No data available.
Specified substance(s): D-Gluconic acid, compd. with N1,N14-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediimidamide (2:1)	EC 100 (Daphnia magna, 48 h): 0.12 mg/l Experimental result, Key study EC 50 (Daphnia magna, 48 h): 0.087 mg/l Experimental result, Key study ED 0 (Daphnia magna, 48 h): 0.04 mg/l Experimental result, Key study EC 50 (Daphnia magna, 48 h): 0.05 - 0.1 mg/l Experimental result, Not specified
Diethanolamine	NOAEL (Daphnia magna, 48 h): < 24 mg/l Experimental result, Supporting study EC 50 (Ceriodaphnia dubia, 48 h): 89.9 mg/l Experimental result, Key study EC 50 (Daphnia magna, 48 h): 171 mg/l Experimental result, Supporting study EC 50 (Daphnia magna, 48 h): 55 mg/l Experimental result, Supporting study EC 50 (Ceriodaphnia dubia, 48 h): 30.1 mg/l Experimental result, Key study
N,N-BIS(2-HYDROXYETHYL)DODECAN AMIDE	EC 100 (Daphnia magna, 24 h): 5.6 mg/l Read-across from supporting substance (structural analogue or surrogate), Supporting study NOAEL (Daphnia magna, 48 h): +/- +/- 1 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study LOAEL (Daphnia magna, 48 h): +/- +/- 2 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study EC 50 (Daphnia magna, 24 h): 3.3 mg/l Read-across from supporting substance (structural analogue or surrogate), Supporting study ED 0 (Daphnia magna, 24 h): 2 mg/l Read-across from supporting substance (structural analogue or surrogate), Supporting study
Octadecanoic acid	EC 50 (Daphnia magna, 47 h): > 32 mg/l Experimental result, Weight of Evidence study NOAEL (Daphnia magna, 48 h): > 4.8 mg/l Read-across based on grouping of substances (category approach), Weight of Evidence study EC 50 (Daphnia magna, 48 h): > 4.8 mg/l Read-across based on grouping of substances (category approach), Weight of Evidence study LC 50 (Artemia salina, 48 h): > 20 mg/l Experimental result, Weight of Evidence study
Sodium hydroxide (Na(OH))	LOAEL (Daphnia magna): 40 - 240 mg/l Experimental result, Supporting study LC 50 (Ophryotrocha diadema, 48 h): 33 - 100 mg/l Experimental result, Supporting study LC 50 (Saltwater Shrimp, 48 h): 30 - 100 mg/l Experimental result, Supporting study LC (Bulinus truncatus, 96 h): 150 mg/l Experimental result, Supporting study LD (Freshwater insect larvae): 125 - 1,000 mg/l Not specified, Supporting study
Hydrochloric acid	LC 50 (Green or European shore crab (Carcinus maenas), 48 h): 240 mg/l Mortality LC 50 (Common shrimp, sand shrimp (Crangon crangon), 48 h): 260 mg/l



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

	Mortality
1,4-Dioxane	EC 50 (Daphnia magna, 24 h): 4,700 mg/l Experimental result, Supporting study EC 100 (Daphnia magna, 24 h): 10,000 mg/l Experimental result, Supporting study EC 50 (Daphnia magna, 48 h): > 1,000 mg/l Experimental result, Key study ED 0 (Daphnia magna, 24 h): 2,070 mg/l Experimental result, Supporting study LC 50 (Scud (Gammarus pseudolimnaeus), 96 h): 1,800 - 2,872 mg/l Mortality
Oxirane	LC 50 (Daphnia magna, 48 h): 212 mg/l Experimental result, Key study LC 50 (Water flea (Daphnia magna), 24 h): 270 mg/l Mortality LC 50 (Brine shrimp (Artemia sp.), 48 h): > 500 mg/l Mortality LC 50 (Brine shrimp (Artemia sp.), 48 h): 490 mg/l Mortality LC 50 (Water flea (Daphnia magna), 48 h): 83 - 179 mg/l Mortality

Chronic hazards to the aquatic environment:

Fish

Product:	No data available.
Specified substance(s): Diethanolamine	NOAEL (Various): > 1 mg/l Estimated by calculation, Supporting study
N,N-BIS(2-HYDROXYETHYL)DODECAN AMIDE	LC 100 (Oncorhynchus mykiss, 24 h): 3.2 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study LOAEL (Oncorhynchus mykiss, 28 d): 1 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study NOAEL (Oncorhynchus mykiss, 28 d): 0.32 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study
1,4-Dioxane	NOAEL (Pimephales promelas, 32 d): > 103 mg/l Experimental result, Key study

Aquatic Invertebrates

Product:	No data available.
Specified substance(s): D-Gluconic acid, compd. with N1,N14-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediimide (2:1)	NOAEL (Daphnia magna, 21 d): 20.6 µg/l Experimental result, Key study EC 50 (Daphnia magna, 21 d): 35.8 µg/l Experimental result, Key study LOAEL (Daphnia magna, 21 d): 61.8 µg/l Experimental result, Key study EC 100 (Daphnia magna, 21 d): 61.8 µg/l Experimental result, Key study
Diethanolamine	LOAEL (Daphnia magna, 21 d): 1.56 mg/l Experimental result, Key study NOAEL (Daphnia magna, 21 d): 0.78 mg/l Experimental result, Key study LC 0 (Daphnia magna, 21 d): 3.13 mg/l Experimental result, Key study
N,N-BIS(2-	NOAEL (Daphnia magna, 21 d): 0.07 mg/l Read-across from supporting



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

HYDROXYETHYL)DODECAN AMIDE	substance (structural analogue or surrogate), Key study LOAEL (Daphnia magna, 21 d): 0.24 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study
Octadecanoic acid	NOAEL (Daphnia magna, 21 d): > 0.22 mg/l Read-across based on grouping of substances (category approach), Key study EC 50 (Daphnia magna, 21 d): > 0.22 mg/l Read-across based on grouping of substances (category approach), Key study LOAEL (Daphnia magna, 21 d): > 0.22 mg/l Read-across based on grouping of substances (category approach), Key study
1,4-Dioxane	NOAEL (Daphnia magna, 21 d): 1,000 mg/l Experimental result, Key study

Toxicity to Aquatic Plants
Product:

No data available.

Persistence and Degradability

Biodegradation
Product:

No data available.

Specified substance(s):

D-Gluconic acid, compd. with N1,N14-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediimid amide (2:1)	52 % Detected in water. Experimental result, Key study 100 % Detected in water. Experimental result, Not specified 79 % Detected in water. Experimental result, Key study 71 % Detected in water. Experimental result, Key study 90 % (28 d) Detected in water. Experimental result, Not specified
--	--

Diethanolamine	96 % (10 d) Detected in water. Experimental result, Supporting study 93 % (28 d) Detected in water. Experimental result, Key study 96 % (10 d) Detected in water. Experimental result, Supporting study 93 % (28 d) Detected in water. Experimental result, Supporting study 97 % (28 d) Detected in water. Experimental result, Supporting study
----------------	---

Oxirane	100 % Detected in water. Experimental result, Key study 93 - 98 % (28 d) Detected in water. Experimental result, Supporting study 96 % Detected in water. Experimental result, Key study > 50 % (20 d) Detected in water. Not specified, Supporting study 69 % (20 d) Detected in water. Experimental result, Supporting study
---------	--

BOD/COD Ratio
Product:

No data available.

Bioaccumulative potential
Bioconcentration Factor (BCF)
Product:

No data available.

Specified substance(s):



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

D-Gluconic acid, compd. with N1,N14-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediiimidamide (2:1)	Leuciscus idus, Bioconcentration Factor (BCF): 42 Aquatic sediment Experimental result, Key study
	Leuciscus idus, Bioconcentration Factor (BCF): 40 Aquatic sediment Experimental result, Key study
	Green algae (Chlorella fusca vacuolata), Bioconcentration Factor (BCF): 2,560 (Static)
	Carp (Leuciscus idus melanotus), Bioconcentration Factor (BCF): 42 (Renewal)
Diethanolamine	Bioconcentration Factor (BCF): 0.89 Aquatic sediment Estimated by calculation, Weight of Evidence study Various, Bioconcentration Factor (BCF): 1.43 Aquatic sediment QSAR, Weight of Evidence study Various, Bioconcentration Factor (BCF): 1.34 Aquatic sediment QSAR, Weight of Evidence study Various, Bioconcentration Factor (BCF): 0.15 Aquatic sediment QSAR, Weight of Evidence study Various, Bioconcentration Factor (BCF): 1.65 Aquatic sediment QSAR, Weight of Evidence study
Octadecanoic acid	Danio rerio, Bioconcentration Factor (BCF): 236 - 282 Aquatic sediment Read-across from supporting substance (structural analogue or surrogate), Key study Danio rerio, Bioconcentration Factor (BCF): 234 - 249 Aquatic sediment Read-across from supporting substance (structural analogue or surrogate), Key study Danio rerio, Bioconcentration Factor (BCF): 238 - 288 Aquatic sediment Read-across from supporting substance (structural analogue or surrogate), Key study
1,4-Dioxane	Cyprinus carpio, Bioconcentration Factor (BCF): 0.3 - 0.7 Aquatic sediment Experimental result, Key study Cyprinus carpio, Bioconcentration Factor (BCF): 0.2 - 0.6 Aquatic sediment Experimental result, Key study

Partition Coefficient n-octanol / water (log Kow)

Product: Log Kow: Not applicable

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

D-Gluconic acid, compd. with N1,N14-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediimide (2:1)	No data available.
Diethanolamine	No data available.
N,N-BIS(2-HYDROXYETHYL)DODECAN AMIDE	No data available.
Octadecanoic acid	No data available.
Sodium hydroxide (Na(OH))	No data available.
Hydrochloric acid	No data available.
1,4-Dioxane	No data available.
Oxirane	No data available.

Other adverse effects: No data available.

13. Disposal considerations

Disposal instructions: Dispose of waste and residues in accordance with local authority requirements.

Contaminated Packaging: Water, if necessary with cleansing agents.

14. Transport information

DOTUN Number:	Not regulated.
UN Proper Shipping Name:	Not regulated.
Transport Hazard Class(es)	
Class:	Not regulated.
Label(s):	Not regulated.
Packing Group:	Not regulated.
Marine Pollutant:	Not regulated.
Limited quantity	Not regulated.
Excepted quantity	Not regulated.
Special precautions for user:	Not regulated.



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

IMDG

UN Number:	Not regulated.
UN Proper Shipping Name:	Not regulated.
Transport Hazard Class(es)	
Class:	Not regulated.
Subsidiary risk:	Not regulated.
EmS No.:	Not regulated.
Packing Group:	Not regulated.
Environmental Hazards	
Marine Pollutant:	Not regulated.
Special precautions for user:	Not regulated.

IATA

UN Number:	Not regulated.
Proper Shipping Name:	Not regulated.
Transport Hazard Class(es):	
Class:	Not regulated.
Subsidiary risk:	Not regulated.
Packing Group:	Not regulated.
Environmental Hazards	
Marine pollutant:	Not regulated.
Special precautions for user:	Not regulated.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Chemical Identity

Oxirane

OSHA hazard(s)

Eye irritation
Skin sensitization
Acute toxicity
Central nervous system
respiratory tract irritation
Flammability
Reproductive toxicity
Skin irritation
Cancer
Mutagenicity



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Diethanolamine	100 lbs.
Sodium hydroxide (Na(OH))	1000 lbs.
Hydrochloric acid	5000 lbs.
1,4-Dioxane	100 lbs.
Oxirane	10 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards
Delayed (Chronic) Health Hazard
Serious eye damage or eye irritation
Carcinogenicity
Specific target organ toxicity (single or repeated exposure)

SARA 302 Extremely Hazardous Substance

<u>Chemical Identity</u>	<u>Reportable quantity</u>	<u>Threshold Planning Quantity</u>
Hydrochloric acid	5000 lbs.	500 lbs.
Oxirane	10 lbs.	1000 lbs.

SARA 304 Emergency Release Notification

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Diethanolamine	100 lbs.
Sodium hydroxide (Na(OH))	1000 lbs.
Hydrochloric acid	5000 lbs.
1,4-Dioxane	100 lbs.
Oxirane	10 lbs.



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Hydrochloric acid	500lbs
Oxirane	500lbs
D-Gluconic acid, compd. with N1,N14-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediimidamide (2:1)	10000 lbs
Diethanolamine	10000 lbs
N,N-BIS(2-HYDROXYETHYL)DODECAN AMIDE	10000 lbs
Octadecanoic acid	10000 lbs
Sodium hydroxide (Na(OH))	10000 lbs
1,4-Dioxane	10000 lbs

SARA 313 (TRI Reporting)

<u>Chemical Identity</u>	<u>Reporting threshold for other users</u>	<u>Reporting threshold for manufacturing and processing</u>
Diethanolamine	10000 lbs	25000 lbs.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Sodium hydroxide (Na(OH))	Reportable quantity: 1000 lbs.
Hydrochloric acid	Reportable quantity: 5000 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): none

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Hydrochloric acid	15000 lbs
Hydrochloric acid	5000 lbs
Oxirane	10000 lbs

US State Regulations

US. California Proposition 65

WARNING: This product can expose you to chemicals including, Oxirane, which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm.

This product can expose you to chemicals including, Diethanolamine, N,N-BIS(2-HYDROXYETHYL)DODECAN AMIDE, 1,4-Dioxane, which is [are] known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.



Becton, Dickinson and Company
BD, Franklin Lakes, NJ
07417 USA
www.bd.com

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Diethanolamine

US. Massachusetts RTK - Substance List

Chemical Identity

Diethanolamine
Hydrochloric acid
1,4-Dioxane
Oxirane

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Diethanolamine

US. Rhode Island RTK

Chemical Identity

Diethanolamine

16. Other information, including date of preparation or last revision
--

Issue Date: 03/22/2019

Version #: 5.1

Revision Information:

Further Information: No data available.

Disclaimer: Disclaimer:
The information contained herein has been obtained from various sources and is believed to be correct as of the date issued. However, neither BD nor any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability for a particular use of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. BD provides SDS in electronic form so the information may be more easily accessed. Due to the possibility of errors during transmission, BD makes no representations as to the completeness or accuracy of the information.