

SAFETY DATA SHEETS

This SDS packet was issued with item:

078056544

N/A



MERCK

Merck Animal Health
One Merck Dr.
Whitehouse Station, NJ 08889

MATERIAL SAFETY DATA SHEET

Merck Animal Health urges each user or recipient of this MSDS to read the entire data sheet to become aware of the hazards associated with this material.

SECTION 1. IDENTIFICATION OF SUBSTANCE AND CONTACT INFORMATION

MSDS NAME: 20% Fenbendazole Suspension

SYNONYM(S): PANACUR AQUASOL
SAFE-GUARD
Suspension de Fenbendazole a 20%

MSDS NUMBER: SP002033

EMERGENCY NUMBER(S): (908) 423-6000 (24/7/365) English Only

Transportation Emergencies - CHEMTREC:
(800) 424-9300 (Inside Continental USA)
(703) 527-3887 (Outside Continental USA)
Rocky Mountain Poison Center (For Human Exposure):
(303) 595-4869

Animal Health Technical Services:
For Animal Adverse Events: Small Animals and Horses: (800) 224-5318
For Animal Adverse Events: Livestock: (800) 211-3573
For Animal Adverse Events: Poultry: (800) 219-9286

INFORMATION: Animal Health Technical Services:
For Small Animals and Horses: (800) 224-5318
For Livestock: (800) 211-3573
For Poultry: (800) 219-9286

MERCK MSDS HELPLINE: (800) 770-8878 (US and Canada)
(908) 473-3371 (Worldwide)
Monday to Friday, 9am to 5pm (US Eastern Time)

The brand-names or trademarks indicated by CAPITAL LETTERS in this [M]SDS are the property of, licensed to, promoted or distributed by Merck & Co., Inc., its subsidiaries or related companies.

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Suspension
White to off-white
Odor unknown
May be irritating to eyes, skin or respiratory tract.
May cause developmental effects.
May cause effects to:
liver
gastrointestinal tract
immune system
blood
central nervous system
fetus
Very toxic to aquatic organisms.
May cause long-term adverse effects in the aquatic environment.

POTENTIAL HEALTH EFFECTS:

The information presented below pertains to the following individual ingredients, and not to the mixture(s).

The active ingredient fenbendazole is a benzimidazole carbamate anthelmintic that is structurally related to mebendazole. Therapeutic use of mebendazole, a substance of the same chemical class as fenbendazole, has been reported to cause gastrointestinal disturbances (transient abdominal pain), diarrhea, headache, and dizziness. Frequent effects reported after treatment with high-doses of mebendazole have included allergic reactions (fever and skin reactions), raised liver enzyme values, alopecia, bone marrow depression, reduced leucocyte count and raised serum-transaminase values.

A number of oral subchronic and chronic animal studies have been conducted with fenbendazole and have demonstrated that the liver is the main target tissue. In addition, stomach, kidneys, blood, immune system, and central nervous system are also affected by treatment with fenbendazole. Developmental effects have been reported in rabbits following treatment with fenbendazole.

Benzyl alcohol is corrosive and irritating at high concentrations. It causes eye irritation and can be absorbed through the skin with anesthetic or irritant effect. Acute exposure to benzyl alcohol may cause nausea, vomiting, diarrhea, central nervous system depression, and dizziness. Inhalation of benzyl alcohol or its vapor may cause irritation of upper respiratory tract. When ingested, benzyl alcohol may produce severe irritation of the gastrointestinal tract, followed by nausea, vomiting, cramps and diarrhea; tissue lesions may result. Chronic exposure to benzyl alcohol has been reported to cause allergic contact inflammation. Its effects are presumed to be similar to those effects observed following acute exposure. Prolonged or excessive inhalation may result in headache, nausea, vomiting, and diarrhea. Respiratory stimulation, respiratory and muscular paralysis, convulsions, narcosis, and death may occur following excessive exposure.

LISTED CARCINOGENS

No carcinogens or potential carcinogens listed by OSHA, IARC, NTP or ACGIH are present in concentrations >0.1% in this mixture.

SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

PRODUCT USE: Veterinary product

CHEMICAL FORMULA: Mixture.

The formulation for this product is proprietary information. Only hazardous ingredients in concentrations of 1% or greater and/or carcinogenic ingredients in concentrations of 0.1% or greater are listed in the Chemical Composition table. Active ingredients in any concentration are listed. For additional information about carcinogenic ingredients see Section 2.

CHEMICAL COMPOSITION

INGREDIENT	CAS NUMBER	PERCENT
Fenbendazole	43210-67-9	20
Benzyl Alcohol	100-51-6	< 10

MSDS NAME: 20% Fenbendazole Suspension

MSDS NUMBER: SP002033

Latest Revision Date: 30-Nov-2012

Page 2 of 8

ADDITIONAL INFORMATION:

This MSDS is written to provide health and safety information for individuals who will be handling the final product formulation during research, manufacturing, and distribution. For health and safety information for individual ingredients used during manufacturing, refer to the appropriate MSDS for each ingredient. Refer to the package insert or product label for handling guidance for the consumer.

SECTION 4. FIRST AID MEASURES

INHALATION: Remove to fresh air. If any trouble breathing, get immediate medical attention. Administer artificial respiration if breathing has ceased. If irritation or symptoms occur or persist, consult a physician.

SKIN CONTACT: In case of skin contact, while wearing protective gloves, carefully remove any contaminated clothing, including shoes, and wash skin thoroughly with soap and water. If irritation or symptoms occur or persist, consult a physician.

EYE CONTACT: In case of eye contact, immediately rinse eyes thoroughly with plenty of water. If wearing contact lenses, remove only after initial rinse, and continue rinsing eyes for at least 15 minutes. If irritation occurs or persists, consult a physician.

INGESTION: Rinse mouth and drink a glass of water. Do not induce vomiting unless under the direction of a qualified medical professional or Poison Control Center. If symptoms persist, consult a physician.

SECTION 5. FIRE FIGHTING MEASURES**FLAMMABILITY DATA:**

Flash Point: Not determined (liquids) or not applicable (solids).

EXPLOSION HAZARDS:

Under normal conditions of use, this material does not present a significant fire or explosion hazard. However, like most organic compounds, this material may present a dust deflagration hazard if sufficient quantities are suspended in air. This hazard may exist where sufficient quantities of finely divided material are (or may become) suspended in air during typical process operations. An assessment of each operation should be conducted and suitable deflagration prevention and protection techniques employed. The sensitivity of this material to ignition by electrostatic discharges has not been determined. In the absence of testing data, all conductive plant items and operations personnel handling this material should be suitably grounded.

SPECIAL FIRE FIGHTING PROCEDURES:

Wear full protective clothing and self-contained breathing apparatus (SCBA).

SUITABLE EXTINGUISHING MEDIA:

Carbon dioxide (CO₂), extinguishing powder or water spray.

See Section 9 for Physical and Chemical Properties.

SECTION 6. ACCIDENTAL RELEASE MEASURES**PERSONAL PRECAUTIONS:**

Wear appropriate personal protective equipment as specified in Section 8. Keep personnel away from the clean-up area.

SPILL RESPONSE / CLEANUP:

All spills should be handled according to site requirements and based on precautions cited in the MSDS. In the case of liquids, use proper absorbent materials. For laboratories and small-scale operations, incidental spills within a hood or enclosure should be cleaned by using a HEPA filtered vacuum or wet cleaning methods as appropriate. For large dry or liquid spills or those spills outside enclosure or hood, appropriate emergency response personnel should be notified. In manufacturing and large-scale operations, HEPA vacuuming prior to wet mopping or cleaning is required.

ENVIRONMENTAL PRECAUTIONS:

This product is toxic to aquatic organisms. Do not allow product to reach ground water, water course, sewage or drainage systems.

See Sections 9 and 10 for additional physical, chemical, and hazard information.

SECTION 7. HANDLING AND STORAGE**HANDLING:**

Keep containers adequately sealed during material transfer, transport, or when not in use. Wash face, hands, and any exposed skin after handling. Do not eat, drink, or smoke when using this substance or mixture.

Appropriate handling of this material is dependent on many factors, including physical form, duration and frequency of process or task, and effectiveness of engineering controls. Site-specific risk assessments should be conducted to determine the feasibility and the appropriateness of all exposure control measures. See Section 8 (Exposure Controls) for additional guidance.

MSDS NAME: 20% Fenbendazole Suspension

MSDS NUMBER: SP002033

Latest Revision Date: 30-Nov-2012

Page 3 of 8

Fenbendazole (20%) Liquid Formulation

Version 2.3 Revision Date: 05/03/2017 SDS Number: 508618-00005 Date of last issue: 11/14/2016
Date of first issue: 02/10/2016

SECTION 1. IDENTIFICATION

Product name : Fenbendazole (20%) Liquid Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 2000 Galloping Hill Road
Kenilworth - New Jersey - USA 1685
Telephone : 908-740-4000
Telefax : 908-735-1496
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com


Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Reproductive toxicity : Category 2
Specific target organ systemic toxicity - repeated exposure (Oral) : Category 2 (Liver, lymph node, Stomach, Nervous system)

GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H373 May cause damage to organs (Liver, lymph node, Stomach, Nervous system) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P280 Wear protective gloves/ protective clothing/ eye protection/

Fenbendazole (20%) Liquid Formulation

Version 2.3 Revision Date: 05/03/2017 SDS Number: 508618-00005 Date of last issue: 11/14/2016
Date of first issue: 02/10/2016

face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
fenbendazole	43210-67-9	>= 20 - < 30
Benzyl alcohol	100-51-6	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging fertility. Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure if swallowed.

Fenbendazole (20%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/14/2016
2.3	05/03/2017	508618-00005	Date of first issue: 02/10/2016

- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
- Notes to physician : Treat symptomatically and supportively.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions : Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable
-

Fenbendazole (20%) Liquid Formulation

Version 2.3 Revision Date: 05/03/2017 SDS Number: 508618-00005 Date of last issue: 11/14/2016
 Date of first issue: 02/10/2016

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Avoid inhalation of vapor or mist.
 Do not swallow.
 Avoid contact with eyes.
 Avoid prolonged or repeated contact with skin.
 Handle in accordance with good industrial hygiene and safety practice.
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
 Store locked up.
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
fenbendazole	43210-67-9	TWA	100 µg/m ³ (OEB 2)	Merck
Benzyl alcohol	100-51-6	TWA	10 ppm	US WEEL

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Laboratory operations do not require special containment.

Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to

Fenbendazole (20%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/14/2016
2.3	05/03/2017	508618-00005	Date of first issue: 02/10/2016

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

- Hand protection
Material : Chemical-resistant gloves
- Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.
- Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : suspension
- Color : white to off-white
- Odor : No information available.
- Odor Threshold : No data available
- pH : 6 - 8
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available

Fenbendazole (20%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/14/2016
2.3	05/03/2017	508618-00005	Date of first issue: 02/10/2016

Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Fenbendazole (20%) Liquid Formulation

Version 2.3 Revision Date: 05/03/2017 SDS Number: 508618-00005 Date of last issue: 11/14/2016
 Date of first issue: 02/10/2016

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
 Skin contact
 Ingestion
 Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
 Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Method: Calculation method

Ingredients:

fenbendazole:

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg
 LD50 (Mouse): > 10,000 mg/kg

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.

Ingredients:

fenbendazole:

Species: Rabbit
 Result: No skin irritation

Benzyl alcohol:

Species: Rabbit
 Method: OECD Test Guideline 404
 Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Fenbendazole (20%) Liquid Formulation

Version 2.3 Revision Date: 05/03/2017 SDS Number: 508618-00005 Date of last issue: 11/14/2016
Date of first issue: 02/10/2016

Ingredients:**fenbendazole:**

Species: Rabbit
Result: No eye irritation

Benzyl alcohol:

Species: Rabbit
Result: Irritation to eyes, reversing within 21 days
Method: OECD Test Guideline 405

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Ingredients:**Benzyl alcohol:**

Test Type: Maximization Test
Routes of exposure: Skin contact
Species: Guinea pig
Method: OECD Test Guideline 406
Result: negative

Germ cell mutagenicity

Not classified based on available information.

Ingredients:**fenbendazole:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

 : Test Type: DNA Repair
Result: negative

 : Test Type: Chromosomal aberration
Result: negative

 : Test Type: in vitro test
Species: mouse lymphoma cells
Metabolic activation: Metabolic activation
Result: equivocal

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo)

Fenbendazole (20%) Liquid Formulation

Version 2.3 Revision Date: 05/03/2017 SDS Number: 508618-00005 Date of last issue: 11/14/2016
Date of first issue: 02/10/2016

cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Not classified based on available information.

Ingredients:**fenbendazole:**

Species: Mouse
Application Route: oral (feed)
Exposure time: 2 Years
NOAEL: 405 mg/kg body weight
Result: negative

Species: Rat
Application Route: Oral
Exposure time: 2 Years
NOAEL: 5 mg/kg body weight
Result: negative
Target Organs: Lymph nodes, Liver

Benzyl alcohol:

Species: Mouse
Application Route: Ingestion
Exposure time: 103 weeks
Method: OECD Test Guideline 451
Result: negative

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Ingredients:**fenbendazole:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study
Species: Rat
Application Route: oral (feed)
General Toxicity Parent: NOAEL: 15 mg/kg body weight
Fertility: LOAEL: 45 mg/kg body weight
Result: Effects on fertility.

Fenbendazole (20%) Liquid Formulation

Version 2.3 Revision Date: 05/03/2017 SDS Number: 508618-00005 Date of last issue: 11/14/2016
Date of first issue: 02/10/2016

Effects on fetal development : Test Type: Development
Species: Dog, female
Application Route: Oral
Developmental Toxicity: LOAEL: 100 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 25 mg/kg body weight
Result: Fetotoxicity.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 63 mg/kg body weight

Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 120 mg/kg body weight
Result: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Liver, lymph node, Stomach, Nervous system) through prolonged or repeated exposure if swallowed.

Ingredients:**fenbendazole:**

Routes of exposure: Ingestion
Target Organs: Liver, lymph node, Stomach, Nervous system

Fenbendazole (20%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/14/2016
2.3	05/03/2017	508618-00005	Date of first issue: 02/10/2016

Assessment: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Ingredients:****fenbendazole:**

Species: Rat
LOAEL: 500 mg/kg
Application Route: Oral
Exposure time: 2 Weeks
Target Organs: Kidney, Liver

Species: Rat
NOAEL: > 2,500 mg/kg
Application Route: Oral
Exposure time: 30 Days
Remarks: No significant adverse effects were reported

Species: Rat
LOAEL: 1,600 mg/kg
Application Route: Oral
Exposure time: 90 Days
Target Organs: Central nervous system
Symptoms: Tremors

Species: Dog
NOAEL: 4 mg/kg
LOAEL: 8 mg/kg
Exposure time: 6 Months
Target Organs: Stomach, lymph node, Nervous system

Benzyl alcohol:

Species: Rat
NOAEL: 1.072 mg/l
Application Route: inhalation (dust/mist/fume)
Exposure time: 28 Days
Method: OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Ingredients:**fenbendazole:**

No aspiration toxicity classification

Experience with human exposure**Ingredients:****fenbendazole:**

Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhea

Fenbendazole (20%) Liquid Formulation

Version 2.3 Revision Date: 05/03/2017 SDS Number: 508618-00005 Date of last issue: 11/14/2016
Date of first issue: 02/10/2016

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Ingredients:****fenbendazole:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 7.5 mg/l
Exposure time: 96 h
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.008 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

M-Factor (Acute aquatic toxicity) : 100

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0015 mg/l
Exposure time: 21 Days
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Persistence and degradability**Ingredients:****Benzyl alcohol:**

Fenbendazole (20%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/14/2016
2.3	05/03/2017	508618-00005	Date of first issue: 02/10/2016

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 92 - 96 %
 Exposure time: 14 d

Bioaccumulative potential

Ingredients:

fenbendazole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
 Bioconcentration factor (BCF): 240

Partition coefficient: n-octanol/water : log Pow: 2.3

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

Mobility in soil

Ingredients:

fenbendazole:

Distribution among environmental compartments : log Koc: 4.37

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
 If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fenbendazole)
 Class : 9
 Packing group : III
 Labels : 9

Fenbendazole (20%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/14/2016
2.3	05/03/2017	508618-00005	Date of first issue: 02/10/2016

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (fenbendazole)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fenbendazole)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (fenbendazole)
Class	:	9
Packing group	:	III
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	yes(fenbendazole)
Remarks	:	Above applies only to containers over 119 gallons or 450 liters., Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

Fenbendazole (20%) Liquid Formulation

Version 2.3 Revision Date: 05/03/2017 SDS Number: 508618-00005 Date of last issue: 11/14/2016
 Date of first issue: 02/10/2016

SARA 311/312 Hazards : Chronic Health Hazard

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Water	7732-18-5
fenbendazole	43210-67-9
Polyethylene glycol sorbitan monooleate	9005-65-6
Benzyl alcohol	100-51-6

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.


The ingredients of this product are reported in the following inventories:

AICS : not determined
 DSL : not determined
 IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
 US WEEL / TWA : 8-hr TWA

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation,

Fenbendazole (20%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/14/2016
2.3	05/03/2017	508618-00005	Date of first issue: 02/10/2016

and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 05/03/2017

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8