

SAFETY DATA SHEETS

This SDS packet was issued with item:

078073260

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078093342 078388930 078416543

MATERIAL SAFETY DATA SHEET

Vet-A-Mix,
division of LLOYD, Inc.,
Phone No. (712) 246-4000
Page 1 of 2

P.O. Box 130, Shenandoah, IA 51601-0130

Osteo-Form Chewable Tablets
MSDS Date: 2/17/93 (Original)
12/19/95 (Revised)

Product Name: Osteo-Form Chewable Tablets

1. INGREDIENTS: (% w/w), unless otherwise noted

COMPONENT	CAS#	%	EXPOSURE LIMITS, ppm	
			OSHA PEL	ACGIH TLV (mg/m ³)
Dicalcium Phosphate	7757-93-9	43.6	--None Established--	
Calcium Carbonate	1317-65-3	11.0	30 mppcf	10 Total Dust 5 Respirable Dust
Bone Ash	none assigned	9.0	--None Established--	
Propylene Glycol	57-55-6	1.7	--None Established--	

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). Only those ingredients composing $\geq 1\%$ ($\geq 0.1\%$ for carcinogens or suspect carcinogens) of the formula (w/w) and which have hazards identified are listed. Propylene glycol has an AIHA WEEL exposure guideline of 50 ppm total; 10 mg/m³ aerosol only. These limits are not applicable to this product in the solid dosage form.

2. PHYSICAL DATA:

APPEARANCE: Off-white, elliptical tablet.
Other physical data have not been determined.

3. FIRE AND EXPLOSION HAZARD DATA:

This has not been evaluated. Propylene glycol may produce propionaldehyde and carbon monoxide as hazardous decomposition products in the presence of limited oxygen in a fire situation.

EXTINGUISHING MEDIA: Water fog, alcohol foam, CO₂, dry chemical.

HAZARDOUS DECOMPOSITION PRODUCTS: Propylene glycol may produce propionaldehyde and carbon monoxide in the presence of limited oxygen in a fire situation.

4. REACTIVITY DATA:

This has not been evaluated. The product is expected to be stable under normal storage conditions; avoid strong oxidizers.

5. ENVIRONMENTAL AND DISPOSAL INFORMATION:

ACTION TO TAKE FOR SPILLS/LEAKS: Sweep up and dispose of in DOT-approved waste containers. Keep out of sewers, storm drains, surface waters and soil.

DISPOSAL METHOD: Dispose of contaminated product and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures.

6. HEALTH HAZARD DATA:

EYE: This product is not expected to irritate the eyes.

SKIN CONTACT: This product is not expected to irritate the skin.

INGESTION: This has not been evaluated.

INHALATION: Inhalation exposure under normal conditions of use is not likely to cause adverse effects, however irritation may occur if use conditions generate dust.

Dicalcium Phosphate--Oral LD50 (rat): 10,000 mg/kg; Dermal LD50 (rabbit): >7940 mg/kg

MATERIAL SAFETY DATA SHEET

Vet-A-Mix,
division of LLOYD, Inc.,
Phone No. (712) 246-4000
Page 2 of 2

P.O. Box 130, Shenandoah, IA 51601-0130
Osteo-Form Chewable Tablets
MSDS Date: 2/17/93 (Original)
12/19/95 (Revised)

Bone Ash--Should not be inhaled. It causes a reaction to the skin and it is not suitable for ingestion.

Propylene Glycol--Propylene Glycol--May cause slight transient (temporary) eye irritation. Corneal injury is unlikely. Prolonged skin contact is essentially nonirritating. Repeated exposure may cause slight flaking, tenderness and softening of skin. Skin LD50 (rabbits): >10 g/kg. No hazards are anticipated from ingestion incidental to industrial exposure. Oral LD50 (rats): 21-33.7 g/kg. Repeated excessive ingestion may cause central nervous system effects.

7. FIRST AID:

EYES: Immediately flush eyes with copious amounts of running water for 15 minutes.

SKIN: Wash with soap and water.

INGESTION: SEEK MEDICAL ATTENTION IMMEDIATELY. Treatment is by gastric lavage or emesis.

INHALATION: If a person has been exposed to excessive quantities of dust due to mishaps, move the person to fresh air. Give artificial respiration if not breathing.

Seek medical attention immediately if excessive exposure occurs.

8. HANDLING PRECAUTIONS:

There is no OSHA PEL or ACGIH TLV for this product. Under normal conditions of use, no special handling precautions are required in areas with adequate ventilation. However, under conditions of prolonged exposure in which quantities of dust are generated, mechanical ventilation, safety glasses with side shields, gloves and a NIOSH approved dust respirator are recommended.

SPECIAL PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Exercise reasonable care and caution.

REGULATORY INFORMATION: (Not meant to be all-inclusive--selected regulations represented.)

NOTICE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws. The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations. See MSDS for health and safety information.

U.S. REGULATIONS: SARA HAZARD CATEGORY: This product has been reviewed according to the federal EPA "Hazard Categories" promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to be exempt from reporting requirements. Nevertheless, potential reporters should check with their state emergency response commissions to determine if this product must be reported under applicable state requirements.

Dicalcium phosphate contains the following chemicals considered by the State of California's Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as causing cancer or reproductive toxicity and for which warnings are now required: Arsenic--CAS No. 7440-38-2; Cadmium--CAS No. 7440-43-9; Lead--CAS No. 7439-92-1.