

## SAFETY DATA SHEETS

**This SDS packet was issued with item:**

078074534

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

078074526 078074542 078583779

**Mometasone / Clotrimazole / Gentamicin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

**SECTION 1. IDENTIFICATION**

Product name : Mometasone / Clotrimazole / Gentamicin Formulation

**Manufacturer or supplier's details**

Company name of supplier : Merck & Co., Inc

Address : 2000 Galloping Hill Road  
Kenilworth - New Jersey - USA 1685

Telephone : 908-740-4000

Telefax : 908-735-1496

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with 29 CFR 1910.1200**

Reproductive toxicity : Category 1A

Specific target organ  
systemic toxicity - repeated  
exposure (Oral) : Category 2 (Liver, Kidney, Adrenal gland)

**GHS label elements**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H360Df May damage the unborn child. Suspected of damaging fertility.  
H373 May cause damage to organs (Liver, Kidney, Adrenal gland) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapors.  
P280 Wear protective gloves/ protective clothing/ eye protection/

**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous ingredients**

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	> 90 - <= 100
Polyethylene glycol	25322-68-3	< 10
Clotrimazole	23593-75-1	1
Gentamicin	1403-66-3	0.5
Mometasone	83919-23-7	0.1

**SECTION 4. FIRST AID MEASURES**

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.

**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

Most important symptoms and effects, both acute and delayed	:	May damage the unborn child. Suspected of damaging fertility. May cause damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
Notes to physician	:	Treat symptomatically and supportively.

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for	:	Soak up with inert absorbent material.

# Mometasone / Clotrimazole / Gentamicin For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

containment and cleaning up      For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.

   Clean up remaining materials from spill with suitable absorbent.

   Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

   Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## SECTION 7. HANDLING AND STORAGE

Technical measures                    :    See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation             :    Use with local exhaust ventilation.

Advice on safe handling            :    Do not get on skin or clothing.  
Do not breathe vapors or spray mist.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage        :    Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid                  :    Do not store with the following product types:  
Strong oxidizing agents  
Organic peroxides  
Explosives  
Gases

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m <sup>3</sup>	ACGIH

# Mometasone / Clotrimazole / Gentamicin For- mulation

Version 3.1      Revision Date: 10/10/2017      SDS Number: 412827-00008      Date of last issue: 09/07/2017  
Date of first issue: 12/14/2015

		TWA (Mist)	5 mg/m <sup>3</sup>	NIOSH REL
		ST (Mist)	10 mg/m <sup>3</sup>	NIOSH REL
Polyethylene glycol	25322-68-3	TWA (aero-sol)	10 mg/m <sup>3</sup>	US WEEL
Clotrimazole	23593-75-1	TWA	0.2 mg/m <sup>3</sup> (OEB 2)	Merck
Gentamicin	1403-66-3	TWA	0.1 mg/m <sup>3</sup> (OEB 2)	Merck
Mometasone	83919-23-7	TWA	1 µg/m <sup>3</sup> (OEB 4)	Merck
Further information: Skin				
		Wipe limit	10 µg/100 cm <sup>2</sup>	Merck

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

## Personal protective equipment

**Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

## Hand protection

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Eye protection** : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat. Additional body garments should be used based upon the

**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: suspension
Color	: white to off-white
Odor	: oily
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: No data available

**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

---

Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
---------------------	---	--



**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**Ingredients:****White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Polyethylene glycol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Remarks: Based on data from similar materials

**Clotrimazole:**

Acute oral toxicity : LD50 (Rat): 708 mg/kg  
LD50 (Mouse): 761 mg/kg  
LD50 (Rabbit): > 1,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.73 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Mouse): 923 mg/kg

**Gentamicin:**

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg  
LD50 (Mouse): 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg  
Application Route: Intravenous  
LD50 (Rat): 371 - 384 mg/kg

**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

---

Application Route: Intramuscular

LDLo (Monkey): 30 mg/kg  
Application Route: Intravenous**Mometasone:**Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
LD50 (Mouse): > 2,000 mg/kgAcute inhalation toxicity : LC50 (Rat): > 3.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.LC50 (Mouse): > 3.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mistAcute toxicity (other routes of administration) : LD50 (Rat): 300 mg/kg  
Application Route: Subcutaneous  
Symptoms: Breathing difficulties**Skin corrosion/irritation**

Not classified based on available information.

**Ingredients:****White mineral oil (petroleum):**Species: Rabbit  
Result: No skin irritation**Polyethylene glycol:**Species: Rabbit  
Result: No skin irritation  
Remarks: Based on data from similar materials**Clotrimazole:**Species: Rabbit  
Result: No skin irritation**Gentamicin:**Species: Rabbit  
Result: Mild skin irritant**Mometasone:**Species: Rabbit  
Result: No skin irritation

**Mometasone / Clotrimazole / Gentamicin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

---

**Serious eye damage/eye irritation**

Not classified based on available information.

**Ingredients:****White mineral oil (petroleum):**

Species: Rabbit

Result: No eye irritation

**Polyethylene glycol:**

Species: Rabbit

Result: No eye irritation

Remarks: Based on data from similar materials

**Clotrimazole:**

Species: Rabbit

Result: Mild eye irritation

**Gentamicin:**

Species: Rabbit

Result: Mild eye irritant

**Mometasone:**

Species: Rabbit

Result: No eye irritation

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Ingredients:****White mineral oil (petroleum):**

Test Type: Buehler Test

Routes of exposure: Skin contact

Species: Guinea pig

Result: negative

**Gentamicin:**

Remarks: No data available

**Mometasone:**

Test Type: Maximization Test

Routes of exposure: Dermal

Species: Guinea pig

**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

Assessment: Does not cause skin sensitization.

Result: negative

Remarks: The results of a test on guinea pigs showed this substance to be a weak skin sensitizer.

**Germ cell mutagenicity**

Not classified based on available information.

**Ingredients:****White mineral oil (petroleum):**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

**Polyethylene glycol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

**Clotrimazole:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: in vitro micronucleus test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Oral  
Result: negative

Test Type: Mammalian spermatogonial chromosome aberration test (in vivo)  
Species: Hamster  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

**Gentamicin:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Intravenous injection  
Result: negative

**Mometasone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster lung cells  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: positive

Test Type: Mouse Lymphoma  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: Chromosomal aberration  
Species: Rat  
Cell type: Bone marrow  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Species: Rat  
Cell type: Liver cells  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ  
cell mutagen.

**Carcinogenicity**

Not classified based on available information.

**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

**Ingredients:****White mineral oil (petroleum):**

Species: Rat  
Application Route: Ingestion  
Exposure time: 24 Months  
Result: negative

**Clotrimazole:**

Species: Rat  
Application Route: Oral  
Exposure time: 78 weeks  
Result: negative

**Gentamicin:**

Carcinogenicity - Assessment : No data available

**Mometasone:**

Species: Rat  
Application Route: Inhalation  
Exposure time: 2 Years  
Dose: 0.067 mg/kg body weight  
Result: negative

Species: Mouse  
Application Route: Inhalation  
Exposure time: 19 Months  
Dose: 0.160 mg/kg body weight  
Result: negative

**IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

May damage the unborn child. Suspected of damaging fertility.

**Ingredients:****White mineral oil (petroleum):**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Skin contact

**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Polyethylene glycol:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rabbit  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**Clotrimazole:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Oral  
Fertility: LOAEL: 50 mg/kg body weight  
Result: Effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 100 mg/kg body weight  
Result: Embryo-fetal toxicity., No teratogenic effects.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 50 mg/kg body weight  
Result: Embryo-fetal toxicity., No teratogenic effects.

Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Oral  
Developmental Toxicity: NOAEL: 200 mg/kg body weight  
Result: No effects on fetal development.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 180 mg/kg body weight  
Result: No effects on fetal development.

**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

**Gentamicin:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Fertility: NOAEL: 20 mg/kg body weight  
Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rabbit  
Developmental Toxicity: NOAEL: 3.6 mg/kg body weight  
Result: No embryo-fetal toxicity.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 75 mg/kg body weight  
Result: Embryo-fetal toxicity.

Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 10 mg/kg body weight  
Result: Fetal mortality., No malformations were observed.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 50 mg/kg body weight  
Result: Fetal mortality., No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

**Mometasone:**

Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: Subcutaneous  
Fertility: NOAEL: 0.015 mg/kg body weight  
Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Subcutaneous  
Embryo-fetal toxicity.: LOAEL: 0.06 mg/kg body weight  
Result: Embryotoxic effects., Teratogenicity and developmental toxicity

Test Type: Embryo-fetal development



**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

Species: Rat  
Application Route: Dermal  
Embryo-fetal toxicity.: LOAEL: 0.3 mg/kg body weight  
Result: Embryo-fetal toxicity.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Dermal  
Embryo-fetal toxicity.: LOAEL: 0.15 mg/kg body weight  
Result: Embryo-fetal toxicity., Malformations were observed.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Subcutaneous  
Embryo-fetal toxicity.: LOAEL: 0.15 mg/kg body weight  
Result: Effects on newborn.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Embryo-fetal toxicity.: LOAEL: 0.7 mg/kg body weight  
Result: Embryo-fetal toxicity., Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

**STOT-single exposure**

Not classified based on available information.

**Ingredients:****Mometasone:**

Remarks: Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

May cause damage to organs (Liver, Kidney, Adrenal gland) through prolonged or repeated exposure if swallowed.

**Ingredients:****Clotrimazole:**

Target Organs: Liver, Kidney, Adrenal gland

Assessment: May cause damage to organs through prolonged or repeated exposure.

**Gentamicin:**

Target Organs: Kidney, inner ear

Assessment: Causes damage to organs through prolonged or repeated exposure.

**Mometasone:**

Routes of exposure: inhalation (dust/mist/fume)

Target Organs: Immune system, Liver, Kidney, Skin

**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

---

Assessment: May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Ingredients:****White mineral oil (petroleum):**

Species: Rat  
LOAEL: 160 mg/kg  
Application Route: Ingestion  
Exposure time: 90 Days

Species: Rat  
LOAEL:  $\geq 1$  mg/l  
Application Route: inhalation (dust/mist/fume)  
Exposure time: 4 Weeks  
Method: OECD Test Guideline 412

**Polyethylene glycol:**

Species: Rat  
NOAEL: 1,100 mg/kg  
Application Route: Ingestion  
Exposure time: 13 Weeks  
Remarks: Based on data from similar materials

**Clotrimazole:**

Species: Rabbit  
LOAEL: 5 - 40 mg/kg  
Application Route: Skin contact  
Exposure time: 3 Weeks  
Target Organs: Skin  
Symptoms: Edema, Fissuring, Necrosis, Redness

Species: Rat  
LOAEL: 10 mg/kg  
Application Route: Oral  
Exposure time: 18 Months  
Target Organs: Liver, Kidney, Adrenal gland

Species: Dog  
LOAEL: 25 mg/kg  
Application Route: Oral  
Exposure time: 6 - 12 Months  
Target Organs: Adrenal gland  
Symptoms: Salivation, Lachrymation, Vomiting

**Gentamicin:**

Species: Dog  
LOAEL: 3 mg/kg  
Application Route: Intramuscular  
Exposure time: 12 Months

**Mometasone / Clotrimazole / Gentamicin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

---

Target Organs: Kidney  
Symptoms: Vomiting, Salivation

Species: Monkey  
LOAEL: 50 mg/kg  
Application Route: Subcutaneous  
Exposure time: 3 Weeks  
Target Organs: Kidney, inner ear

Species: Monkey  
LOAEL: 6 mg/kg  
Application Route: Intramuscular  
Exposure time: 3 Weeks  
Target Organs: Blood, Kidney, inner ear, Liver

Species: Rat  
NOAEL: 5 mg/kg  
LOAEL: 10 mg/kg  
Application Route: Intramuscular  
Exposure time: 52 Weeks  
Target Organs: Kidney, Blood

Species: Rat  
NOAEL: 12.5 mg/kg  
LOAEL: 50 mg/kg  
Application Route: Intramuscular  
Exposure time: 13 Weeks  
Target Organs: Kidney

**Mometasone:**

Species: Rat  
NOAEL: 0.005 mg/kg  
LOAEL: 0.3 mg/kg  
Application Route: Oral  
Exposure time: 30 d  
Target Organs: lymph node, Liver, Adrenal gland, Skin, thymus

Species: Dog  
LOAEL: 0.5 mg/kg  
Application Route: Oral  
Exposure time: 30 d  
Target Organs: lymph node, Liver, Adrenal gland, Skin, thymus

Species: Rat  
NOAEL: 0.00013 mg/l  
Application Route: inhalation (dust/mist/fume)  
Exposure time: 90 d  
Target Organs: Adrenal gland, Lungs, lymph node, spleen, Bone marrow, Kidney, Liver, thymus

Species: Dog  
NOAEL: 0.0005 mg/l  
Application Route: inhalation (dust/mist/fume)  
Exposure time: 90 d

**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

Target Organs: Adrenal gland, Lungs, lymph node, spleen, Bone marrow, Kidney, thymus, Liver

**Aspiration toxicity**

Not classified based on available information.

**Ingredients:****Mometasone:**

No aspiration toxicity classification

**Experience with human exposure****Ingredients:****Clotrimazole:**

Skin contact : Symptoms: Rash, Itching, Blistering, Edema, Redness

Ingestion : Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhea

**Gentamicin:**

Ingestion : Target Organs: Kidney

Target Organs: inner ear  
Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

**Mometasone:**

Inhalation : Symptoms: allergic rhinitis, Headache, pharyngitis, upper respiratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion

Skin contact : Symptoms: Dermatitis, Itching

**Further information****Ingredients:****Mometasone:**

Remarks: Dermal absorption possible

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Ingredients:****White mineral oil (petroleum):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

# Mometasone / Clotrimazole / Gentamicin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l  
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,000 mg/l  
Exposure time: 21 d

## Polyethylene glycol:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

## Clotrimazole:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 0.29 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.02 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 0.268 mg/l  
Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 0.017 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.025 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.01 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to microorganisms : EC50: > 10,000 mg/l  
Exposure time: 3 h

# Mometasone / Clotrimazole / Gentamicin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

## Gentamicin:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 86 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: 288.7 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

## Mometasone:

Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 0.11 mg/l  
Exposure time: 96 h  
Remarks: No toxicity at the limit of solubility.

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 5 mg/l  
Exposure time: 7 d  
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

Remarks: No toxicity at the limit of solubility.

EC50 (Americamysis): > 5 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Remarks: No toxicity at the limit of solubility.

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 3.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.00014 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.34 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility.

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
Remarks: No toxicity at the limit of solubility.

NOEC: 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Method: OECD Test Guideline 209

Remarks: No toxicity at the limit of solubility.

**Persistence and degradability****Ingredients:****White mineral oil (petroleum):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d

**Polyethylene glycol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 68 %  
Exposure time: 28 d  
Remarks: Based on data from similar materials

**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

**Clotrimazole:**

Stability in water : Hydrolysis: 50 %(242 d)

**Gentamicin:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

**Mometasone:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(12 d)  
Method: OECD Test Guideline 111

**Bioaccumulative potential****Ingredients:****Polyethylene glycol:**

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 3.2  
Remarks: Based on data from similar materials

**Gentamicin:**

Partition coefficient: n-octanol/water : log Pow: < -2

**Mometasone:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 107.1  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.68

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.



**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clotrimazole, Gentamicin)
Class	: 9
Packing group	: III
Labels	: 9

**IATA-DGR**

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Clotrimazole, Gentamicin)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

**IMDG-Code**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clotrimazole, Gentamicin)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****49 CFR**

UN/ID/NA number	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Clotrimazole, Gentamicin)
Class	: 9
Packing group	: III
Labels	: CLASS 9

**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

ERG Code	:	171
Marine pollutant	:	yes(Clotrimazole, Gentamicin)
Remarks	:	Above applies only to containers over 119 gallons or 450 liters., Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

<b>SARA 311/312 Hazards</b>	:	Reproductive toxicity Specific target organ toxicity (single or repeated exposure)
-----------------------------	---	---

<b>SARA 313</b>	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
-----------------	---	---

**US State Regulations****Pennsylvania Right To Know**

White mineral oil (petroleum)	8042-47-5
Polyethylene glycol	25322-68-3

**California Prop. 65**

WARNING: This product can expose you to chemicals including Gentamicin, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**California List of Hazardous Substances**

White mineral oil (petroleum)	8042-47-5
-------------------------------	-----------

**California Permissible Exposure Limits for Chemical Contaminants**

White mineral oil (petroleum)	8042-47-5
-------------------------------	-----------

**The ingredients of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined


# Mometasone / Clotrimazole / Gentamicin For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA:



#### HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA	:	8-hr TWA

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Pre-

**Mometasone / Clotrimazole / Gentamicin For-  
mulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09/07/2017
3.1	10/10/2017	412827-00008	Date of first issue: 12/14/2015

---

vention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 10/10/2017

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8