# SAFETY DATA SHEETS

This SDS packet was issued with item: 078110823

N/A





<u>S</u>[

# Safety Data Sheet

## 1. IDENTIFICATION

Product Identifier:	50% Ethanol	
Product Code(s):	J0326ASD2	
Synonyms:	Mixture.	
Recommended Use:	For invitro veterinary use only.	
Uses Advised Against:	Not for use on humans.	
Supplier:	Jorgensen Laboratories 1450 Van Buren Avenue, Loveland, CO 808 Phone: (970) 669-2500 or (800) 525-5614	538 Fax: (970) 663-5042
Emergency Phone Number:	U.S. and Canada: (800) 535-5053	International: (352) 323-3500 (INFOTRAC)

## 2. HAZARDS IDENTIFICATION

Hazard Classifications:	Specific Target Organ Toxicity (Single Exposure): Flammable Liquids:	Category 1 Category 3
Signal Word:	DANGER	
Hazard Statements:	Causes damage to organs. Flammable liquid and vapor.	
Pictograms:	$\wedge$	



#### **Precautionary Statements:**

Prevention:	Do not breathe fumes, mists, vapors, or spray.
	Wash thoroughly after handling.
	Do not eat, drink, or smoke when using this product.
	Keep away from heat, sparks, open flames, and hot surfaces. – No smoking.
	Keep container tightly closed.
	Ground container and receiving equipment.
	Use explosion-proof electrical, ventilating, lighting, and transportation equipment.
	Use only non-sparking tools.

	Take precautionary measures against static discharge.
	Wear protective gloves, protective clothing, eye protection, and face protection.
Response:	If exposed: Call a poison center or doctor.
	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water. In case of fire, use water spray, dry powder, alcohol resistant foam, or carbon dioxide to extinguish.
Storage:	Store locked up.
	Store in a well-ventilated place. Keep cool.
Disposal:	Dispose of contents and container in accordance with local, regional, national, and international regulations.
Hazards Not Otherwise	This product may be toxic to humans. Primates are especially susceptible to the toxic
Classified:	effects of methanol, which are not reflected through toxicity data (see Section 11). May cause adverse reproductive effects based on human and animal data.
Toxicity Statement:	Not applicable.

## 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Component	Common Name / Synonyms	CAS#	Chemical Formula	% by Weight
Water	Water	7732-18-5	H <sub>2</sub> O	57.1
Ethanol	Ethyl Alcohol	64-17-5	C₂H₅OH	38.9
Methanol	Methyl Alcohol	67-56-1	CH₃OH	1.93
Isopropanol	Isopropyl Alcohol	67-63-0	C <sub>3</sub> H <sub>7</sub> OH	2.15

#### Trade Secret Statement:

Not applicable.

#### 4. FIRST AID MEASURES

#### First Aid Procedures:

Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. WARNING! It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious, or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a poison center or doctor immediately if you feel unwell or are concerned.
Ingestion:	Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, keep head low so that vomit does not enter lungs. Never give anything by mouth to an unconscious person. Call a poison center or doctor immediately if you feel unwell or are concerned.
Skin Contact:	Remove contaminated clothing and shoes. Wash skin with plenty of water for at least 15 minutes. Wash clothing before reuse. Call a poison center or doctor immediately if you feel unwell or are concerned.
Eye Contact:	Check for and remove contact lenses if present and easy to do. Immediately flush eyes with gentle but large stream of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Call a poison center or doctor immediately if you feel unwell or are concerned.

General Advice:	Poison information centers in each state can provide additional assistance for scheduled poisons. Ensure that medical personnel and those providing first aid are aware of the material(s) involved and take precautions to protect themselves.
Symptoms and Effects:	May cause irritation to eyes, skin, respiratory tract, and gastrointestinal tract. Absorption through skin may cause visual disturbances and metabolic acidosis. Inhalation of vapors may cause dizziness, suffocation, nervous system effects, and cardiovascular effects. May affect the blood, brain, urinary system, liver, spleen, and eyes. Ingestion may cause nausea, vomiting, diarrhea, abdominal pain, constipation, nervous system effects, blindness, and respiration effects. May affect the blood, liver, kidneys, cardiovascular system, brain, pancreas, and eyes.
Immediate Medical Care/ Special Treatment:	If you feel unwell or are concerned, call a poison center or doctor immediately. Treat symptomatically.

## 5. FIREFIGHTING MEASURES

Suitable Extinguishing Media:	Water spray, dry powder, alcohol resistant foam, carbon dioxide.
Unsuitable Extinguishing Media:	Do not use a solid (straight) water stream, as it may scatter and spread fire.
Hazardous Combustion Products:	Carbon oxides.
Specific Hazards:	Flammable. Vapors may cause flash fire or ignite explosively. Burns vigorously if ignited easily by heat, sparks, or flames. Material may burn with an invisible flame. Sealed containers may explode when heated or involved in fire. Material is sensitive to static discharge. Vapors may travel considerable distance to source of ignition and flash back. Vapor from the solvent may accumulate in container headspace, resulting in flammability hazard.
Special Protective Equipment/ Precautions for Firefighters:	As in any fire, wear MSHA/NIOSH-approved (or equivalent), self-contained, positive- pressure or pressure-demand breathing apparatus and full protective gear. Use water spray to cool unopened containers. Move containers from fire area, if you can do so without risk. This material may evaporate and leave a flammable residue if spilled. In the event of fire and/or explosion, do not breathe fumes.

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Protective Equipment:	Ventilate area of leak or spill. Isolate hazard area and keep unnecessary and unprotected personnel away from the area of the leak or spill. Keep upwind. Keep out of low areas. Wear appropriate personal protective equipment (see Section 8). Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharge. All equipment used when handling the product must be grounded. Use spark-proof tools and explosion-proof equipment. Avoid contact with eyes, skin, and clothing.
Emergency Procedures:	In case of chemical emergency, or if unsure how to address an accidental release, consult a professional (see Section 1).
Methods for Containment:	Eliminate all sources of ignition. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements, or confined areas. Dike the spilled material where possible. Product should not be released to the environment. Contain and recover liquid when possible.
Methods for Cleanup:	Absorb spill with an inert material (e.g. vermiculite, dry sand, earth, cloth, or fleece) and place in a non-combustible container for reclamation or disposal. Do not flush to sewer.

#### 7. HANDLING AND STORAGE

#### Handling:

Do not handle near an open flame, sources of heat, or sources of ignition. Wear personal protective equipment (see Section 8). Use only in well-ventilated areas. Provide sufficient air exchange and/or exhaust in work areas. Avoid contact with skin, eyes, and clothing. Do not breathe vapors or spray mist. Do not ingest. When using, do not eat, drink, or smoke. Take precautionary measures against static discharge. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials (see Section 10). Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Containers of this material may be hazardous when empty, as they retain product residues (vapors, liquids). Observe all warnings and precautions listed for this product.

Storage:Store in a cool, dry, ventilated area. Store in a segregated and approved area away from<br/>incompatible materials (see Section 10). Store in original container. Keep containers tightly<br/>closed and upright. Keep away from food, drink, and animal foodstuffs. Keep out of the<br/>reach of children. Ground container and transfer equipment. Comply with all national, state,<br/>and local codes pertaining to the storage, handling, dispensing, and disposal of this product.

#### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits:	Water:	No information	found.
	Ethanol:	ACGIH: STEL: OSHA: PEL:	1000 ppm 1000 ppm 1900 mg/m <sup>3</sup>
	Methanol:	ACGIH: TWA: STEL: BEL:	200 ppm 250 ppm 15 mg/L
		OSHA: PEL:	200 ppm 260 mg/m <sup>3</sup>
	Isopropanol:	ACGIH: TWA: STEL: BEL:	200 ppm 400 ppm 40 mg/L
		OSHA: PEL:	400 ppm 980 mg/m <sup>3</sup>
Engineering Controls:	applicable, use to maintain airbo	process enclosure orne levels below	tilation rates should be matched to conditions. If es, local exhaust ventilation, or other engineering controls recommended exposure limits. If exposure limits have not ne levels to an acceptable level.
Personal Protective Measures:			
Eye/Face Protection:			elds or safety goggles. Wear a face shield. Maintain ccessible rinse facilities in work area.
Skin Protection:	Wear appropriat resistant gloves		ant clothing (with long sleeves) and appropriate chemical

**Respiratory Protection:** An air-purifying, NIOSH-approved respirator with appropriate cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Use a positive-pressure, air-supplied respirator if there is any potential for an uncontrolled release, if exposure levels are unknown, or in any other circumstances where air-purifying respirators may not provide adequate protection.

Specific Requirements for Personal Protective Equipment: Ensure that glove material is compatible with this product. This information is available from glove manufacturers.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Unless otherwise indicated, all properties are given at 25 °C and standard pressure.

Appearance:	Colorless, transparent liquid.
Odor:	Alcoholic.
Odor Threshold:	No information found.
Formula Weight:	Mixture.
pH:	No information found.
Melting/Freezing Point:	< 0 °C
Boiling Point/Range:	< 100 °C
Decomposition Temperature:	No information found.
Flash Point:	25 °C (estimated)
Auto-ignition Temperature:	No information found.
Flammability:	Explosive as vapor; flammable as liquid.
Flammability/Explosive Limits:	Lower: 3.3% by volume Upper: 19% by volume
Solubility:	Miscible with water, ether, acetone, benzene, acetic acid.
Vapor Pressure:	No information found.
Vapor Density:	No information found.
Specific Gravity:	0.920 (Water = 1)
Evaporation Rate:	No information found.
Viscosity:	No information found.
Partition Coefficient (n-octanol/water):	No information found.

#### 10. STABILITY AND REACTIVITY

Reactivity Data:	Flammable. See Section 9.
Chemical Stability:	Stable under normal conditions.
Conditions to Avoid:	Heat, flames, sparks, sources of ignition, incompatible materials.
Incompatible Materials:	Oxidizing agents, metals, halogens, isocyanates, inorganic salts, inorganic hydrides, organic materials, hydrazine, acid anhydrides, bases, acids.
Hazardous Decomposition Products:	Carbon oxides.

Product: 50% Ethanol Revision Date: 10/06/2016 May react vigorously, violently or explosively if exposed to extreme thermal conditions or in contact with the incompatible materials listed above.

Hazardous Polymerization: Will not occur.

#### 11. TOXICOLOGICAL INFORMATION

Routes of Exposure:	Inhalation, ingestion, skin contact, eye contact.			
Acute Effects:	May be harmful or fatal if swallowed, inhaled, or absorbed through the skin. Causes irritation to the eyes, skin, respiratory tract, and gastrointestinal tract. May cause blindness or visual disturbances if absorbed into the blood stream. May affect the blood, brain, urinary system, liver, spleen, eyes, kidneys, cardiovascular system, and pancreas.			
Chronic Effects:	May cause central nervous system effects. May cause damage to eyesight. Prolonged or repeated exposure may cause liver, kidney, brain, cardiovascular system, blood, spleen, and heart damage. Prolonged or repeated exposure may cause adverse reproductive effects and dermatitis.			
Toxicological Data:	Water:	Not applicable.		
	Ethanol:	LD₅0 Oral, Rat: LC₅0 Inhalation, Rat:	7060 mg/kg 124.7 mg/L 4 h	
	Methanol:	$LD_{50}$ Oral, Rat: $LD_{50}$ Dermal, Rabbit: $LC_{50}$ Inhalation, Rat:	5628 mg/kg 15,800 mg/kg 87.5 mg/L 6 h	
	Isopropanol:	LD <sub>50</sub> Oral, Rat: LD <sub>50</sub> Dermal, Rabbit: LC <sub>50</sub> Inhalation, Rat:	5045 mg/kg 12,800 mg/kg 72.6 mg/L 4 h	
Symptoms of Exposure:	suffocation, short	tiousness, visual disturband ness of breath, nervous sys diarrhea, abdominal pain,	stem effects, cardiovascular	r effects, cough,
Carcinogenic Effects:	No component of OSHA.	this product is considered t	to be a carcinogen by IARC	, ACGIH, NTP, or
ACGIH:	Isopropanol:	A4 – Not classifiable as a l	human carcinogen	
IARC:	Isopropanol:	3 – Not classifiable to hum	ans	
12. ECOLOGICAL INF	ORMATION			
Ecotoxicological Data:	Water:	Not applicable.		
	Ethanol:	EC <sub>50</sub> , Water Flea (Daphnia LC <sub>50</sub> , Fathead Minnow (Pir	• •	7.7 mg/L 48 h > 100 mg/L 96 h

**Environmental Effects:** May be hazardous to aquatic organisms. Avoid release to the environment.

## 13. DISPOSAL INFORMATION

Disposal Instructions:		be handled in accordance with local, state, and federal regulations. ure to product waste (see Section 8). Do not dispose unused waste down ewers.
Contaminated Packaging:	Because emptied containers retain product residue, follow label warnings even after container is emptied. Residual vapors may explode on ignition; do not cut, drill, grind, or weld on or near product container. Offer rinsed packaging material to local recycling facilities.	
Waste Codes:	Methanol:	U154 (US RCRA Hazardous Waste U List – Ignitable Waste)

## 14. TRANSPORT INFORMATION

#### DOT:

UN Number:	UN1987
Proper Shipping Name:	Alcohols, n.o.s. (Denatured ethanol)
Hazard Class:	3
Packing Group:	II
ERG Number:	127
Environmental Hazard Regulations:	No information found.

Other Transport Precautions: No information found.

#### 15. REGULATORY INFORMATION

#### U.S. Federal Regulations:

OSHA:	This product is considered a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
TSCA Inventory:	All components of this product are on the U.S. TSCA Inventory.
U.S. EPCRA (SARA Title III):	
Section 302:	No information found.

Hazard Category	List (Yes/No)
Section 311 – Hazardous Chemical	Yes
Immediate Hazard	Yes
Delayed Hazard	Yes
Fire Hazard	Yes
Pressure Hazard	No
Reactivity Hazard	No

CERCLA Reportable Quantities: Methanol: 5000 lb

Canada WHMIS:

This SDS is prepared in compliance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). Therefore, it complies with the 2015 Workplace Hazardous Materials Information System (WHMIS) as well.

#### International Inventories:

Country or Region	Inventory Name	On Inventory (Yes/No)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

\*A "Yes" indicates that the listed components of this product comply with the inventory requirements administered by the governing country or region.

#### 16. OTHER INFORMATION

Disclaimer:	Jorgensen Laboratories provides the information in this Safety Data Sheet in the belief that it is reliable but assumes no responsibility for its completeness or accuracy. The physical properties reported in this SDS are obtained from literature and do not constitute product specifications. Jorgensen Laboratories makes and gives no representations or warranties with respect to the information contained herein or the product to which it refers, whether express, implied, or statutory, including without limitation, warranties of accuracy, completeness, merchantability, non-infringement, performance, safety, suitability, stability, and fitness for a particular purpose. No warranty against infringement of any patent, copyright or trademark is made or implied. This SDS is intended only as a guide to the appropriate handling of the material by a properly trained person. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. Accordingly, Jorgensen Laboratories assumes no liability whatsoever for the use of or reliance upon this information including results obtained, incidental or consequential damages, or lost profits.
Issue Date:	October 6, 2016
Reason for Revision:	Update of Sections 8, 9, 11, 12, and 15 over 03/05/2015 version.