

SAFETY DATA SHEETS

This SDS packet was issued with item:

078301698

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078071989 078377618

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078071997 078378147 078378154



Merck Animal Health
One Merck Dr.
Whitehouse Station, NJ 08889

MATERIAL SAFETY DATA SHEET

Merck Animal Health urges each user or recipient of this MSDS to read the entire data sheet to become aware of the hazards associated with this material.

SECTION 1. IDENTIFICATION OF SUBSTANCE AND CONTACT INFORMATION

MSDS NAME: PHENYLZONE PASTE

SYNONYM(S): PHENYLZONE PASTE

MSDS NUMBER: SP000898

EMERGENCY NUMBER(S): (908) 423-6000 (24/7/365) English Only

Transportation Emergencies - CHEMTREC:
(800) 424-9300 (Inside Continental USA)
(703) 527-3887 (Outside Continental USA)

Rocky Mountain Poison Center (For Human Exposure):
(303) 595-4869

Animal Health Technical Services:
For Animal Adverse Events: Small Animals and Horses: (800) 224-5318
For Animal Adverse Events: Livestock: (800) 211-3573
For Animal Adverse Events: Poultry: (800) 219-9286

INFORMATION: Animal Health Technical Services:
For Small Animals and Horses: (800) 224-5318
For Livestock: (800) 211-3573
For Poultry: (800) 219-9286

MERCK MSDS HELPLINE: (800) 770-8878 (US and Canada)
(908) 473-3371 (Worldwide)
Monday to Friday, 9am to 5pm (US Eastern Time)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Paste
White
Orange
Harmful if swallowed.
May be irritating to skin and eyes.
May cause effects to:
blood
central nervous system
peripheral nervous system
gastrointestinal tract
liver
kidney

POTENTIAL HEALTH EFFECTS:

SECTION 2. HAZARDS IDENTIFICATION

The toxicological properties of the mixture(s) have not been fully characterized in humans or animals. Therefore, laboratory or process control systems and appropriate work practices should be in place to minimize the potential for inhalation exposure, skin contact, eye contact, or ingestion when working with this material. Only information about the ingredients that are expected to contribute significantly to the potential health hazard profile of the formulation(s) are presented.

Phenylbutazone, a non-steroidal anti-inflammatory, may cause gastrointestinal upset, jaundice, or blood dyscrasia. Authenticated cases of agranulocytosis associated with the drug have occurred in man. Overdose may cause nausea, vomiting, epigastric pain, excessive perspiration, euphoria, psychosis, headaches, giddiness, vertigo, hyperventilation, insomnia, tinnitus, difficulty in hearing, edema (sodium retention), hypertension, stupor, convulsions, coma, hematuria, and oliguria. Massive overdose has resulted in hepatomegaly, jaundice, and ulceration of mouth or gastrointestinal mucosa.

LISTED CARCINOGENS

Phenylbutazone is classified by IARC as a Group 3 carcinogen (unclassifiable as to carcinogenicity in humans).

SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

PRODUCT USE: Veterinary product

CHEMICAL FORMULA: Mixture.

The formulation for this product is proprietary information. Only hazardous ingredients in concentrations of 1% or greater and/or carcinogenic ingredients in concentrations of 0.1% or greater are listed in the Chemical Composition table. Active ingredients in any concentration are listed. For additional information about carcinogenic ingredients see Section 2.

CHEMICAL COMPOSITION

INGREDIENT	CAS NUMBER	PERCENT
Phenylbutazone	50-33-9	20
Sesame Oil	8008-74-0	70 - 80
Silicon Dioxide Amorphous	112945-52-5	< 10
Ascorbic Acid	50-81-7	< 10
Orange Oil NF	8008-57-9	< 1

ADDITIONAL INFORMATION: This MSDS is written to provide health and safety information for individuals who will be handling the final product formulation during research, manufacturing, and distribution. For health and safety information for individual ingredients used during manufacturing, refer to the appropriate MSDS for each ingredient.

SECTION 4. FIRST AID MEASURES

INHALATION: Remove to fresh air. If any trouble breathing, get immediate medical attention. Administer artificial respiration if breathing has ceased. If irritation or symptoms occur or persist, consult a physician.

SKIN CONTACT: In case of skin contact, while wearing protective gloves, carefully remove any contaminated clothing, including shoes, and wash skin thoroughly with soap and water. If irritation or symptoms occur or persist, consult a physician.

EYE CONTACT: In case of eye contact, immediately rinse eyes thoroughly with plenty of water. If wearing contact lenses, remove only after initial rinse, and continue rinsing eyes for at least 15 minutes. If irritation occurs or persists, consult a physician.

INGESTION: Do not induce vomiting unless under the direction of a qualified medical professional or Poison Control Center. IMMEDIATELY consult a physician. Do not attempt to give anything by mouth to a seizing, drowsy or unconscious person. If alert, rinse mouth and drink a glass of water.

NOTE TO PHYSICIAN: For overexposure to phenylbutazone and in compromised patients: secure the airway with a cuffed endotracheal tube before beginning lavage. Do not use respirator stimulants. Treat shock with appropriate measures. Control seizures with diazepam or short-acting barbiturates. Dialysis may be helpful if renal function is impaired. If injected, may cause local tissue reaction and pain.

SECTION 5. FIRE FIGHTING MEASURES

FLAMMABILITY DATA:

MSDS NAME: PHENYLZONE PASTE

MSDS NUMBER: SP000898

Latest Revision Date: 26-Sep-2011

Page 2 of 5

SECTION 5. FIRE FIGHTING MEASURES

Flash Point: Not determined (liquids) or not applicable (solids).

EXPLOSION HAZARDS:

Under normal conditions of use, this material does not present a significant fire or explosion hazard.

SPECIAL FIRE FIGHTING PROCEDURES:

Wear full protective clothing and self-contained breathing apparatus (SCBA).

SUITABLE EXTINGUISHING MEDIA:

Carbon dioxide (CO₂), extinguishing powder or water spray.

See Section 9 for Physical and Chemical Properties.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Wear appropriate personal protective equipment as specified in Section 8. Keep personnel away from the clean-up area.

SPILL RESPONSE / CLEANUP:

All spills should be handled according to site requirements and based on precautions cited in the MSDS. In the case of liquids, use proper absorbent materials. For laboratories and small-scale operations, incidental spills within a hood or enclosure should be cleaned by using a HEPA filtered vacuum or wet cleaning methods as appropriate. For large dry or liquid spills or those spills outside enclosure or hood, appropriate emergency response personnel should be notified. In manufacturing and large-scale operations, HEPA vacuuming prior to wet mopping or cleaning is required.

See Sections 9 and 10 for additional physical, chemical, and hazard information.

SECTION 7. HANDLING AND STORAGE

HANDLING:

Keep containers adequately sealed during material transfer, transport, or when not in use. Wash face, hands, and any exposed skin after handling. Do not eat, drink, or smoke when using this substance or mixture.

Appropriate handling of this material is dependent on many factors, including physical form, duration and frequency of process or task, and effectiveness of engineering controls. Site-specific risk assessments should be conducted to determine the feasibility and the appropriateness of all exposure control measures. See Section 8 (Exposure Controls) for additional guidance.

STORAGE:

Store in a dark, cool, dry, well ventilated area.

See Section 8 for exposure controls and additional safe handling information.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

EXPOSURE CONTROLS

The health hazard risks of handling this material are dependent on many factors, including physical form, duration and frequency of process or task, and effectiveness of engineering controls. Site-specific risk assessments should be conducted to determine the feasibility and the appropriateness of all exposure control measures. Exposure controls for normal operating or routine procedures follow a tiered strategy. Engineering controls are the preferred means of long-term or permanent exposure control. If engineering controls are not feasible, appropriate use of personal protective equipment (PPE) may be considered as alternative control measures. Exposure controls for non-routine operations must be evaluated and addressed as part of the site-specific risk assessment.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT (PPE):

Respiratory Protection:	Respiratory protective equipment (RPE) may be required for certain laboratory and large-scale manufacturing tasks if potential airborne breathing zone concentrations of substances exceed the relevant exposure limit(s). Workplace risk assessment should be completed before specifying and implementing RPE usage. Potential exposure points and pathways, task duration and frequency, potential employee contact with the substance, and the ability of the substance to be rendered airborne during specific tasks should be evaluated. Initial and ongoing strategies of quantitative exposure measurement should be obtained as required by the workplace risk assessment. All RPE must conform to local and regional specifications for efficacy and performance. Consult your site or corporate health and safety professional for additional guidance.
Skin Protection:	Gloves that provide an appropriate barrier to the skin are recommended if there is potential for contact with this material. Consult your site safety staff for guidance.

MSDS NAME: PHENYLZONE PASTE

MSDS NUMBER: SP000898

Latest Revision Date: 26-Sep-2011

Page 3 of 5

Eye Protection: Safety glasses with side shields. Use of goggles or full face protection may be required based on hazard, potential for contact, or level of exposure. Consult your site safety staff for guidance.

Body Protection: In small-scale or laboratory operations, lab coats or equivalent protection is required. Disposable Tyvek or other dust impermeable suit should be considered based on procedure or level of exposure. Use of additional PPE such as shoe coverings, gauntlets, hood, or head covering may be necessary. Consult your site safety staff for guidance.

In large-scale or manufacturing operations, disposable Tyvek or other dust impermeable suit is recommended and based on level of exposure. Use of additional PPE such as shoe coverings, gauntlets, hood, or head covering may be necessary. Consult your site safety staff for guidance.

EXPOSURE LIMIT VALUES

No exposure limits are available for the active ingredient(s) or any other hazardous ingredient in this formulation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

FORM: Paste
COLOR: White
ODOR: Orange
SPECIFIC GRAVITY: 0.99 to 1.03 @ 25 deg C
SOLUBILITY:
Water: Not determined

See Section 5 for flammability/explosivity information.

SECTION 10. STABILITY AND REACTIVITY

STABILITY/ REACTIVITY:
Stable under normal conditions.

INCOMPATIBLE MATERIALS / CONDITIONS TO AVOID:
None known.

HAZARDOUS POLYMERIZATION PRODUCTS / REACTIONS:
Does not occur.

HAZARDOUS DECOMPOSITION PRODUCTS / REACTIONS:
Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11. TOXICOLOGICAL INFORMATION

The information presented below is for the active ingredient(s) in this product.

ACUTE TOXICITY DATA

ORAL:
Phenylbutazone: Oral LD₅₀: 245 mg/kg (rat)

REPEAT DOSE TOXICITY DATA

These products have not been tested for repeat dose toxicity.

CARCINOGENICITY:
This material or product has not been evaluated for carcinogenicity.

SECTION 12. ECOLOGICAL INFORMATION

ECOTOXICITY DATA

There are no ecotoxicity data available for these products or their components.

ENVIRONMENTAL DATA

There are no environmental data available for these products or their components.

MSDS NAME: PHENYLZONE PASTE

MSDS NUMBER: SP000898

Latest Revision Date: 26-Sep-2011

Page 4 of 5

SECTION 13. DISPOSAL CONSIDERATIONS

MATERIAL WASTE:

Disposal must be in accordance with applicable federal, state/provincial, and/or local regulations. Incineration is the preferred method of disposal, when appropriate. Operations that involve the crushing or shredding of waste materials or returned goods must be handled to meet the recommended exposure limit(s).

PACKAGING AND CONTAINERS:

Disposal must be in accordance with applicable federal, state/provincial, and/or local regulations.

SECTION 14. TRANSPORT INFORMATION

This material is not subject to the transportation regulations of DOT, IATA, IMO, and the ADR.

SECTION 15. REGULATORY INFORMATION

TSCA LISTING

INGREDIENT	TSCA
Phenylbutazone	X
Sesame Oil	X
Ascorbic Acid	X
Orange Oil NF	X

Substances not included in the table above are TSCA exempt or not regulated under TSCA.

U.S. STATE REGULATIONS

Fields in the above tables that do not contain data indicate that those materials have not been listed by local regulations.

X: Listed on applicable state hazardous substance or right-to-know lists.

Check state requirements for ingredient listing.

SECTION 16. OTHER INFORMATION

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequence of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

DEPARTMENT ISSUING MSDS:

Global Safety & the Environment
Merck & Co., Inc.
One Merck Drive
Whitehouse Station, NJ 08889

MERCK MSDS HELPLINE:

(800) 770-8878 (US and Canada)
(908) 473-3371 (Worldwide)
Monday to Friday, 9am to 5pm (US Eastern Time)

MSDS CREATION DATE:

11-Mar-2011

SUPERSEDES DATE:

15-Mar-2011

SECTIONS CHANGED (US SUBFORMAT): SIGNIFICANT CHANGES (US SUBFORMAT):

New MSDS
New regional format, OEB