SAFETY DATA SHEETS

This SDS packet was issued with item:

078358966

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078399699 078443607



CARGILLE LABORATORIES, INC.

55 Commerce Road • Cedar Grove, New Jersey • 07009-1289 USA Phone: 973-239-6633 Fax: 973-239-6096 Email: CargilleLabs@aol.com URL: http://www.cargille.com

CATALOG #16482 - TYPE A; #16484 - TYPE B

IDENTITY (AS USED ON LABEL AND MANUF. LITERATURE)	NOTE: BLANK SPACES ARE NOT PERMITTED. IF ANY ITEM IS NOT
CARGILLE IMMERSION OIL	APPLICABLE, OR NO INFORMATION IS AVAILABLE, THE SPACE MUST BE
TYPES A & B CODE 1248	MARKED TO INDICATE THAT.

SECTION 1				
MANUFACTURER'S NAME CARGILLE LABORATORIES, INC.		EMERGENCY TELEPHONE NUMBER WEEKDAY 973 - 239 - 6633 24 HR CHEMTREC 800 - 424 - 9300		
ADDRESS (NUMBER, STREET, CITY, STATE, AND ZIP CODE)	TELEPHONE NUMBER FOR INFORM. 973-239-6633	ATION		
55 COMMERCE ROAD	DATE PREPARED JUNE 5, 2011	SUPERCEDES PRIOR DATED MSDS FOR THIS MATERIAL		
CEDAR GROVE, NJ 07009	SIGNATURE OF PREPARER (OPTIO	DNAL)		

THE INFORMATION SUPPLIED IS BASED ON DATA AVAILABLE TO US AND IS BELIEVED TO BE CORRECT. HOWEVER, NO GUARANTEE OR WARRANTY OF ANY KIND EXPRESSED OR IMPLIED, IS MADE WITH RESPECT TO THE INFORMATION PRESENTED AND CARGILLE LABORATORIES ASSUMES NO RESPONSIBILITY FOR THE RESULTS OF THE USE OF THIS PRODUCT. THIS INFORMATION IS FURNISHED UPON THE CONDITION THAT THE PERSON RESPONSIBLE FOR ITS USE SHALL MAKE HIS OR HER OWN DETERMINATION OF THE SUITABILITY OF THE MATERIAL FOR HIS OR HER PARTICULAR PURPOSE.

CONDITIONS OF INTENDED AND NORMAL USE: (ABBR. C.I.U.) AS A MICROSCOPE IMMERSION OIL AT NORMAL ROOM PRESSURE (760 mm Hg), TEMPERATURE 45 °F TO 104 °F IN A NON MISTED / NON AIRBORN STATE IN A ROOM HAVING NORMAL AIR CHANGES, (2) / HR., IN A TRAINED AND SUPERVISED LABORATORY/INDUSTRIAL SETTING USING STANDARD GL / GM PROCEDURES. SEE SECTIONS 7 AND 8

SECTION 2 - HAZ	ARDOUS INGREDIENTS			SPECII	FIC CHEMIC	AL IDENTITY INFORM	ATION
HAZARDOUS		OSH	OSHA PEL		LV	OTHER LIMITS	
COMPONENTS	(COMMON NAME (S))	CEILING		T.W.A		RECOMMENDED	% (OPTIONAL)
TRADE SECRET	HYDROGENATED TERPHENYL	N.	.E.	5 mg / CUBIC M			
TRADE SECRET	TERPHENYL	5 mg / CUB	IC METER *	5 mg / CUBIC M	ETER *		
TRADE SECRET	NATURAL HYDROCARBONS	5 mg / CUB	IC METER *	5 mg / CUBIC M	ETER *	IF MISTED	
TRADE SECRET	POLYBUTENES	5 mg/cub	IC METER *	5 mg / CUBIC M	ETER *	IF MISTED	
	*PEL CEILINGS & TLV T.W.A.						
SEE REQUISITI	RMALLY SOLD IN ¹ /4 OZ. TO 1 GAL IONER FOR SPECIFIC QUANTITIES SICAL/CHEMICAL CHARACTERIST	INVOLVED.	ES. USED IN S	SINGLE DROP TO	A FEW CUBI	C CENTIMETERS PER	APPLICATION.
BOILING POINT AT 76		1	ODEOJEJO O	DAVITY (11 0 1	\ TEMP 0	0.90 / 70.95	
BOILING POINT AT 76	340 °C	644 °F	SPECIFIC GRAVITY (H ₂ O = 1) TEMP. 23 °C / 73 °F		3 -C / /3 -F	.9	
VAPOR PRESSURE IN	mm Hg (TEMP.)		MELTING POINT				
	73 °F	< 0.1					< 32 °F
VAPOR DENSITY (AIF	R = 1) AT (mm Hg & TEMP.)		EVAPORAT	ION RATE AT 760	mm Hg & :	23 °C / 73 °F	
	760 73 °F	ca 1	(MINERAL		J		ca 1
SOLUBILITY IN WATER	UBILITY IN WATER AT (mm Hg & TEMP.)		APPEARANCE AND ODOR				
	760 73 °F	NIL	LIGHT YELLOW, SLIGHT CHARACTERISTIC ODOR				
SECTION 4 - FIRE	AND EXPLOSION HAZARD DATA	•					
FLASH POINT (CUP N	METHOD USED)		FLAMMABL	ELIMITS	LEL		UEL
	> 325 °F (163 °	C) c.o.c.				N.D.F.	N.D.F.
EXTINGUISHING MEDI	IA						
	CARBON DIOXIDE	, FOAM, DRY	CHEMICAL OF	R ANY CLASS B AG	ENT		
SPECIAL FIRE FIGHTI	NG PROCEDURES						
	NONE						
UNUSUAL FIRE AND E	XPLOSION HAZARDS						
	NONE						
	A. = NOT APPLICABLE; N.D.F. = N			RADE SECRET; N.	E. = NOT E	STABLISHED;	
C.I.U. = CONDITIONS	OF INTENDED USE; < = LESS TH	AN; > = GREA	TER THAN.				

SECTION 5 - REACTIVITY DAT	ΓΑ				
STABILITY	UNSTABLE		_		
	STABLE	YES			
INCOMPATIBILITY (MATERIALS A	AND/OR CONDITIONS	TO AVO	ID) STRONG OXIDIZERS, HEAT ABOVE 150	o _E	
HAZARDOUS	MAY OCCUR		CONDITIONS TO AVOID	1	
POLYMERIZATION	WAT COCOTT		CONDITIONS TO AVOID		
T GETWENIEMENT	WILL NOT OCCUR				
		Х	NONE		
SECTION 6 - HEALTH HAZAR	D DATA				
\ <i>'</i>	IHALATION?		SKIN? MUCOUS MEMBRAI		
(NOT LIKELY AT C.I.U.)	YES		SLIGHT SLIGHT	POSSIBLE	<u> </u>
HEALTH HAZARDS (ACUTE AND	•	ONE KNO	OWN AT C.I.U.		
		JIVE IVIV	SWITTE CINE.		
CARCINOCENICITY LICTER:	NTP?		IARC MONOGRAPHS?	OSHA CARCINOGEN?	
CARCINOGENICITY LISTED:	NIP! NO		NO	OSHA CARCINOGEN ! NO	
SIGNS AND SYMPTOMS OF EXPO					
OILY FEEL, IF LIQUID I	S MISTED OR ABOVE	150 °F	(NOT A C.I.U.) HEADACHES AND NAUS	SEA POSSIBLE.	
MEDICAL CONDITIONS GENERALI	LY AGGRAVATED BY E	XPOSU			
			N.D.F.		
			215 11175 211 71117 11117 1117	VER MITH HOUSE BURNING HOE	
			BLE MATERIAL THAT MAY HAVE BEEN MIX	ED WITH LIQUID DURING USE.	
INHALATION — (NOT LIKELY AT	C.I.U.) IF CONCERN	ARISES	, REMOVE TO FRESH AIR.		
SKIN AND CLOTHES - PROMPT	SOAP AND WATER WA	ASH.			
EVES — ELLISH WITH WATER SI	ICUT TEMPODADV ID	DITATIO	ON POSSIBLE (CONSULT PHYSICIAN).		
			<u> </u>		
INGESTION — LOW ORDER OF TO	OXICITY, FIRST AID N	ORMAL	LY NOT NEEDED (CONSULT PHYSICIAN).	
OFOTION 7					
SECTION 7 - PRECAUTIONS F			E – FOLLOW C.I.U. SEE SECTION 1		
				R TWIST TIE CLOSURE (SEE SECTION 8).	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	7.01.0 (1.02.2.11.12			(022 020 110 110 110 110 110 110 110 110	
WASTE DISPOSAL METHOD:					
			ST BE IN ACCORDANCE WITH CURRENT	OCAL, STATE, AND FEDERAL REGULATIONS	<u>).</u>
PRECAUTIONS TO BE TAKEN IN H	IANDLING AND STORI	NG	05.05	- 00 05 (40 00 ···- 00 00)	
			STORE BETWEEN 65 °F AN	90°F (18°C AND 32°C)	
OTHER PRECAUTIONS					
o mem neono nono	AVOID CONT	INUAL D	DIRECT SUNLIGHT, VAPORIZING OR ATO	MIZING	
			,		
SECTION 8 - CONTROL MEAS		AS INTE	NDED (SEE SECTION 1)		
RESPIRATORY PROTECTION (SF	,	"			
VENTILATION	SEE "VENTIL LOCAL EXHAUST	_A I ION		CDECIAL	
VENTILATION	LOCAL EXHAUST	,		SPECIAL N.A.	
-	MECHANICAL (GENE	RAL)		OTHER	
	*	, ,		N.A.	
PROTECTIVE GLOVES			EYE PROTECTION		
	SURGICAL TYPE, IF	WORN		*	
OTHER PROTECTIVE CLOTHING (OR EQUIPMENT	·			
* = NOT MANDATORY F	EXCEPT AS GOOD LAF	ROBATO	PRY INDUSTRIAL PRACTICES.		
				YGIENE, USE OF CHEMICAL LAB APRON	
			RS, PROLONGED AND REPEATED SKIN C	·	
SPECIAL PRECAUTIONS					
	N.	Α.			
İ					

Cargille Immersion Oil Type A & B



Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/08/2016 Revision: 09/08/2016

1 Identification

· Product identifier

Trade name: Cargille Immersion Oil Type A
Cargille Immersion Oil Type B

Product code: Type A: 16482 Type B: 16484

- · Recommended use and restriction on use
- · Recommended use:

This SDS or an accurate copy is an integral part of using Immersion Oil Type A & B Only use Immersion Oil Type A & B if the SDS is present. Conditions prevailing in this document, unless otherwise noted: Temperature = 23°C (73°F), Pressure = 1013.25 hPa (760 mm Hg)

Professional and R&D use only. Conditions of Intended Use: (ABBR. C.I.U.) As a Microscope Immersion Oil at normal room pressure 101.32 kPa (760 mm Hg), temperature 7°C to 40°C (45°F to 104°F) in a non misted / non airborne state in a room having normal air changes (2) / hour, in a trained and supervised laboratory / industrial setting using standard Good laboratory/Good Manufacturing procedures.

Note: Product normally sold in 1/4 oz (7.4cc), 1 oz (30cc), 4 oz (120cc), 16 oz (480cc), and gallon (3.84L) quantities. Used in single drop to a few cubic centimeters per application. See requisitioner for specific quantities involved.

- · Restrictions on use: Contact manufacturer
- Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:
 Cargille Laboratories
 55 Commerce Road
 Cedar Grove, NJ 07009-1289 USA

973-239-6633 www.cargille.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazard(s) identification

Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS07

· Signal word: Warning

(Cont'd. on page 2)

Page: 1/11

Page: 2/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/08/2016 Revision: 09/08/2016

Trade name: Cargille Immersion Oil Type A
Cargille Immersion Oil Type B

(Cont'd. of page 1)

· Hazard statements:

H315 Causes skin irritation.

· Precautionary statements:

P264 Wash thoroughly after handling.

P280 Wear protective gloves and eye protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components	s:	
	Trade Secret	25-50%
	Asp. Tox. 1, H304 Trade Secret	25-50%
	Trade Secret	25-50%
	♦ Asp. Tox. 1, H304 Skin Irrit. 2, H315	
	Flam. Liq. 4, H227	

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

· Danger: Causes skin irritation.

(Cont'd. on page 3)

Page: 3/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/08/2016 Revision: 09/08/2016

Trade name: Cargille Immersion Oil Type A

Cargille Immersion Oil Type B

(Cont'd. of page 2)

· Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

Foam

Fire-extinguishing powder

Gaseous extinguishing agents

Carbon dioxide

Water fog / haze

- · For safety reasons unsuitable extinguishing agents: Water stream.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information: No relevant information available.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- ·Handling
- Precautions for safe handling: Avoid splashes or spray in enclosed areas.
- Information about protection against explosions and fires: No special measures required.

(Cont'd. on page 4)

Page: 4/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/08/2016 Revision: 09/08/2016

Trade name: Cargille Immersion Oil Type A
Cargille Immersion Oil Type B

(Cont'd. of page 3)

- Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Store in a well-ventilated place. Keep cool.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizers, strong acids, strong bases.

· Further information about storage conditions:

Storage Temperatures: 65 - 90 °F / 18 - 32 °C.

Keep containers tightly sealed.

Specific end use(s): No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components w	Components with limit values that require monitoring at the workplace:				
Trade Secret	Trade Secret				
REL (USA) Long-term value: 5 mg/m³, 0.5 ppm					
TLV (USA)	V (USA) Long-term value: 4.9 mg/m³, 0.5 ppm nonirradiated				
EL (Canada)	Long-term value: 0.5 ppm nonirradiated				
EV (Canada)	EV (Canada) Long-term value: 0.5 ppm				
LMPE (Mexico)	Long-term value: 0.5 ppm				

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Engineering controls: No relevant information available.
- · Breathing equipment: Not required under normal conditions of use.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Cont'd. on page 5)

Page: 5/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/08/2016 Revision: 09/08/2016

Trade name: Cargille Immersion Oil Type A
Cargille Immersion Oil Type B

(Cont'd. of page 4)

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

Information on basic physical ar	nd chemical properties	
Appearance:		
Form:	Oily	
Color:	Liquid Colorless	
Color.	Light yellow	
Odor:	Slight	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	340 °C (644 °F) (1 atm / 1.0132 bar)	
Flash point:	163 °C (325 °F) (Open Cup)	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Not determined.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure:	<0.133 hPa (<0.1 mm Hg)	
Density at 25 °C (77 °F):	0.923 g/cm³ (7.702 lbs/gal)	
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate at 20 °C (68 °F):	<1.0 (n-Butyl Acetate = 1.0)	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	

Obtained by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com

Page: 6/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/08/2016 Revision: 09/08/2016

Trade name: Cargille Immersion Oil Type A

Cargille Immersion Oil Type B

(Cont'd. of page 5)

· Viscosity

Dynamic at 23 °C (73 °F): >100 cSt

Kinematic at 40 °C (104 °F): >20.5 mm²/sec (DIN 53211/4)

Other information No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions:

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Reacts with strong oxidizing agents.

Reacts with strong acids and alkali.

Conditions to avoid:

Excessive heat.

Store away from oxidizing agents.

- · Incompatible materials: No relevant information available.
- Hazardous decomposition products:

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Based on available data, the classification criteria are not met.
- Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

(Cont'd. on page 7)

Page: 7/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/08/2016 Revision: 09/08/2016

Trade name: Cargille Immersion Oil Type A
Cargille Immersion Oil Type B

(Cont'd. of page 6)

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): Irritating to skin.
- · Repeated dose toxicity: None.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- ·Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential:

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

- · Mobility in soil: No relevant information available.
- · Ecotoxical effects:
- · Remark:

Harmful to fish

Toxic for water fleas

- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects: No relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

(Cont'd. on page 8)

Page: 8/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/08/2016 Revision: 09/08/2016

Trade name: Cargille Immersion Oil Type A
Cargille Immersion Oil Type B

(Cont'd. of page 7)

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

Transport information	
UN-Number	
DOT	Exempt
ADR, IMDG, IATA	UN3082
UN proper shipping name	
DOT ADR, IMDG, IATA	Exempt ENVIRONMENTALLY HAZARDOUS SUBSTANC
ADIT, INIDG, IATA	LIQUID, N.O.S (TERPHENYL)
Transport hazard class(es)	
DOT	
Class	Exempt
ADR	
Class	9 (M6) Miscellaneous dangerous substances a
l abal	articles
Label	9
IMDG	
Alls.	
Class	9 Miscellaneous dangerous substances and articles
Label	9
IATA	
Class	9 Miscellaneous dangerous substances and articles
Label	9
Packing group	
DOT	Exempt
ADR, IMDG, IATA	III

Page: 9/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/08/2016 Revision: 09/08/2016

Trade name: Cargille Immersion Oil Type A

Cargille Immersion Oil Type B

	(Cont'd. of page 8
Environmental hazards Marine pollutant:	Yes
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Danger code (Kemler):	90
EMS Number:	F-A,S-F
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not regulated when carried in single or combination packaging containing a net quantity of 5L or less for liquids or 5 kg or less for solids per the following: DOT: 171.4(c)(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

(Cont'd. on page 10)

Page: 10/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/08/2016 Revision: 09/08/2016

Trade name: Cargille Immersion Oil Type A
Cargille Immersion Oil Type B

(Cont'd. of page 9)

· Carcinogenic categories

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. The information supplied is based on data available to us and is believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to this information presented and Cargille Laboratories assumes no responsibility for the result of the use of this product. This information is furnished upon the condition that the persons responsible for its use shall make their own determination of the suitability of the material for their particular purpose. Please note that we consider the English version to be the authoritative version for compliance and regulatory purposes.

· Date of preparation / last revision 09/08/2016 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

LDLo: Lowest Lethal Dose Observed

Flam. Liq. 4: Flammable liquids - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 1978-0-470-07488-6

(Cont'd. on page 11)

Page: 11/11

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 09/08/2016 Revision: 09/08/2016

Trade name: Cargille Immersion Oil Type A
Cargille Immersion Oil Type B

(Cont'd. of page 10)

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., IŠBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com