SAFETY DATA SHEETS

This SDS packet was issued with item:

078389492

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078369924 078389419 078777132

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078389401

SDS for Wrights #4 (Deionized Water) Catalog # 304

Medical Chemical Corp. 19430 Van Ness Ave. Torrance, CA 90501

Customer Service: Phone (310)787-6800

FAX (310)787-4464

CHEMTREC Emergency Response Telephone Number: (800)424-9300

Note: The CHEMTREC phone number is only for emergencies involving spills, leaks, fire, exposure or accident. Please direct all other inquiries to our customer service phone number.

Section I - Product Identification

Water, also known as hydrogen oxide.

Section II - Hazards Identification

Overview: Hydrogen oxide is a green house gas that contributes to global warming. It is also the main component of acid rain. May be harmful if swallowed in excess.

Safety Ratings

Health: None Flammability: None Reactivity: None Contact: None

Recommended safety equipment: safety goggles, lab coat and proper gloves should be available.

Storage: General storage

NFPA Ratings

Health = 0 Flammability = 0 Reactivity = 0

Potential Health Effects

Inhalation: May be irritating.

Ingestion: While the toxicity of this compound is low, large doses may cause nausea, vomiting, diarrhea, etc.

Skin contact: Not normally a problem.

Eye contact: May be irritating.

 ${\it Chronic Exposure:} \ {\it Prolonged immersion may produce drowning and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \ {\it Prolonged exposure to the solid form and/or hypothermia.} \$

of this chemical may cause frostbite. Exposure to the vapor form may cause severe burns.

Aggravation of preexisting conditions: Unknown.

Section III - Composition/Information on Components

Ingredients	CAS#	OSHA Pel	ACGIH TLV	Other Limits	%
Water	7732-18-5				100.00%


Section IV - First Aid Measures

Inhalation: Remove from source of exposure and get medical attention for any breathing difficulty.

Ingestion: Not normally a problem. Hey, It's just water!

Skin Contact: Wash affected area with soap and water. Get medical advice if irritation develops.

Eye Contact: Rinse thoroughly with running water. Get medical advice if irritation develops.



Fire: Not normally a fire Hazard.

Explosion: Not Normally an explosion hazard.

Fire Extinguishing Media: Any means suitable for surrounding fire.

Special information: Pyrolysis is highly unlikely.

Section VI - Accidental Release Measures

Absorb with a suitable absorbent (such as paper towels) and store in a suitable container for disposal.

Section VII - Handling and Storage

Store in a closed container, protected from freezing.

Section VIII - Exposure Control/Personal Protection

Airborne Exposure Limits: See section III.

Ventilation System: Usually not required. When required, Refer to the ACGIH document, "Industrial Ventilation, a Manual of Recommended Practices" for details about ventilation.

Personal Respirator: Usually not required. In case of emergency, or when exposure levels are unknown, use a positive pressure, full face piece, air supplied respirator.

Skin protection: Protective gloves are not required but recommended as part of good laboratory practice.

Eye Protection: Laboratory safety goggles or similar products are not required but recommended as part of good laboratory practice.

Section IX - Physical and Chemical Properties

Boiling Point: 100.0 °C @ 1 atm Density: Aproximately 0.997627 g/ml @ 22.5 °C

Vapor pressure (mm Hg): 18 @ 20 °C Evaporation Rate (water = 1): 1

Vapor Density (air = 1): 0.6 Solubility: Infinitely miscible with water Appearance and Odor: A clear, colorless, odorless liquid.

Section X - Stability and Reactivity

Stability: Freezes at low temperature.

Hazardous Decomposition Products: Nothing unusual.

Hazardous polymerization: Will not occur.

Incompatibilities: Nothing unusual.

Conditions to avoid: Excessive cold/heat and light.

Section - XI Toxicological Information

None relating to normal exposure.

Cancer lists

Ingredient Known Carcinogenicity? NTP? Anticipated? IARC Category

Water Highly unlikely no no none

Section XII - Ecological Information

Environmental Fate: Not a problem Environmental Toxicity: None

Section XIII - Disposal Considerations

Not normally restricted, but local governments can restrict the amounts of anything that may be flushed down the drain. Insure compliance with all government regulation. At the present time there is no neutralizer for this product.

Section XIV - Transportation information

Not regulated at the present time.

Section XV - Regulatory Information

Chemical Inventory Status

IngredientTSCAECWaterYesYes

Federal, State and International Regulations

SARA 302 SARA 313 RCRA TSCA

Ingredient RQ TPQ List Category 261.33 8(D) Ca. Prop 65

Water No No No No No No No

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No

SARA 311/312: Acute: No, Chronic: No

Section XVI - Other Information

This information is believed to be correct but is not waranteed as such, nor does it purport to be all inclusive.

Revision Date: Jan. 16, 2018



Medical Chemical Corp.

19430 Van Ness Ave. Torrance, CA 90501

Customer Service: Phone (310)787-6800

FAX (310)787-4464

CHEMTREC Emergency Response Telephone Number: (800)424-9300

Note: The CHEMTREC phone number is only for emergencies involving spills, leaks, fire, exposure or accident. Please

direct all other inquiries to our customer service phone number.

Section I - Product Identification

A aqueous solution of eosin Y, methanol, dimethyl sulfoxide and buffer salts.

Section II - Hazards Identification

Warning: Flammable liquid and vapor. Keep away from heat, sparks, open flames and hot surfaces. Keep container tightly closed. Use only non-sparking tools. Take precautions against static discharge. Wear protective clothes and eye protection. In case of skin contact immediately remove all contaminated clothing. Rinse with water or shower. In case of fire, use fire extinguishers approved for alcohol fires.

Safety Ratings

Health: Hazardous Flammability: Highly flammable liquid and vapor Reactivity: None Contact: Slight

Recommended safety equipment: safety goggles, lab coat and proper gloves

Storage: Keep cool, away from sources of ignition in a well ventilated area.

NFPA Ratings

Health = 2 Flammability = 2 Reactivity = 0

Potential Health Effects

The toxicology of this compound have not been completely examined. It is presumed that the toxicity of this item is similar to other aliphatic alcohols.

Inhalation: Alcohols are absorbed through the mucous membranes and will produce irritation as well as the same effects as ingestion.

Ingestion: Inhalation will produce CNS disturbance, dizziness, photophobia, headache, stupor, coma and death.

Skin contact: Alcohols are absorbed through the skin. Repeated contact causes defatting of the skin with resultant irritation and flaking.

Eye contact: May be irritating.

Chronic Exposure: Unknown.

Aggravation of preexisting conditions: Impaired kidney and liver function may be aggravated by exposure to alcohols. Preexisting eye, skin, and respiratory conditions may also be aggravated. Methanol has shown genetic toxicity in some animals.

Section III - Composition/Information on Components

Ingredients	CAS#	OSHA Pel	ACGIH TLV	Other Limits	%	
Methyl alcohol	67-56-1	200 ppm (TWA)	200 ppm (TWA)		7.5% v/v	
Methyl sulfoxide	e 67-68-5	no standard set			10% v/v	

Section IV - First Aid Measures

Inhalation: Remove from source of exposure and get medical attention for any breathing difficulty.

Ingestion: Do not induce vomiting if patient is unconscious or extremely drowsy. Otherwise, administer 2 glasses of water and induce vomiting. Get immediate medical attention even if symptoms improve.

Skin Contact: In case of skin contact, remove contaminated clothing and flush with water. Wash affected area with soap and water. Get medical advice if irritation develops.

Eye Contact: In case of eye contact, flush with water for at least 15 minutes and get medical attention.

Flash point: 54°C (129°F)

Flammable Limits: LEL: 6.0, UEL: 36.5 Explosion: Not Normally an explosion hazard.

Fire Extinguishing Media: Alcohol type foam, carbon dioxide or dry chemical. Water is ineffective against alcohol fires but

may be used to cool adjacent containers.

Special information: Pyrolysis will release toxic oxides such as carbon monoxide.

Section VI - Accidental Release Measures

Remove all sources of ignition, absorb with a suitable absorbent (such as paper towels) and dispose.

Section VII - Handling and Storage

Store in a cool, well ventilated place. Store in a closed container, away from open flames or other sources of ignition.

Section VIII - Exposure Control/Personal Protection

Airborne Exposure Limits: See section III.

Ventilation System: Usually not required. When required, Refer to the ACGIH document, "Industrial Ventilation, a Manual of Recommended Practices" for details about ventilation.

Personal Respirator: Usually not required. In case of emergency, or when exposure levels are unknown, use a positive pressure, full face piece, air supplied respirator.

Skin protection: Protective gloves are not required but recommended as part of good laboratory practice.

Eye Protection: Laboratory safety goggles or similar products are not required but recommended as part of good laboratory practice.

Density: 1.01 g/ml

Section IX - Physical and Chemical Properties

Boiling Point: 91°C (196°F)

Vapor pressure (mm Hg): 18 @ 19°CEvaporation Rate (Ethanol = 1): 1Vapor Density (air = 1): 0.6Solubility: Infinitely miscible with water

Appearance and Odor: A clear red liquid with the characteristic odor of dimethyl sulfoxide.

Section X - Stability and Reactivity

Stability: Freezes at very low temperature.

Hazardous Decomposition Products: Nothing unusual.

Hazardous polymerization: Will not occur.

Incompatibilities: Oxidixers.

Conditions to avoid: heat, flame and sources of ignition.

Section XI - Toxicological Information

Cancer lists

IngredientKnown Carcinogenicity?NTP?Anticipated?IARC CategoryMethanolnononono

Dimethyl sulfoxide no no no none

Section XII - Ecological Information

Environmental Fate: Unknown Environmental Toxicity: Unknown

Methanol evaporates quickly and is not expected to bioaccumulate. The material is removed from the air by dry and liquid adsorption. The half-life for methanol in the atmosphere is one to ten days.

Section XIII - Disposal Considerations

The preferred disposal method is incineration. Localities may restrict the amounts of alcohols that may be flushed down the drain. Dispose of contents and container in accord with all applicable regulations.

	Section	XIV -	Transportation	Information
--	---------	-------	-----------------------	-------------

Not regulated.

Section XV - Regulatory Information

Chemical Inventory Status

<u>Ingredient</u>	<u>TSCA</u>	<u>EC</u>
Methanol	Yes	Yes
Dimethyl sulfoxide	Yes	Yes

Federal, State and International Regulations

	SARA	N 302	SARA 3	<u>313</u>	<u>RCRA</u>	<u>TSCA</u>	
<u>Ingredient</u>	<u>RQ</u>	<u>TPQ</u>	<u>List</u>	<u>Category</u>	<u>261.33</u>	<u>8(D)</u>	Ca. Prop 65
Methanol	No	No	Yes	No	U154	No	Yes
Dimethyl sulfoxide	No	No	No	No	No	No	No
Chemical Weapons	Conven	tion: No	TSCA 12(b): No	CDTA: Yes			

ISCA 12(b): No CDTA: Yes Chemical vveapons Convention: No

SARA 311/312: Acute: Yes, Chronic: Yes

Section XVI - Other Information

This information is believed to be correct but is not waranteed as such, nor does it purport to be all inclusive.

Revision Date: May 12, 2015



Medical Chemical Corp.

19430 Van Ness Ave. Torrance, CA 90501

Customer Service: Phone (310)787-6800

FAX (310)787-4464

CHEMTREC Emergency Response Telephone Number: (800)424-9300

Note: The CHEMTREC phone number is only for emergencies involving spills, leaks, fire, exposure or accident. Please

direct all other inquiries to our customer service phone number.

Section I - Product Identification

A aqueous solution of dyes, methanol, dimethyl sulfoxide and buffer salts.

Section II - Hazards Identification

Warning: Flammable liquid and vapor. Keep away from heat, sparks, open flames and hot surfaces. Keep container tightly closed. Use only non-sparking tools. Take precautions against static discharge. Wear protective clothes and eye protection. In case of skin contact immediately remove all contaminated clothing. Rinse with water or shower. In case of fire, use fire extinguishers approved for alcohol fires.

Safety Ratings

Health: Hazardous Flammability: Highly flammable liquid and vapor Reactivity: None Contact: Slight

Recommended safety equipment: safety goggles, lab coat and proper gloves

Storage: Keep cool, away from sources of ignition in a well ventilated area.

NFPA Ratings

Health = 2 Flammability = 2 Reactivity = 0

Potential Health Effects

The toxicology of this compound have not been completely examined. It is presumed that the toxicity of this item is similar to other aliphatic alcohols.

Inhalation: Alcohols are absorbed through the mucous membranes and will produce irritation as well as the same effects as ingestion.

Ingestion: Inhalation will produce CNS disturbance, dizziness, photophobia, headache, stupor, coma and death.

Skin contact: Alcohols are absorbed through the skin. Repeated contact causes defatting of the skin with resultant irritation and flaking.

Eye contact: May be irritating.

Chronic Exposure: Unknown.

Aggravation of preexisting conditions: Impaired kidney and liver function may be aggravated by exposure to alcohols. Preexisting eye, skin, and respiratory conditions may also be aggravated. Methanol has shown genetic toxicity in some animals.

Section III - Composition/Information on Components

Ingredients	CAS#	OSHA Pel	ACGIH TLV	Other Limits	%
Methyl alcohol Methyl sulfoxide	67-56-1 67-68-5	200 ppm (TWA) no standard set	200 ppm (TWA)		7.5% v/v 10% v/v

Section IV - First Aid Measures

Inhalation: Remove from source of exposure and get medical attention for any breathing difficulty.

Ingestion: Do not induce vomiting if patient is unconscious or extremely drowsy. Otherwise, administer 2 glasses of water and induce vomiting. Get immediate medical attention even if symptoms improve.

Skin Contact: In case of skin contact, remove contaminated clothing and flush with water. Wash affected area with soap and water. Get medical advice if irritation develops.

Eye Contact: In case of eye contact, flush with water for at least 15 minutes and get medical attention.

Flash point: 54°C (129°F)

Flammable Limits: LEL: 6.0, UEL: 36.5 Explosion: Not Normally an explosion hazard.

Fire Extinguishing Media: Alcohol type foam, carbon dioxide or dry chemical. Water is ineffective against alcohol fires but may be used to cool adjacent containers.

Special information: Pyrolysis will release toxic oxides such as carbon monoxide.

Section VI - Accidental Release Measures

Remove all sources of ignition, absorb with a suitable absorbent (such as paper towels) and dispose.

Section VII - Handling and Storage

Store in a cool, well ventilated place. Store in a closed container, away from open flames or other sources of ignition.

Section VIII - Exposure Control/Personal Protection

Airborne Exposure Limits: See section III.

Ventilation System: Usually not required. When required, Refer to the ACGIH document, "Industrial Ventilation, a Manual of Recommended Practices" for details about ventilation.

Personal Respirator: Usually not required. In case of emergency, or when exposure levels are unknown, use a positive pressure, full face piece, air supplied respirator.

Skin protection: Protective gloves are not required but recommended as part of good laboratory practice.

Eye Protection: Laboratory safety goggles or similar products are not required but recommended as part of good laboratory practice.

Section IX - Physical and Chemical Properties

Boiling Point: 91°C (196°F)

Density: 1.01 g/ml

Vapor pressure (mm Hg): 18 @ 19°CEvaporation Rate (Ethanol = 1): 1Vapor Density (air = 1): 0.6Solubility: Infinitely miscible with water

Appearance and Odor: A clear red liquid with the characteristic odor of dimethyl sulfoxide.

Section X - Stability and Reactivity

Stability: Freezes at very low temperature.

Hazardous Decomposition Products: Nothing unusual.

Hazardous polymerization: Will not occur.

Incompatibilities: Oxidixers.

Conditions to avoid: heat, flame and sources of ignition.

Section XI - Toxicological Information

Cancer lists

<u>Ingredient</u> <u>Known Carcinogenicity?</u> <u>NTP?</u> <u>Anticipated?</u> <u>IARC Category</u>
Methanol no no no none

Dimethyl sulfoxide no no no none

Section XII - Ecological Information

Environmental Fate: Unknown Environmental Toxicity: Unknown

Methanol evaporates quickly and is not expected to bioaccumulate. The material is removed from the air by dry and liquid adsorption. The half-life for methanol in the atmosphere is one to ten days.

Section XIII - Disposal Considerations

The preferred disposal method is incineration. Localities may restrict the amounts of alcohols that may be flushed down the drain. Dispose of contents and container in accord with all applicable regulations.

Section XIV - Transportation Information

Section XV - Regulatory Information

Chemical Inventory Status

<u>Ingredient</u>	<u>TSCA</u>	<u>EC</u>
Methanol	Yes	Yes
Dimethyl sulfoxide	Yes	Yes

Federal, State and International Regulations

	SAR	A 302	SARA	313	<u>RCRA</u>	TSCA	
<u>Ingredient</u>	<u>RQ</u>	<u>TPQ</u>	<u>List</u>	<u>Category</u>	<u>261.33</u>	<u>8(D)</u>	Ca. Prop 65
Methanol	No	No	Yes	No	U154	No	Yes
Dimethyl sulfox	ide No	No	No	No	No	No	No
Ob		NI	TCC (40/5) . N	- ODTA . \/-			

Chemical Weapons Convention: No TSCA 12(b): No CDTA: Yes

SARA 311/312: Acute: Yes, Chronic: Yes

Section XVI - Other Information

This information is believed to be correct but is not waranteed as such, nor does it purport to be all inclusive.

Revision Date: May 12, 2015



Medical Chemical Corp. 19430 Van Ness Ave. Torrance, CA 90501

Customer Service: Phone (310)787-6800

FAX (310)787-4464

CHEMTREC Emergency Response Telephone Number: (800)424-9300

Note: The CHEMTREC phone number is only for emergencies involving spills, leaks, fire, exposure or accident. Please direct all other inquiries to our customer service phone number.

Section I - Product Identification

Methyl alcohol, also known as methanol or wood alcohol. Contains a trace amount of FD&C violet #2.

Section II - Hazards Identification

Danger: Highly flammable liquid and vapor. Keep away from heat, sparks, open flames and hot surfaces. No smoking. Keep container tightly closed. Use only non-sparking tools. Take precautions against static discharge. Wear protective clothes and eye protection. In case of skin contact immediately remove all contaminated clothing. Rinse with water or shower. In case of fire, use fire extinguishers approved for alcohol fires.

Reactivity: Slight

Contact: Slight

Safety Ratings

Health: Hazardous Flammability: Extremely flammable liquid and vapor

Recommended safety equipment: safety goggles, lab coat and proper gloves

Storage: Keep cool, away from sources of ignition in a well ventilated area.

NFPA Ratings

Health = 2 Flammability = 4 Reactivity = 1

Potential Health Effects

The toxicology of this compound have not been completely examined. It is presumed that the toxicity of this item is similar to other aliphatic alcohols.

Inhalation: Alcohols are absorbed through the mucous membranes and will produce irritation as well as the same effects as ingestion.

Ingestion: Inhalation will produce CNS disturbance, dizziness, photophobia, headache, stupor, coma and death.

Skin contact: Alcohols are absorbed through the skin. Repeated contact causes defatting of the skin with resultant irritation and flaking.

Eye contact: May be irritating

Chronic Exposure: Unknown

Aggravation of preexisting conditions: Impaired kidney and liver function may be aggravated by exposure to alcohols. Preexisting eye, skin, and respiratory conditions may also be aggravated. Methanol has shown genetic toxicity in some animals.

Section III - Composition/Information on Components

Ingredients	CAS#	OSHA Pel	ACGIH TLV	Other Limits	%
Methyl alcohol	67-56-1	200 ppm (TWA)	200 ppm (TWA)		100% v/v


Section IV - First Aid Measures

Inhalation: Remove from source of exposure and get medical attention for any breathing difficulty.

Ingestion: Do not induce vomiting if patient is unconscious or extremely drowsy. Otherwise, administer 2 glasses of water and induce vomiting. Get immediate medical attention even if symptoms improve.

Skin Contact: In case of skin contact, remove contaminated clothing and flush with water. Wash affected area with soap and water. Get medical advice if irritation develops.

Eye Contact: In case of eye contact, flush with water for at least 15 minutes and get medical attention.



Flash point: 15 °C (59 °F) TCC

Flammable Limits: LEL: 6.0, UEL: 36.5

Explosion: Not Normally an explosion hazard.

Fire Extinguishing Media: Alcohol type foam, carbon dioxide or dry chemical. Water is ineffective against alcohol fires but may be used to cool adjacent containers.

Special information: Pyrolysis will release toxic oxides such as carbon monoxide.

Section VI - Accidental Release Measures

Remove all sources of ignition, absorb with a suitable absorbent (such as paper towels) and dispose.

Section VII - Handling and Storage

Store in a cool, well ventilated place. Store in a closed container, away from open flames or other sources of ignition.

Section VIII - Exposure Control/Personal Protection

Airborne Exposure Limits: See section III.

Ventilation System: Usually not required. When required, Refer to the ACGIH document, "Industrial Ventilation, a Manual of Recommended Practices" for details about ventilation.

Personal Respirator: Usually not required. In case of emergency, or when exposure levels are unknown, use a positive pressure, full face piece, air supplied respirator.

Skin protection: Protective gloves are not required but recommended as part of good laboratory practice.

Eye Protection: Laboratory safety goggles or similar products are not required but recommended as part of good laboratory practice.

Section IX - Physical and Chemical Properties

Boiling Point: 64 °C (147 °F)

Density: 0.789 g/ml

Vapor pressure (mm Hg): 98 @ 19 °CEvaporation Rate (Ethanol = 1): 1Vapor Density (air = 1): 1.1Solubility: Infinitely miscible with water

Appearance and Odor: A clear colorless liquid with the Characteristic odor of methyl alcohol.

Section X - Stability and Reactivity

Stability: Freezes at very low temperature.

Hazardous Decomposition Products: Nothing unusual.

Hazardous polymerization: Will not occur.

Incompatibilities: Oxidixers.

Conditions to avoid: heat, flame and sources of ignition.

Section XI - Toxicological Information

Cancer lists

<u>Ingredient Known Carcinogenicity? NTP? Anticipated? IARC Category</u>

Methanol no no no none

Section XII - Ecological Information

Environmental Fate: Biodegradable.
Environmental Toxicity: None expected.

Methanol evaporates quickly and is not expected to bioaccumulate. The material is removed from the air by by dry and liquid adsorption.

Section XIII - Disposal Considerations

The preferred disposal method is Incineration at a licensed chemical disposal facility Local governments often restrict the amounts of alcohols and other flammable liquids that may be flushed down the drain. The usual rule is that the effluent exiting the building can't be flammable. Dispose of contents and container in accord with all applicable regulations.

Section XIV - Transportation Information

DOT Shipping name: Methyl alcohol Hazard Class: 3 Packaging Group II
DOT Hazard Label: Flammable liquid DOT Identification Number: UN1230

Bottles smaller than 32 Fl. Oz. are eligible to be shipped under ORM-D or limited quantity exemptions [49 CFR section

173.150(b)(2) and 173.150(C)].

Section XV - Regulatory Information

Chemical Inventory Status

<u>Ingredient</u>	<u>TSCA</u>	<u>EC</u>
Methanol	Yes	Yes

Federal, State and International Regulations

	SARA	302	SARA	<u>313</u>	RCRA	TSCA	
<u>Ingredient</u>	RQ	TPQ	List	Category	<u>261.33</u>	8(D)	<u>Ca. Prop. 65</u>
Methanol	No	No	Yes	No	U154	No	Yes
Chemical W	/eapons	Convention: No	TSCA	12(b): No	CDTA: Yes		
SARA 311/3	12. Acu	ta. Vas Chronic.	Vac				

Section XVI - Other Information

This information is believed to be correct but is not waranteed as such, nor does it purport to be all inclusive.

Revision Date: Jan. 16, 2018