SAFETY DATA SHEETS

This SDS packet was issued with item: 078392913

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078399244





SAFETY DATA SHEET PERMECTRIN™ II

Version 2.0

Revision Date 07/30/2015

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product information

Product Name:	PERMECTRIN™ II
SDS Number:	122000008520

Use

: Pesticide

Company

BAYER HEALTHCARE LLC Animal Health Division 12707 Shawnee Mission Parkway (West 63rd) Shawnee, KS 66216-1846 USA (800) 633-3796

In case of emergency: (800) 422-9874 Chemtrec: (800) 424-9300 BAYER INFORMATION PHONE:(800) 633-3796 INTERNATIONAL:(703) 527-3887

2. HAZARDS IDENTIFICATION

Emergency Overview		
Colour: Light yellow to yellow	Form: liquid	Odour: oily.
GHS Classification:		
Acute toxicity (Oral) Acute toxicity (Inhalation) Eye irritation Skin sensitization Germ cell mutagenicity Carcinogenicity	: Category : Category : Category : Category : Category : Category	y 4 y 2 y 1 y 1B
GHS Label element: Hazard pictograms	:	
Signal word	: Danger	

Page 1 of 10

SAFETY DATA SHEET	12200008520
PERMECTRIN™ II	
Version 2.0	Revision Date 07/30/2015
Hazard statements	 H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H340 May cause genetic defects. H350 May cause cancer.
Precautionary statements	 Prevention: P201 Obtain special instructions before use. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P273 Avoid release to the environment. P281 Use personal protective equipment as required. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Other hazards which do not result in classification:

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Weight percent	Components Permethrin	CAS-No. 52645-53-1
1 - 5%	n-butanol	71-36-3

4. FIRST AID MEASURES

General advice: Take off all contaminated clothing immediately.

If inhaled: Remove to fresh air. Call a physician immediately.

In case of skin contact: After contact with skin, wash immediately with plenty of soap and water. If skin reactions occur, contact a physician.

In case of eye contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed: If swallowed, seek medical advice immediately and show this container or label.

Page 2 of 10

Note to Physician: Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

Contact Number: Use the Bayer Emergency Number in Section 1

5. FIREFIGHTING MEASURES

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media: High volume water jet

Specific hazards during firefighting: Fire may cause evolution of: Carbon monoxide (CO) Carbon dioxide (CO2)

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Further information: Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment.

Methods for cleaning up: Cover spilled product with liquid-binding material (sand, silica gel, acid binder, universal binder, hybilat). Take up mechanically and fill into labeled, closable containers.

Additional advice: No special precautions required.

Further AccidentalNo special precautions required.Release Notes

7. HANDLING AND STORAGE

Handling:

Avoid formation of aerosol. Only handle product with local exhaust ventilation. Avoid contact with skin, eyes and clothing.

No special protective measures against fire required.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection:

Recommended Filter type: Organic vapor with prefilter

Page 3 of 10

None required for consumer use of this product.

Hand protection:

Chemically resistant gloves. None required for consumer use of this product.

Eye protection:

Safety glasses

None required for consumer use of this product.

Other protective measures:

Wear suitable protective equipment.

Please consult label for end-user requirements.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form:	liquid
Colour:	Light yellow to yellow
Odour:	oily
Odour Threshold:	No applicable information is available
Melting point:	No applicable information is available
Boiling point/boiling range:	No applicable information is available
Density:	0.859 g/cm ³
Bulk density:	No applicable information is available
Vapour pressure:	No applicable information is available
Viscosity, dynamic:	No applicable information is available
Viscosity, kinematic:	No applicable information is available
Flow time:	No applicable information is available
Surface tension:	No applicable information is available
Miscibility with water:	No applicable information is available
Water solubility:	No applicable information is available
pH:	4.86 at 10 g/l
Relative density:	No applicable information is available
Partition coefficient:	No applicable information is available
Solubility(ies):	No applicable information is available
Flash point:	151 °F (66.11 °C)
Flammability (solid, gas):	No applicable information is available
Ignition temperature:	No applicable information is available
Explosion limits:	No applicable information is available

10. STABILITY AND REACTIVITY

Conditions to avoid: No data available

Page 4 of 10

Materials to avoid: Oxidizing agents

Hazardous reactions: No data available

Thermal decomposition:

No data available

Hazardous decomposition products: Carbon monoxide (CO), Carbon dioxide (CO2)

Oxidizing properties:

No statements available.

Impact sensitivity:

No data available

11. TOXICOLOGICAL INFORMATION

Other information on toxicity:

Permethrin

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

Other information on toxicity:

n-butanol Liver and kidney injuries may occur.

After absorption of large quantities Dizziness, Liver disorders, drowsiness, headaches, Weakness

Acute oral toxicity: Permethrin

LD50 Rat: 430 mg/kg

n-butanol LD50 Rat: 790 mg/kg

Acute inhalation toxicity:

Permethrin LC50 Rat: 2.3 mg/l, 4 h

n-butanol LC50 Rat: 8000 ppm, 4 h

Acute dermal toxicity:

Permethrin LD50 Rabbit: > 2,000 mg/kg

Page 5 of 10

SAFETY DATA SHEET **PERMECTRIN™ II**

Version 2.0

LD50 Rat: > 2,500 mg/kg

n-butanol LD50 Rabbit: 3,400 mg/kg

Skin irritation:

Permethrin Rabbit Result: No skin irritation

n-butanol Rabbit Result: Mild skin irritation Method: OECD 404

Eye irritation:

Permethrin Rabbit Result: Mild eye irritation

n-butanol Rabbit Result: Causes serious eye damage. Method: OECD 405

Sensitisation:

Permethrin Result: May cause sensitisation by skin contact.

n-butanol Skin sensitization guinea pig Result: Did not cause sensitisation on laboratory animals. Method: OECD 406

Genotoxicity in vitro:

n-butanol Ames test **Result:** negative

Micronucleus test **Result: negative**

In vitro gene mutation study in mammalian cells (Hamster V79-cells) Result: No evidence of a genotoxic effect. Method: OECD 476

Genotoxicity in vivo:

n-butanol Micronucleus test, Mouse Result: No evidence of a genotoxic effect. Method: OECD 474

Page 6 of 10

Version 2.0

Reproductive toxicity:

n-butanol NOAEL: 2000 ppm Result: Animal testing did not show any effects on fertility. Method: OECD Test Guideline 416

Pharmaceutic effects:

Permethrin Insecticide

Carcinogenicity: No Carcinogenic substances as defined by IARC, NTP and/or OSHA

Experience with human exposure:

<u>Components:</u> 71-36-3 : May cause skin irritation and/or dermatitis.

STOT - single exposure: Components:

71-36-3 : Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure:

No data available

12. ECOLOGICAL INFORMATION

General advice:

Do not allow to enter surface waters or groundwater.

Toxicity to fish:

Permethrin LC50 0.0076 mg/l Test species: Poecilia reticulata Duration of test: 48 h

n-butanol Acute Fish toxicity: LC50 1,730 mg/l Test species: Pimephales promelas (fathead minnow) Duration of test: 96 h

Toxicity to daphnia and other aquatic invertebrates:

Permethrin EC50 37 µg/l Test species: Daphnia magna (Water flea) Duration of test: 48 h Method: OECD 202

EC50 0.00017 mg/l Test species: Daphnia magna (Water flea) Duration of test: 48 h

Page 7 of 10

SAFETY DATA SHEET PERMECTRIN™ II

Version 2.0

n-butanol EC50 1,983 mg/l Test species: Daphnia magna (Water flea) Duration of test: 48 h

Toxicity to algae:

Permethrin EC50 0.5 mg/l Duration of test: 72 h

Biodegradability:

Permethrin 0 %, 28 d Not rapidly biodegradable

n-butanol 98 %, 28 d rapidly biodegradable Method: OECD 301 E

13. DISPOSAL CONSIDERATIONS

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

14. TRANSPORT INFORMATION

Land transport (CFR) non-regulated

US Sea transport (IMDG) non-regulated

US Air transport (ICAO / IATA cargo aircraft only) non-regulated

US Air transport (ICAO / IATA passenger and cargo aircraft) non-regulated

International IATA UN Number Description of the goods	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERMETHRIN)
Class	9
Packaging group	III
Dangerous goods labels	9
Environmentally hazardous	yes

Page 8 of 10

Version 2.0

Revision Date 07/30/2015

International IMDG	
UN Number	3082
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERMETHRIN)
Class	9
Packaging group	III
IMDG-Labels	9
EmS Number	F-A
Marine pollutant	yes

15. REGULATORY INFORMATION

Other regulations: No statements available.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section
302 Extremely Hazardous Substance (40 CFR 355, Appendix A)
Components
None

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components Permethrin

US. EPA CERCLA Hazardous Substances (40 CFR 302) Components n-butanol Reportable quantity: 5000 lbs

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists		
Weight percent	Components	CAS-No.
7 - 13%	Permethrin	52645-53-1

 New Jersey Environmental Hazardous Substances List and/or New Jersey RTK Special Hazardous

 Substances Lists

 Weight percent
 Components

 CAS-No.

7 - 13% Permethrin 52645-53-1

California Prop. 65

To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

OSHA Hazcom Standard Rating Hazardous

Page 9 of 10

16. OTHER INFORMATION

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Page 10 of 10