This SDS packet was issued with item:

078393814

N/A



Revision date: 06-Jan-2014 Version: 3.0 Page 1 of 9

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Ceftiofur Sodium Sterile Powder

Trade Name: Naxcel; Excenel

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary product used as antibiotic agent

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896

Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem

Belgium

Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300

Contact E-Mail: VMIPSrecords@zoetis.com

Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Off white to light tan powder

Classification of the Substance or Mixture

GHS - Classification

Skin Corrosion/Irritation: Category 2

Serious Eye Damage/Eye Irritation: Category 2A

Respiratory Sensitization: Category 1

Skin Sensitization: Category 1

US OSHA Specific - Classification

Physical Hazard: Combustible Dust

EU Classification:

EU Indication of danger: Harmful

Irritant

EU Symbol: Xn Xi

EU Risk Phrases:

R36 - Irritating to eyes. R38 - Irritating to skin.

R42/43 - May cause sensitization by inhalation and skin contact.

Label Elements

NAXCEL

Signal Word: Danger

Material Name: Ceftiofur Sodium Sterile Powder

Revision date: 06-Jan-2014 Version: 3.0

2. HAZARDS IDENTIFICATION

Hazard Statements: H315 - Causes skin irritation

H319 - Causes serious eye irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Page 2 of 9

H317 - May cause an allergic skin reaction May form combustible dust concentrations in air

Precautionary Statements: P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P264 - Wash hands thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P284 - Wear respiratory protection

P272 - Contaminated work clothing should not be allowed out of the workplace

P302+ P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTRE or

doctor/physician

P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards

Short Term: May cause eye irritation; May cause skin irritation. (based on components) . If an allergic

reaction occurs, the worker should be removed to the nearest emergency room and the

appropriate therapy instituted.

Known Clinical Effects: Individuals who are sensitive to beta lactam antibiotics, both penicillins and cephalosporins,

may experience contact or systemic hypersensitivity and anaphylaxis upon exposure to this drug. Ingestion of this material may cause effects similar to those generally seen in clinical use of antibiotics including gastrointestinal irritation, vomiting, transient diarrhea, nausea, and abdominal pain. Clinical use of this drug has caused effects on blood forming organs, blood

cell changes.

Australian Hazard Classification

(NOHSC):

Hazardous Substance. Non-Dangerous Goods.

Note: This document has been prepared in accordance with standards for workplace safety, which

requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

NAXCEL

Material Name: Ceftiofur Sodium Sterile Powder Page 3 of 9
Revision date: 06-Jan-2014 Version: 3.0

3. COMPOSITION/INFORMATION ON INGREDIENTS								
Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%			
Ceftiofur Sodium	104010-37-9	Not Listed	Xn; R42/43	Resp Sens. (H334) Skin Sens. (H317)	98			
Sodium hydroxide	1310-73-2	215-185-5	C; R35	Skin Corr. 1A (H314)	1			

Ingredient	CAS Number	EU EINECS/ELINCS	EU Classification	GHS Classification	%
		List			
Potassium phosphate	7778-77-0	231-913-4	Not Listed	Not Listed	*

Additional Information: * Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical ConditionsBreathing dust may worsen asthma symptoms.

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic gases is possible during heating or fire.

Products:

Fine particles (such as dust and mists) may fuel fires/explosions. Dust can form an explosive

mixture in air.

Advice for Fire-Fighters

NAXCEL

Material Name: Ceftiofur Sodium Sterile Powder

Revision date: 06-Jan-2014 Version: 3.0

Wear approved positive pressure, self-contained breathing apparatus and full protective turn out gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Avoid dust formation.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning /

Collecting:

Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of dry solids. Clean spill area thoroughly.

Page 4 of 9

Additional Consideration for

Large Spills:

Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding and bonding procedures. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Minimize dust generation and accumulation. Use with adequate ventilation. Wash thoroughly after handling. Releases to the environment should be avoided. Use appropriate personal protective equipment.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store at room temperature in properly labeled containers. Keep away from heat, sparks and

flames.

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Ceftiofur Sodium

Zoetis OEL TWA 8-hr 200µg/m³, Sensitizer

Sodium hydroxide

 2 mg/m^3 **ACGIH Ceiling Threshold Limit: Australia PEAK** 2 mg/m^3 2 mg/m³ Austria OEL - MAKs 2.0 mg/m³ **Bulgaria OEL - TWA** Czech Republic OEL - TWA 1 mg/m^3 **Estonia OEL - TWA** 1 mg/m^3 France OEL - TWA 2 mg/m³ **Greece OEL - TWA** 2 mg/m³ **Hungary OEL - TWA** 2 ma/m3 Japan - OELs - Ceilings 2 mg/m^3

Material Name: Ceftiofur Sodium Sterile Powder Page 5 of 9
Revision date: 06-Jan-2014 Version: 3.0

Totalen date: 00 dan 2014

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

 Latvia OEL - TWA
 0.5 mg/m³

 OSHA - Final PELS - TWAs:
 2 mg/m³

 Poland OEL - TWA
 0.5 mg/m³

 Slovakia OEL - TWA
 2 mg/m³

 Slovenia OEL - TWA
 2 mg/m³

 Sweden OEL - TWAs
 1 mg/m³

 Switzerland OEL - TWAs
 2 mg/m³

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

Personal Protective Refer to applicable national standards and regulations in the selection and use of personal

Equipment: protective equipment (PPE).

Hands: Impervious gloves are recommended if skin contact with drug product is possible and for bulk

processing operations.

Eyes: Wear safety glasses or goggles if eye contact is possible.

Skin: Impervious protective clothing is recommended if skin contact with drug product is possible and

for bulk processing operations.

Respiratory protection: If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate

respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:PowderColor:Off-white to tanOdor:No data available.Odor Threshold:No data available.

Molecular Formula: Mixture Molecular Weight: Mixture

Solvent Solubility: Slightly soluble: Methanol, Tetrahydrofuran

Water solubility: >400 mg/ml
Water Solubility: No data available
pH: No data available.
Melting/Freezing Point (°C): No data available
Boiling Point (°C): No data available.
Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s):

Vapor Pressure (kPa):

Vapor Density (g/ml):

Relative Density:

Viscosity:

No data available

No data available

No data available

No data available

Flammablity:

Autoignition Temperature (Solid) (°C):

Flammability (Solids):

Flash Point (Liquid) (°C):

Upper Explosive Limits (Liquid) (% by Vol.):

Lower Explosive Limits (Liquid) (% by Vol.):

No data available
No data available

Polymerization: Will not occur

Page 6 of 9

Material Name: Ceftiofur Sodium Sterile Powder

Revision date: 06-Jan-2014 Version: 3.0

Partition Coefficient 0.3 (pH 5)

(n-octanol/water - cLog P):

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions. Keep away from heat, spark,

flames and all other sources of ignition.

Incompatible Materials: As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition

Products:

No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: Toxicological properties of the formulation have not been investigated. The information

included in this section describes the potential hazards of the active ingredient(s).

Acute Toxicity: (Species, Route, End Point, Dose)

Ceftiofur Sodium

Rat Oral LD 50 >7760 mg/kg

Rat Sub-tenon injection (eye) LD 50 927mg/kg

Rat Inhalation LC 50 >8.3mg/L

Sodium hydroxide

Mouse IP LD50 40 mg/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable

at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Ceftiofur Sodium

Eye Irritation Rabbit Minimal Skin Irritation Rabbit Minimal

Sodium hydroxide

Eye Irritation Rabbit Severe Skin Irritation Rabbit Severe

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Ceftiofur Sodium

90 Day(s) Dog Oral 30 mg/kg/day NOEL Blood forming organs

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Ceftiofur Sodium

NAXCEL

Page 7 of 9

Material Name: Ceftiofur Sodium Sterile Powder

Revision date: 06-Jan-2014 Version: 3.0

11. TOXICOLOGICAL INFORMATION

2 Generation Reproductive Toxicity Rat Oral 1000 mg/kg/day NOEL Fetotoxicity Embryo / Fetal Development Rat Oral 3200 mg/kg/day NOAEL Not Teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Ceftiofur Sodium

Bacterial Mutagenicity (Ames) Salmonella, E. coli Negative

Unscheduled DNA Synthesis Rat Negative

Mammalian Cell Mutagenicity Chinese Hamster Ovary (CHO) cells Negative

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties have not been thoroughly investigated. Releases to the environment

should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

Page 8 of 9

Material Name: Ceftiofur Sodium Sterile Powder

Revision date: 06-Jan-2014 Version: 3.0

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications WHMIS hazard class:

Class D, Division 2, Subdivision A Class D, Division 2, Subdivision B



Ceftiofur Sodium

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

Sodium hydroxide

CERCLA/SARA 313 Emission reporting Not Listed **CERCLA/SARA Hazardous Substances** 1000 lb and their Reportable Quantities: 454 kg **California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Present Australia (AICS): Standard for the Uniform Scheduling Schedule 5 Schedule 6 for Drugs and Poisons: **EU EINECS/ELINCS List** 215-185-5

Potassium phosphate

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Eisted

Not Listed

Not

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317 - May cause an allergic skin reaction

H314 - Causes severe skin burns and eye damage

R35 - Causes severe burns.

R42/43 - May cause sensitization by inhalation and skin contact.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

NAXCEL .

Material Name: Ceftiofur Sodium Sterile Powder Page 9 of 9
Revision date: 06-Jan-2014 Version: 3.0

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 6 - Accidental Release Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section

10 - Stability and Reactivity. Updated Section 15 - Regulatory Information.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet

NAXCEL