

SAFETY DATA SHEETS

This SDS packet was issued with item:

078394475

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078394137



UPDATED PRODUCT CODE: 069286, 069287, 069288, 069289, 069290, 069290B,
069290C, 069291B, 069291C, 069292, 069293, 042917,
006777, 042954, 069300, 003468
VERSION DATE: 6/2007

Page 1 of 5

MATERIAL SAFETY DATA SHEET

----- 1. CHEMICAL PRODUCT and COMPANY IDENTIFICATION -----

Product Name: SAFE-GUARD®
Product Family: BOVINE/EQUINE PHARMACETUTICALS

PRODUCT:

PRODUCT CODE:

SAFE-GUARD® 1.96% FLAKED MEAL	069286
SAFE-GUARD® 1.96% PELLETS	069287
SAFE-GUARD® MINERAL MIX	069288
SAFE-GUARD® EZ SCOOP	069289
SAFE-GUARD® COLD PRESS BLOCKS	069290, 069290B, 069290C
SAFE-GUARD® BLOCKS (ENPRO-AL)	069291B, 069291C
SAFE-GUARD® SUSPENSION	069292, 069293
SAFE-GUARD® POWER DOSE	042917
SAFE-GUARD® PELLETS CATTLE TOP DRESS	006777, 042954
SAFE-GUARD® PASTE	069300, 003468

SYNONYMS:

FENBENDAZOLE

PRODUCT USE: Refer to product insert for proper usage.

COMPANY ADDRESS: Intervet Inc - 29160 Intervet Lane - Millsboro, DE 19966

----- 2. COMPOSITION / INFORMATION on INGREDIENTS -----

HAZARDOUS COMPONENT:

CONCENTRATION:

CAS NUMBER:

FENBENDAZOLE

0.5%-35%

43210-67-9

----- 3. HAZARDS IDENTIFICATION -----

EMERGENCY: HUMAN, FIRE, SPILL, OR ENVIRONMENTAL: 1-800-228-5635 EXT. 132 24 HRS.
ANIMAL: 1-800-345-4735 EXT. 104 24 HRS.
CHEMTREC® FOR CHEMICAL EMERGENCY SPILL, LEAK, FIRE: 1-800-424-9300

PRODUCT INFORMATION: 1-800-835-0541 OR 1-302-934-8051 9:00 A.M. – 5:00 P.M. EST



UPDATED PRODUCT CODE: 069286, 069287, 069288, 069289, 069290, 069290B,
069290C, 069291B, 069291C, 069292, 069293, 042917,
006777, 042954, 069300, 003468
VERSION DATE: 6/2007

Page 2 of 5

ROUTES OF ENTRY: *Dermal, Injection, Inhalation, Ingestion*

ACUTE EFFECTS OF EXPOSURE: *May cause irritation at site of contact.*

CHRONIC EFFECTS OF EXPOSURE: *None known*

CARCINOGENIC EFFECTS: *This product is not considered a carcinogen and is not listed by OSHA, IRAC or NTP.*

----- 4. FIRST AID MEASURES -----

SKIN: *Wash immediately affected area with soap and water. Contact a physician.*

EYES: *Immediately flush with plenty of water for fifteen minutes. Contact a physician*

INHALATION: *Remove to fresh air. If not breathing, give artificial respiration and call for medical help immediately.*

INGESTION: *Seek medical attention immediately.*

----- 5. FIRE FIGHTING MEASURES -----

EXTINGUISHING METHODS: *Use Water, Water Mist, Foam, or Dry Chemical to extinguish fire.*

FIRE FIGHTING INSTRUCTIONS: *Wear full bunker gear, including SCBA, for fighting fires involving large quantities of this material. Keep upwind.*

----- 6. ACCIDENTAL RELEASE MEASURES -----

EMERGENCY: HUMAN, FIRE, SPILL, OR ENVIRONMENTAL: 1-800-228-5635 EXT. 132 24 HRS.
ANIMAL: 1-800-345-4735 EXT. 104 24 HRS.
CHEMTREC® FOR CHEMICAL EMERGENCY SPILL, LEAK, FIRE: 1-800-424-9300

PRODUCT INFORMATION: 1-800-835-0541 OR 1-302-934-8051 9:00 A.M. – 5:00 P.M. EST



UPDATED PRODUCT CODE: 069286, 069287, 069288, 069289, 069290, 069290B,
069290C, 069291B, 069291C, 069292, 069293, 042917,
006777, 042954, 069300, 003468
VERSION DATE: 6/2007

Page 3 of 5

PROCEDURES IN CASE OF SPILL OR LEAK: *Clean up spilled material. Place in a secure container for disposal.*

----- 7. HANDLING and STORAGE -----

STORAGE: *Store at room temperature. Keep material dry. Protect containers from damage.*

SHELF LIFE: *See expiration date on product label.*

HANDLING PRECAUTIONS: *Do not empty contents of sacks into vessels containing a combustible mixture of gasses. Static discharge may ignite vapors or gasses. Equipment used in handling this product should be electrically grounded to prevent possible dust explosion.*

----- 8. EXPOSURE CONTROL / PERSONAL PROTECTION -----

EYES: *Prevent eye contact by wearing appropriate eye protection for handling tasks.*

SKIN: *Avoid skin contact. Wear chemical resistant gloves, long-sleeves, and trousers to prevent dermal contact.*

RESPIRATOR PROTECTION: *Under normal conditions of use, as stated in the product insert, no respiratory protection is necessary. However, if ventilation is inadequate wear a NIOSH approved respirator.*

----- 9. PHYSICAL and CHEMICAL PROPERTIES -----

APPEARANCE: *Dry mixture with inert edible excipients. See product label for details.*

PH: 5.0-7.0

----- 10. STABILITY and REACTIVITY -----

CHEMICAL STABILITY: *Stable*

CONDITIONS TO AVOID: *None known*

INCOMPATIBILITY: *None Known*

EMERGENCY: HUMAN, FIRE, SPILL, OR ENVIRONMENTAL: 1-800-228-5635 EXT. 132 24 HRS.
ANIMAL: 1-800-345-4735 EXT. 104 24 HRS.
CHEMTREC® FOR CHEMICAL EMERGENCY SPILL, LEAK, FIRE: 1-800-424-9300

PRODUCT INFORMATION: 1-800-835-0541 OR 1-302-934-8051 9:00 A.M. – 5:00 P.M. EST



UPDATED PRODUCT CODE: 069286, 069287, 069288, 069289, 069290, 069290B,
069290C, 069291B, 069291C, 069292, 069293, 042917,
006777, 042954, 069300, 003468
VERSION DATE: 6/2007

Page 4 of 5

HAZARDOUS POLYMERIZATION: *Will not occur*

----- 11. TOXICOLOGICAL INFORMATION -----

Oral LD 50 Rat: *Greater than 10,000 mg/kg*
Intraperitoneal LD50 (rat): *Not available*
Intraperitoneal LD50 (mouse): *Not available*

----- 12. ECOLOGICAL INFORMATION -----

ECOTOXICITY: *LC 50 greater than 500 mg/L (48 and 96 hrs) Zebrafish*

----- 13. DISPOSAL CONSIDERATIONS -----

Waste should be incinerated.

----- 14. TRANSPORTATION -----

DOT SHIPPING INFORMATION: *Not regulated by the DOT*

----- 15. REGULATORY INFORMATION -----

STATE REGULATIONS: *The following chemicals associated with the product are subject to the Right-To-Know regulations in these states:*
Mineral Oil (8012-95-1): IL, LA, MA, RI

U.S. FEDERAL REGULATIONS: *Sara 313: No components listed*
This product is listed with the FDA for use in animals.

----- 16. OTHER INFORMATION -----

DISCLAIMER:

EMERGENCY: HUMAN, FIRE, SPILL, OR ENVIRONMENTAL: 1-800-228-5635 EXT. 132 24 HRS.
ANIMAL: 1-800-345-4735 EXT. 104 24 HRS.
CHEMTREC® FOR CHEMICAL EMERGENCY SPILL, LEAK, FIRE: 1-800-424-9300

PRODUCT INFORMATION: 1-800-835-0541 OR 1-302-934-8051 9:00 A.M. – 5:00 P.M. EST



UPDATED PRODUCT CODE: 069286, 069287, 069288, 069289, 069290, 069290B,
069290C, 069291B, 069291C, 069292, 069293, 042917,
006777, 042954, 069300, 003468
VERSION DATE: 6/2007

Page 5 of 5

The information contained herein is true and accurate to the best of the knowledge of Intervet Inc. However, all data, instructions, and/or recommendations are made without guarantee. The buyer and handler assume all risk and liability of use, storage, and/or handling of this product not in accordance with the terms of the product label.

EMERGENCY: HUMAN, FIRE, SPILL, OR ENVIRONMENTAL: 1-800-228-5635 EXT. 132 24 HRS.
ANIMAL: 1-800-345-4735 EXT. 104 24 HRS.
CHEMTREC® FOR CHEMICAL EMERGENCY SPILL, LEAK, FIRE: 1-800-424-9300

PRODUCT INFORMATION: 1-800-835-0541 OR 1-302-934-8051 9:00 A.M. – 5:00 P.M. EST

Fenbendazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2016
3.3	11/14/2016	26403-00009	Date of first issue: 10/29/2014

SECTION 1. IDENTIFICATION

Product name : Fenbendazole Liquid Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc

Address : One Merck Drive
Whitehouse Station - New Jersey - USA 08889

Telephone : 908-423-1000

Telefax : 908-735-1496

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Reproductive toxicity : Category 2

Specific target organ
systemic toxicity - repeated
exposure (Oral) : Category 2 (Liver, lymph node, Stomach, Nervous system)

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H373 May cause damage to organs (Liver, lymph node, Stomach, Nervous system) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P280 Wear protective gloves/ protective clothing/ eye protection/

Fenbendazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2016
3.3	11/14/2016	26403-00009	Date of first issue: 10/29/2014

face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
fenbendazole	43210-67-9	≥ 5 - < 10
Silicon, amorphous	112945-52-5	≥ 1 - < 5

SECTION 4. FIRST AID MEASURES

- | | |
|---|---|
| General advice | : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| If inhaled | : If inhaled, remove to fresh air.
Get medical attention. |
| In case of skin contact | : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists. |
| If swallowed | : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : Suspected of damaging fertility. Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure if swallowed. |

Fenbendazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2016
3.3	11/14/2016	26403-00009	Date of first issue: 10/29/2014

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice and personal protective equipment recommendations.

Environmental precautions : Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable

Fenbendazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2016
3.3	11/14/2016	26403-00009	Date of first issue: 10/29/2014

absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Avoid inhalation of vapor or mist.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
fenbendazole	43210-67-9	TWA	100 µg/m ³ (OEB 2)	Merck
Silicon, amorphous	112945-52-5	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m ³ / %SiO ₂ (Silica)	OSHA Z-3
		TWA	6 mg/m ³ (Silica)	NIOSH REL

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

Fenbendazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2016
3.3	11/14/2016	26403-00009	Date of first issue: 10/29/2014

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
- Hand protection
Material : Chemical-resistant gloves
- Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.
- Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : suspension
- Color : white
- Odor : characteristic
- Odor Threshold : No data available
- pH : 6 - 8

Fenbendazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2016
3.3	11/14/2016	26403-00009	Date of first issue: 10/29/2014

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Solubility(ies)	:	
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.

Fenbendazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2016
3.3	11/14/2016	26403-00009	Date of first issue: 10/29/2014

Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Ingredients:**fenbendazole:**

Acute oral toxicity	:	LD50 (Rat): > 10,000 mg/kg
		LD50 (Mouse): > 10,000 mg/kg

Silicon, amorphous:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat): > 2.08 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Ingredients:**fenbendazole:**

Species: Rabbit
Result: No skin irritation

Silicon, amorphous:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

Fenbendazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2016
3.3	11/14/2016	26403-00009	Date of first issue: 10/29/2014

Remarks: Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Ingredients:**fenbendazole:**

Species: Rabbit

Result: No eye irritation

Silicon, amorphous:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Remarks: Based on data from similar materials

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Ingredients:**fenbendazole:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

: Test Type: DNA Repair
Result: negative

: Test Type: Chromosomal aberration
Result: negative

: Test Type: in vitro test
Species: mouse lymphoma cells
Metabolic activation: Metabolic activation
Result: equivocal

Silicon, amorphous:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow
cytogenetic test, chromosomal analysis)
Species: Rat

Fenbendazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2016
3.3	11/14/2016	26403-00009	Date of first issue: 10/29/2014

Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Ingredients:**fenbendazole:**

Species: Mouse
Application Route: oral (feed)
Exposure time: 2 Years
NOAEL: 405 mg/kg body weight
Result: negative

Species: Rat
Application Route: Oral
Exposure time: 2 Years
NOAEL: 5 mg/kg body weight
Result: negative
Target Organs: Lymph nodes, Liver

Silicon, amorphous:

Species: Rat
Application Route: Ingestion
Exposure time: 103 weeks
Result: negative
Remarks: Based on data from similar materials

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Ingredients:**fenbendazole:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study
Species: Rat
Application Route: oral (feed)
General Toxicity Parent: NOAEL: 15 mg/kg body weight
Fertility: LOAEL: 45 mg/kg body weight
Result: Effects on fertility.

Fenbendazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2016
3.3	11/14/2016	26403-00009	Date of first issue: 10/29/2014

Effects on fetal development : Test Type: Development
Species: Dog, female
Application Route: Oral
Developmental Toxicity: LOAEL: 100 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 25 mg/kg body weight
Result: Fetotoxicity.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 63 mg/kg body weight

Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 120 mg/kg body weight
Result: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

Silicon, amorphous:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Liver, lymph node, Stomach, Nervous system) through prolonged or repeated exposure if swallowed.

Ingredients:**fenbendazole:**

Routes of exposure: Ingestion
Target Organs: Liver, lymph node, Stomach, Nervous system
Assessment: May cause damage to organs through prolonged or repeated exposure.

Fenbendazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2016
3.3	11/14/2016	26403-00009	Date of first issue: 10/29/2014

Repeated dose toxicity**Ingredients:****fenbendazole:**

Species: Rat
LOAEL: 500 mg/kg
Application Route: Oral
Exposure time: 2 Weeks
Target Organs: Kidney, Liver

Species: Rat
NOAEL: > 2,500 mg/kg
Application Route: Oral
Exposure time: 30 Days
Remarks: No significant adverse effects were reported

Species: Rat
LOAEL: 1,600 mg/kg
Application Route: Oral
Exposure time: 90 Days
Target Organs: Central nervous system
Symptoms: Tremors

Species: Dog
NOAEL: 4 mg/kg
LOAEL: 8 mg/kg
Exposure time: 6 Months
Target Organs: Stomach, lymph node, Nervous system

Silicon, amorphous:

Species: Rat
NOAEL: 1.3 mg/l
Application Route: inhalation (dust/mist/fume)
Exposure time: 13 Weeks
Remarks: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Ingredients:**fenbendazole:**

No aspiration toxicity classification

Experience with human exposure**Ingredients:****fenbendazole:**

Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhea

Fenbendazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2016
3.3	11/14/2016	26403-00009	Date of first issue: 10/29/2014

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Ingredients:****fenbendazole:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 7.5 mg/l
Exposure time: 96 h
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.008 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202

M-Factor (Acute aquatic tox- : 100
icity)

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.0015 mg/l
aquatic invertebrates (Chron- : Exposure time: 21 Days
ic toxicity) : Method: OECD Test Guideline 211

M-Factor (Chronic aquatic : 10
toxicity)

Silicon, amorphous:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
aquatic invertebrates : Exposure time: 24 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 10,000
mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): 10,000
mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Persistence and degradability

No data available

Fenbendazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2016
3.3	11/14/2016	26403-00009	Date of first issue: 10/29/2014

Bioaccumulative potential**Ingredients:****fenbendazole:**

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 240

Partition coefficient: n-octanol/water : log Pow: 2.3

Mobility in soil**Ingredients:****fenbendazole:**

Distribution among environmental compartments : log Koc: 4.37

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(fenbendazole)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(fenbendazole)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964

Fenbendazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2016
3.3	11/14/2016	26403-00009	Date of first issue: 10/29/2014

Packing instruction (passenger aircraft) : 964

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fenbendazole)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

UN/ID/NA number	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (fenbendazole)
Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171
Marine pollutant	: yes(fenbendazole)
Remarks	: Above applies only to containers over 119 gallons or 450 liters., Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Chronic Health Hazard

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Fenbendazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2016
3.3	11/14/2016	26403-00009	Date of first issue: 10/29/2014

US State Regulations**Pennsylvania Right To Know**

Water

7732-18-5

fenbendazole

43210-67-9

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Permissible Exposure Limits for Chemical Contaminants

Silicon, amorphous


112945-52-5

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION**Further information****NFPA:****HMIS® IV:**

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-3 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Sched-

Fenbendazole Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06/22/2016
3.3	11/14/2016	26403-00009	Date of first issue: 10/29/2014

ule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 11/14/2016

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8